



Comprehensive Natural Products Chemistry

Formula Index

Editors-in-Chief
Sir Derek Barton
Koji Nakanishi

Executive Editor
Otto Meth-Cohn

Formula Index

JOHN NEWTON

David John Services Ltd., Slough, UK

This index to the eight volumes of *Comprehensive Natural Products Chemistry* contains entries to significant specific compounds discussed in the text, equations, Table, Figures, or Schemes. Reagents or compounds mentioned only casually are not indexed. Significant compounds are indexed at the first reference in a section; subsequent references are not necessarily provided.

Most of the entries are to specific trivial chemical names, as given in the text, but some systematic names are also used and, on occasion, generic names such as 'sesquiterpene' or 'eudesmane.' Salts, such as 'cinnamate,' have been indexed as the acid. The reader is advised to search for related entries under the appropriate headings.

The element symbols within each formula are arranged according to the modified Hill system, in which the order is C, H, and then any remaining symbols arranged alphabetically.

- AlCl₃, aluminum chloride, **7**, 126
 Br₂, bromine, **7**, 96
 Br₂Zn, zinc bromide, **7**, 126
 CaCl₂, calcium chloride, **8**, 149
 CCaO₃, calcium carbonate, **8**, 149
 CeN₂H₄O₂, ceric ammonium nitrate, **7**, 126
 CHN, cyanide, **3**, 378
 CHN₆, 5-diazonium-1-*H*-tetrazole, **3**, 378
 CHO, formyl, **7**, 120
 CH₂ClF, chlorofluoromethane, **5**, 408
 CH₂Cl₂, dichloromethane, **5**, 407
 CH₂N₄, tetrazole, **6**, 82, **7**, 130, 137
 CH₂O, formaldehyde, **3**, 381, 397, 398, 401, 408, 409, 411, 413, **5**, 408, **7**, 502
 CH₂O₂, formic acid, **3**, 422, **5**, 166, 185, **8**, 209
 CH₂O₃, carbonate, **1**, 3
 CH₃, methyl, **7**, 130
 CH₃ClO₂S, methanesulfonyl chloride, **7**, 118
 CH₃NO, formamide, **6**, 253, **8**, 183
 CH₃O₃P, phosphonoformic acid, **1**, 20, 869
 CH₄, methane, **5**, 174, 218
 CH₄N₂, formamidine, **7**, 124
 CH₄N₂O, urea, **4**, 150, **6**, 253, **8**, 146
 CH₄N₂O₂, hydroxyurea, **5**, 180
 CH₄O, methanol, **5**, 186, **7**, 259, **8**, 209
 CH₄S, methanethiol, **1**, 849, **7**, 259
 CH₄N, methylamine, **3**, 411, 412, **4**, 67
 CH₃NO, methoxylamine, **6**, 65, **7**, 93
 CH₃NO₂P, methoxyphosphoramidite, **7**, 132
 CH₃N₃O, semicarbazide, **6**, 65
 CH₃O₄P, hydroxymethylphosphonic acid, **1**, 869
 CH₃O₆P₂, methanediphosphonic acid, **5**, 158
 CN₄O₈, tetranitromethane, **5**, 243, 353, **7**, 400
 CO, carbon monoxide, **8**, 93
 CO₂, carbon dioxide, **8**, 93, 209
 CoH₁₈N₆, cobalt hexamine, **6**, 160
 C₂Cl₄, tetrachloroethene, **5**, 410
 C₂HCl₃, trichloroethene, **5**, 410
 C₂HCl₃O₂, trichloroacetic acid, **7**, 126
 C₂H F₃N₄, 5-trifluoromethyl-1*H*-tetrazole, **7**, 138
 C₂H₂Br₃, 2,2,2-tribromoethyl, **7**, 130
 C₂H₂Cl₂, 1,2-dichloroethene, **5**, 410
 C₂H₂Cl₂O₂, dichloroacetic acid, **7**, 126
 C₂H₂Cl₃, 2,2,2-trichloroethyl, **7**, 130
 C₂H₂Cl₃OP, 2,2,2-trichloroethyl phosphorodichloridite, **7**, 108
 C₂H₂F₂O₂, fluoroacetate, **8**, 148, 152
 C₂H₂O₂, glyoxal, **7**, 95, 521
 C₂H₂O₃, glyoxylate, **2**, 53, **3**, 381, 404, 413
 C₂H₃Br, bromoethylene, **8**, 93
 C₂H₃BrO, bromoacetaldehyde, **7**, 93
 C₂H₃Cl, chloroethylene, **8**, 93
 C₂H₃ClO, chloroacetaldehyde, **3**, 398, **7**, 93
 C₂H₃FO₂, monofluoroacetic acid, **1**, 871
 C₂H₃F₃O, 2,2,2-trifluoroethanol, **5**, 358
 C₂H₃IO₂, iodoacetic acid, **3**, 394, **4**, 342, **5**, 156
 C₂H₃NaO₂, sodium acetate, **1**, 294
 C₂H₃O, acetyl, **1**, 120
 C₂H₄, ethylene, **1**, 127, 128, 133, **3**, 9, **8**, 21, 22, 27, 91
 C₂H₄Br₂, 1,2-dibromoethane, **5**, 403, 404, 405
 C₂H₄Cl₂, 1,2-dichloroethane, **5**, 404, 405
 C₂H₄INO, iodoacetamide, **1**, 358, **2**, 19, **3**, 398, **4**, 14, **5**, 353
 C₂H₄NO₆P, phosphoglycolohydroxamate, **5**, 12
 C₂H₄O, acetaldehyde, **3**, 373, 397, 409, 411, **5**, 189, 273
 C₂H₄OPS, oxathiaphospholane, **7**, 133
 C₂H₄O₂
 acetic acid, **1**, 298, **2**, 61, **3**, 422, **4**, 255, **8**, 209
 glycolaldehyde, **3**, 374, 386, 409, 425, 426, 429
 C₂H₄O₂S, mercaptoacetic acid, **3**, 758
 C₂H₄O₃, glycolic acid, **8**, 427
 C₂H₄O₄S, sulfoacetaldehyde, **1**, 833
 C₂H₅ClO
 2-chloroethanol, **5**, 191
 chloromethyl methyl ether, **5**, 408
 C₂H₅NO, ethanolamine, **3**, 403
 C₂H₅NO₂, glycine, **1**, 838, **2**, 386, **3**, 246, 259, 264, 397, 398, 399, 401, 827, **4**, 62, 65, 140, **5**, 185, **8**, 209, 417
 C₂H₅N₃O, 2-azidoethanol, **5**, 197
 C₂H₅N₃O₂, *N*-methyl-*N*-nitrosourea, **1**, 783, **7**, 520
 C₂H₅O₄P, phosphonoacetaldehyde, **1**, 869
 C₂H₅O₃P
 acetyl phosphate, **3**, 392, 393, **5**, 144
 carboxymethanephosphonic acid, **5**, 158
 C₂H₆, ethane, **5**, 221
 C₂H₆NO₄P, phosphorylethanolamine, **3**, 402
 C₂H₆NO₆P, phosphoglycolohydroxamate, **3**, 425, **5**, 36
 C₂H₆O, ethanol, **1**, 295, **8**, 209, **3**, 422
 C₂H₆OS
 dimethyl sulfoxide, **3**, 422
 mercaptoethanol, **3**, 392, 644, **4**, 14
 β-mercaptoethanol, **1**, 260, **3**, 394, **5**, 184, 199, 415, **7**, 376, 379
 C₂H₆O₂
 1,2-ethanediol, **5**, 274
 ethylene glycol, **5**, 184, 188
 ethyl hydroperoxide, **5**, 246
 C₂H₆O₃S₂, coenzyme M, **1**, 833
 C₂H₆O₄S, dimethyl sulfate, **7**, 95, 253
 C₂H₆S, DMS, **6**, 65
 C₂H₆S₂, dimethyl disulfide, **8**, 161
 C₂H₆S₃, dimethyl trisulfide, **8**, 161
 C₂H₆S₄, dimethyl tetrasulfide, **8**, 161
 C₂H₇N, dimethylamine, **3**, 411
 C₂H₇NO, ethanolamine, **3**, 197, 296, **5**, 273
 C₂H₇NS, cysteamine, **1**, 260
 C₂H₇O₃P, ethanephosphonic acid, **5**, 158
 C₂H₇O₄P, 2-hydroxyethylphosphonic acid, **1**, 869, 875
 C₂H₈NOP, aminoethanolphosphate, **3**, 197
 C₂H₈NO₃P, 2-aminoethylphosphonic acid, **1**, 865, 875
 C₂H₈NO₄P, phosphoethanolamine, **3**, 296, 297, 300, **4**, 315
 C₂I₄, tetraiodoethene, **5**, 410
 C₃K₂O₄, potassium oxalate, **8**, 148
 C₃H₂Cl₂N₂, 4,5-dichloroimidazole, **7**, 133
 C₃H₂F₆O, 1,1,1,3,3,3-hexafluoro-2-propanol, **7**, 126
 C₃H₃BrO₃
 bromopyruvate, **3**, 398, 423, **5**, 47
 3-bromopyruvate, **1**, 579, **5**, 44
 C₃H₃ClO₂, chloroacrylic acid, **5**, 410
 C₃H₃Cl₂O₂, 2,2-dichloropropionate, **5**, 405
 C₃H₃N₃O₂, azomycin, **7**, 521
 C₃H₃O₂, allyloxycarbonyl, **7**, 121
 C₃H₄BrN, 3-bromopropionitrile, **6**, 93
 C₃H₄Br₂O, 1,3-dibromopropan-2-one, **1**, 351
 C₃H₄ClO₂
 chloropropionate, **5**, 405
 2-chloropropionate, **5**, 405, 406
 C₃H₄FO₆P
 fluoro-PEP, **3**, 252
 3-fluoroPEP, **1**, 579, 594, 598
 C₃H₄F₃NO₂, β,β,β-trifluoroalanine, **3**, 276
 C₃H₄N, cyanoethyl, **7**, 119, 130
 C₃H₄N₂, imidazole, **5**, 175
 C₃H₄N₄O, 6-azacytosine, **7**, 322
 C₃H₄O, acrolein, **7**, 502
 C₃H₄O₂
 acrylic acid, **1**, 298
 malondialdehyde, **1**, 262, **5**, 189, **7**, 502
 methylglyoxal, **2**, 54, **5**, 37, 67
 2-oxetanone, **2**, 22
 C₃H₄O₃
 enolpyruvate, **5**, 32, 33, 38
 malonate semialdehyde, **3**, 409, **5**, 410

- pyruvic acid, **1**, 596, 610, **2**, 4, 53, 54, 55, 56, 376, **3**, 369, 373, 376, 377, 378, 380, 381, 391, 402, 405, 407, 408, 413, 414, 421, 422, 425, 426, 428, 429, 469, 470, 471, **5**, 38, 185, 217, 271
- C₃H₄O₄
 hydroxypyruvate, **3**, 415
 tartronate semialdehyde, **3**, 402
- C₃H₄O₆P, enediolate analogue, **5**, 12
- C₃H₄O₆S, sulfoxypyruvate, **1**, 833
- C₃H₄O₇P, 2-phosphoglycerate, **5**, 16
- C₃H₅, 2-propenyl, **7**, 119
- C₃H₅FO, fluoroacetone, **3**, 373
- C₃H₅NO, cyanoethanol, **7**, 127
- C₃H₅NO₂
 alanine enamine, **3**, 396
 dehydroalanine, **1**, 853, **4**, **7**, 336
 2,3-dehydroalanine, **4**, 275,
- C₃H₅N₂O₄P, 3'-phosphorimidazole, **6**, 134
- C₃H₅O, propionyl, **7**, 120
- C₃H₅O₂, methoxyacetyl, **7**, 120
- C₃H₅O₆P, phosphenolpyruvate, **1**, 20, 346, 527, 574, 575, 577, 580, 593, 594, 833, 867, **3**, 251, 386, 387, 388, 390, 391, 393, **4**, 2, 10, 246, **5**, 16, 33, 38, 719
- C₃H₆, propylene, **8**, 98
- C₃H₆BrO₃P, bromohydroxyacetone phosphate, **5**, 36
- C₃H₆ClNO₂, β-chloroalanine, **3**, 276
- C₃H₆Cl₂, 1,3-dichloropropane, **5**, 408
- C₃H₆Cl₂O, 1,3-dichloro-2-propanol, **5**, 409
- C₃H₆N, aziridyl carbinyl radical, **5**, 210
- C₃H₆N₂O₂, cycloserine, **3**, 277, **8**, 389
- C₃H₆N₂O₄S, 3-aminomonobactamic acid, **4**, 187, 262
- C₃H₆N₄S, thioethyltetrazole, **7**, 138
- C₃H₆O
 acetone, **2**, 17, 21, **3**, 373, **5**, 198, 373
 propanal, **3**, 373, 394,
 propionaldehyde, **3**, 414
- C₃H₆O₂
 hydroxyacetone, **2**, 54
 lactaldehyde, **3**, 414, 423
 propionic acid, **1**, 14, 298, **3**, 422, **5**, 271, **8**, 241, 422
- C₃H₆O₂S, methyl thioglycolate, **7**, 560
- C₃H₆O₃
 dihydroxyacetone, **1**, 144, **3**, 417, 419, 425
 glyceraldehyde, **2**, 55, **3**, 409, 419, 423
 3-hydroxypropionic acid, **1**, 298
 lactaldehyde, **3**, 424, 425, 426
 lactic acid, **3**, 6, 247, 272, 414, 422, 444, **5**, 80
- C₃H₆O₆P
 phosphoenolpyruvate, **3**, 7
 phosphonopyruvate, **1**, 867
 PnPy, **1**, 868
- C₃H₆O₆S, sulfolactic acid, **1**, 833
- C₃H₇ClO, propane epichlorohydrin, **5**, 408
- C₃H₇N
 dimethylaminomethylene, **6**, 87, **7**, 123
 dimethylformamide, **6**, 87
 N-methylaziridine, **5**, 210
- C₃H₇NO, dimethylformamide, **3**, 422
- C₃H₇NO₂
 alanine, **1**, 537, **3**, 245, 248, 254, 259, 260, 272, 395, 405, 533, 826, **4**, 235, **5**, 185, **6**, 127, **8**, 427
 β-alanine, **4**, 339,
 D-alanine, **4**, 275
- C₃H₇NO₂S, cysteine, **1**, 260, 840, 847, 848, **3**, 392, **4**, 162, 165, 227, 246, 354, **5**, 184, 186, **7**, 560, 565, **8**, 418
- C₃H₇NO₂Se, selenocysteine, **4**, 354
- C₃H₇NO₃
 β-aminooxypropionic acid, **3**, 634
 serine, **1**, 545, **2**, 386, **3**, 246, 259, 273, 397, 398, 400, 401, 422, **4**, **7**, 227, 252, 354, 538, **6**, 127, **8**, 209
- C₃H₇N₃O₂
 ENU, **6**, 67
 ethylnitrosourea, **7**, 253
- C₃H₇O₃P, propenylphosphonic acid, **1**, 876
- C₃H₇O₄P
 fosfomycin, **1**, 20, 593, 865, 875, **3**, 252, 275, **5**, 53, 62, 66
 phosphonomycin, **3**, 275
- C₃H₇O₅P, glycidol phosphate, **5**, 36
- C₃H₇O₆P
 dihydroxyacetone phosphate, **1**, 286, **2**, 52, 54, 375, **3**, 369, 408, 409, 414, 419, 424, 425, 426, 430, 431, 464, **5**, 36
 glyceraldehyde-3-phosphate, **2**, **3**, 50, 50, 51, 52, 53, 54, 55, 56, 375, **3**, 373, 386, 390, 392, 393, 414, 417, 419, 421, 423, 428, 429, 430, 431, **4**, 69, **5**, 8, 36 **8**, 219
 3-phosphonolactic acid, **1**, 869
- C₃H₇O₇P
 2-phosphoglycerate, **1**, 403, **5**, 27
 3-phosphoglycerate, **3**, 390
 3-phosphoglyceric acid, **3**, 390
- C₃H₈BNO₄, alanine boronate, **3**, 276, 278
- C₃H₈NO₄P, phosphinoalanine, **1**, 868
- C₃H₈NO₃P
 alanine phosphonate, **3**, 276, 278
 glyphosate, **1**, 593, 596, **3**, 805, **4**, 4, 9, **5**, 349
- C₃H₈NO₃PS, phosphocysteine, **5**, 144, 145
- C₃H₈NO₃P, phosphoserine, **4**, 354, **5**, 144
- C₃H₈N₂O₂, α,β-diaminopropionic acid, **8**, 434
- C₃H₈O, 2-propanol, **5**, 186, **7**, 401, **8**, 209
- C₃H₈O₂, 1,2-propanediol, **5**, 274
- C₃H₈O₂S, thioglycerol, **3**, 392
- C₃H₈O₃, glycerol, **1**, 141, **2**, 54, 282, **4**, 255, **8**, 427
- C₃H₈O₃S₂, S-methyl coenzyme M, **1**, 833
- C₃H₈O₇P₂
 FM monophosphate, **1**, 878
 isoprenyl pyrophosphate, **4**, 199
- C₃H₈O₆P₂, dihydroxyacetone phosphate, **5**, 318
- C₃H₈S₂, hydrodisulfide, **7**, 523
- C₃H₉N, trimethylamine, **3**, 411, **8**, 418
- C₃H₉NO
 isopropanolamine, **4**, 148
 trimethylamine oxide, **3**, 411, 412, **8**, 417
- C₃H₉O₄P
 2-hydroxypropylphosphonic acid, **1**, 876
 trimethyl phosphate, **7**, 70
- C₃H₉O₅P, 1,3-propanediol phosphate, **6**, 250
- C₃H₉O₆P
 glycerol-P, **3**, 464
 3-PGA, **3**, 464, 470, 471, 472
 3-phosphoglycerate, **3**, 470
- C₃H₉O₁₀P₂, 1,3-diphosphoglyceric acid, **4**, 69
- C₃H₉O₁₀P₃, FM diphosphate, **1**, 878
- C₃H₁₀N₂O₁₆P, N-aminoglyphosate, **1**, 597
- C₃H₁₁NO₂, valine, **8**, 221
- C₄H₃BrN₂O₂, 5-bromouridine, **7**, 316
- C₄H₃FN₂O₂, 5-fluorouridine, **7**, 316
- C₄H₃IN₂O₂, 5-iodouridine, **7**, 316
- C₄H₃N₃O, 2-azahypoxanthine, **7**, 326
- C₄H₄BrN₃, 5-bromodeoxycytosine, **7**, 78
- C₄H₄BrN₃O, bromocytosine, **7**, 321
- C₄H₄FN₃O, C-5-fluorocytosine, **7**, 322
- C₄H₄N₂O
 2-pyrimidinone, **6**, 225, **7**, 254
 4-pyrimidinone, **7**, 254
- C₄H₄N₂OS
 2-thiouracil, **7**, 314
 4-thiouridine, **7**, 315
- C₄H₄N₂O₂
 maleic hydrazide, **8**, 34, 36
 pyrimidinedione, **7**, 261
 uracil, **5**, 182, **7**, 56

- C₄H₄N₂O₂S, thiobarbituric acid, 7, 385
 C₄H₄N₂S
 2-thiopyrimidine, 7, 260
 4-thiopyrimidine, 7, 260
 C₄H₄N₂S₂, 2,4-dithiopyrimidine, 7, 260
 C₄H₄O₄
 fumaric acid, 5, 23
 maleic acid, 5, 23
 C₄H₄O₅, oxaloacetate, 2, 53, 3, 381, 391, 404, 413, 4, 255, 5, 25
 C₄H₅BrO₃, bromoketobutyrate, 3, 423
 C₄H₅NO₃, *N*-hydroxysuccinimide, 6, 77
 C₄H₅NS, allyl isothiocyanate, 8, 155, 173
 C₄H₅N₃, 4'-iminopyrimidine, 3, 417
 C₄H₅N₃O
 cytosine, 7, 56, 375
 pseudoisocytosine, 7, 255
 pyrazineC-nucleoside, 7, 256
 C₄H₅N₃O₂
 5-aminouridine, 7, 316
 6-azathymine, 7, 319
 cytosine analogue, 7, 256
 6-oxocytosine, 7, 322
 C₄H₅O₂, allyloxycarbonyl, 7, 119, 136
 C₄H₅O₃, acetoacetate, 2, 17, 21, 24
 C₄H₅O₆P, carboxyallyl phosphatide, 1, 598
 C₄H₅O₃P, CPEP, 1, 871
 C₄H₆Cl₃O₂P, 2,2,2-trichloro-1,1-dimethylethylphosphorodichloridite, 7, 130
 C₄H₆N₂, *N*-methylimidazole, 7, 108
 C₄H₆N₂O₂
 β-cyanoalanine, 8, 145, 146
 piperazinedione, 1, 546
 C₄H₆N₃OS, methionine sulfoximine, 2, 256
 C₄H₆O
 crotonaldehyde, 7, 502
 3,4-epoxy-1-butene, 5, 52
 C₄H₆O₂
 2,3-butanedione, 5, 275, 7, 503
 butyrolactone, 1, 139
 C₄H₆O₂S₂, asparagusic acid, 1, 860
 C₄H₆O₃
 acetoacetic acid, 1, 295, 3, 382
 succinic semialdehyde, 3, 413
 C₄H₆O₄
 4-hydroxy-2-ketobutyrate, 3, 381, 382, 386
 succinic acid, 1, 298, 2, 53, 3, 384, 4, 92
 C₄H₆O₅, malate, 2, 53
 C₄H₆O₆, tartaric acid, 5, 155
 C₄H₇ClN₂, *N*-methylimidazole hydrochloride, 7, 138
 C₄H₇Cl₂O₄P, dichlorovos, 1, 447, 456
 C₄H₇N, 3,4-dihydro-2*H*-pyrrole, 8, 210
 C₄H₇NO₂
 acetidine-2-carboxylic acid, 4, 327
 1-aminocyclopropane-1-carboxylic acid, 1, 133, 8, 94, 104
 azetidine-2-carboxylic acid, 8, 146
 2,3-dehydrobutyrate, 4, 275,
 vinylglycine, 1, 842, 4, 168
 C₄H₇NO₂S, γ-thioproline, 4, 327
 C₄H₇NO₃
 4-amino-3-ketobutyrate, 4, 76
 aspartate 1-semialdehyde, 4, 70
 C₄H₇NO₄, aspartic acid, 3, 248, 265, 404, 407, 632, 4, 5, 165, 227
 C₄H₇NO₅, 3-hydroxyaspartic acid, 3, 404, 405, 4, 280
 C₄H₇N₂, dehydrobutyrate, 1, 853
 C₄H₇N₃O, 1-azido-4-hydroxy-2-butene, 5, 52
 C₄H₇O
 isobutyryl, 6, 87
 2'-*O*-tetrahydrofuran, 6, 84
 C₄H₇O₂, butanoic acid, 8, 165
 C₄H₇O₃, β-hydroxybutyrate, 2, 17, 18, 21
 C₄H₇O₃P, deaminoketodemethylphosphinothricin, 1, 872
 C₄H₇O₃PS, methionine sulfoximine phosphate, 2, 256
 C₄H₈, 2-butene, 8, 93
 C₄H₈N₂, tetrahydropyrimidine, 7, 460
 C₄H₈O₂
 acetoin, 3, 394
 butyric acid, 1, 298
 ethyl acetate, 8, 161, 209
 4-hydroxybutanal, 8, 210
 isobutyric acid, 8, 220
 2-methylpropanoic acid, 8, 221
 C₄H₈O₂S, 3-(methylthio)propanoic acid, 8, 178
 C₄H₈O₃
 acetic acid 2-hydroxyethyl ester, 5, 192
 2-hydroperoxytetrahydrofuran, 7, 95
 2-hydroxybutyric acid, 3, 6, 272
 3-hydroxybutanoic acid, 1, 295, 8, 209
 4-hydroxybutyric acid, 1, 298, 8, 434
 C₄H₈O₄, erythrose, 7, 382
 C₄H₉, isobutyl, 7, 120
 C₄H₉ClO, *t*-butyl hypochlorite, 5, 173
 C₄H₉N
 1-(dimethylamino)ethylidene, 7, 123
 pyrrolidine, 4, 30
 C₄H₉NO, 2-methyl-2-nitrosopropane, 1, 105
 C₄H₉NO₂
 aminobutyric acid, 1, 537, 4, 252, 253
 2-aminobutyric acid, 1, 533, 545, 842
 3-aminobutyrate, 1, 538
 4-aminobutyrate, 1, 538, 8, 433
 C₄H₉NO₂S
 homocysteine, 2, 386, 5, 263, 275
 3-methylcysteine, 4, 252
 S-methylcysteine, 1, 848, 849, 4, 252
 C₄H₉NO₂Se
 Se-methylselenocysteine, 4, 357, 8, 146
 C₄H₉NO₂S₂, dithiohemiacetal, 1, 848
 C₄H₉NO₃
 allothreonine, 3, 397, 398, 400, 401
 homoserine, 3, 246, 249
 methylserine, 4, 250
 O-methylserine, 1, 842,
 threonine, 3, 248, 382, 397, 398, 400, 401, 4, 148, 327, 537
 C₄H₉NO₃S, monothiohemiacetal, 1, 848
 C₄H₉N₃O₂, creatine, 8, 457
 C₄H₉N₃O₃, albizzine, 8, 146
 C₄H₉O₂, 2-methoxyethoxymethyl, 7, 119
 C₄H₉O₄, acetaldehyde dimethyl acetal, 7, 378
 C₄H₉O₆P, phosphonate, 1, 579
 C₄H₉O₇P
 erythrose 4-phosphate, 1, 346, 527, 574, 575, 577, 578, 719, 850, 3, 370, 386, 388, 391, 393, 414, 415, 417, 419, 4, 2
 erythulose-1-phosphate, 3, 408
 C₄H₁₀, butane, 5, 221
 C₄H₁₀AlCl, chlorodiethylalane, 7, 126
 C₄H₁₀B F₃O, boron trifluoride etherate, 7, 126
 C₄H₁₀NO₄P, demethylphosphinothricin, 1, 867
 C₄H₁₀NO₅P, fosmidomycin, 1, 865
 C₄H₁₀NO₆P, *O*-phosphothreonine, 4, 148
 C₄H₁₀N₂O₂, 3,4-diaminobutyrate, 4, 70
 C₄H₁₀N₂O₃, canaline, 8, 146
 C₄H₁₀N₂O₄, 2,4-diaminobutyric acid, 3, 247
 C₄H₁₀N₃O₃P, creatine phosphate, 5, 144
 C₄H₁₀O₂
 butanediol, 5, 147
 2,3-butanediol, 8, 210
 t-butyl hydroperoxide, 5, 232
 C₄H₁₀O₂S₂, dithiothreitol, 1, 260, 295, 3, 376, 386, 644, 4, 14, 5, 184, 196, 198, 415, 417, 7, 114, 163, 400, 405, 565, 666
 C₄H₁₀O₃, glycoaldehyde dimethyl acetal, 7, 402

- C₄H₁₀O₄, erythritol, **3**, 393, 408, 544, **5**, 189
 C₄H₁₁NO, 4-aminobutanol, **4**, 30
 C₄H₁₁N₂O₂, α,τ -diaminobutyric acid, **8**, 146
 C₄H₁₂N₂, putrescine, **3**, 721, **4**, 30
 C₄H₁₃NO₂P₂, 2-(dimethylamino)ethyl diphosphate, **2**, 72, **5**, 335
 C₄H₁₃N₃, diethylenetriamine, **7**, 162
 C₄H₂₄Cl₄N₆Pt₂, tetramethylenediamine platinum complex, **7**, 169
 C₄Cl₄O₂S, tetrachlorothiophene dioxide, **5**, 429
 C₅H₃FN₄O, 2-fluorohypoxanthine, **7**, 326
 C₅H₃F₃N₂O₂, trifluorothymine, **7**, 317
 C₅H₃N₄S, C-6-thiopurine, **7**, 327
 C₅H₄BrN₅
 8-bromoadenine, **7**, 325
 8-bromodeoxyguanine, **7**, 78
 C₅H₄Br₂N₂O, 4,5-dibromopyrrole-2-carbamide, **8**, 440
 C₅H₄NO₂, pyrrole-2-carboxylic acid, **8**, 221
 C₅H₄N₄, purine, **3**, 397, **6**, 225
 C₅H₄N₄O
 hypoxanthine, **5**, 80, 308, **6**, 225, **7**, 254, 325
 α -sarcin, **6**, 196
 C₅H₄N₄O₂, xanthine, **7**, 326
 C₅H₄N₄O₃, uric acid, **5**, 80, 238
 C₅H₄N₄S, 6-thiopurine, **7**, 260
 C₅H₄O₂
 furfural, **7**, 395
 2-methylene-3(2*H*)-furanone, **5**, 171, 182, 194
 3-methylene-3(2*H*)-furanone, **5**, 168
 α -pyrone, **1**, 11
 γ -pyrone, **1**, 11
 C₅H₄O₃, 2-oxo-3-pentynoate, **5**, 45, 47
 C₅H₅NO
 2-pyridinone, **6**, 225
 4-pyridinone, **6**, 225
 C₅H₅N₅
 adenine, **5**, 74, **7**, 56
 2-aminopurine, **6**, 76, 163, 225, 227, 249, **7**, 254, 267
 3-isoadenine, **7**, 324
 C₅H₅N₃O
 guanine, **7**, 56
 8-hydroxyadenine, **7**, 325
 N-6-hydroxyadenine, **7**, 324
 isoguanine, **6**, 225
 2-oxoadenine, **7**, 323
 C₅H₅N₃O₂, 7-hydro-8-oxoguanine, **7**, 328
 C₅H₅N₅S
 6-thioguanine, **3**, 79, **6**, 225
 C-6-thioguanine, **7**, 327
 C₅H₆Cl₃O₂
 trichloro-*t*-butoxycarbonyl, **7**, 120
 trichloroisopropoxycarbonyl, **7**, 119
 C₅H₆N₂, 2-aminopyridine, **7**, 254
 C₅H₆N₂O
 N-acetylimidazole, **5**, 250
 3-deazacytosine, **7**, 254
 C₅H₆N₂OS
 2-thiothymine, **7**, 314
 4-thiothymine, **5**, 391, **7**, 315
 C₅H₆N₂O₂
 C-6-methyluridine, **7**, 319
 thymine, **5**, 373, **7**, 401
 C₅H₆N₄, 3-deazaadenine, **7**, 268
 C₅H₆N₆
 2-aminoadenine, **7**, 314, 323
 2,6-diaminopurine, **6**, 225, **7**, 267
 C₅H₆O₂
 dihydropyrone, **1**, 752
 4-hydroxy-2-cyclopentenone, **1**, 178
 C₅H₆O₃
 2-hydroxy-2,4-pentadienoate, **5**, 35, 43
 2-oxo-3-pentenoate, **5**, 35
 2-oxo-4-pentenoate, **5**, 35
 siphonidin, **8**, 152
 α,β -unsaturated ketone, **5**, 43
 β,γ -unsaturated ketone, **5**, 43
 C₅H₆O₄, 4,5-dioxovaleric acid, **4**, 70
 C₅H₆O₅, 2-ketoglutarate, **1**, 69, 834, 843, 844, **3**, 382, 386, **8**, 94
 C₅H₆O₆
 hydroxyketoglutarate, **3**, 382, 402, 421
 α -hydroxy- γ -ketoglutarate, **3**, 413
 4-hydroxy-2-ketoglutarate, **3**, 381, 385
 C₅H₇ClO₃
 3-chlorolevulinic acid, **4**, 76
 5-chlorolevulinic acid, **4**, 76
 C₅H₇F₃NO₃P, phosphoramidite, **7**, 154
 C₅H₇F₃N₂O₃S, *N*-methylimidazolium trifluoromethane sulfonate, **7**, 138
 C₅H₇NO₂, 3,4-dehydroproline, **4**, 327
 C₅H₇NO₃, pyroglutamic acid, **4**, 30, **8**, 299
 C₅H₇NO₅, α -ketoglutaric acid, **3**, 255
 C₅H₇N₃, 5-methyldeoxycytosine, **7**, 78
 C₅H₇N₃O
 methylcytosine, **7**, 321
 5-methylcytosine, **7**, 317
 C-5-methylcytosine, **7**, 325
 N-4-methylcytosine, **7**, 320, 324
 C₅H₇N₃O₂
 6-aminothymine, **7**, 261
 N-4-methoxycytosine, **7**, 321
 C-5-methyl-6-oxocytosine, **7**, 322
 C₅H₇N₃O₄, azaserine, **3**, 627
 C₅H₇N₄OP, bistriazolylphosphite, **7**, 132
 C₅H₇O
 4-pentenoyl, **7**, 120
 N-pent-4-enoyl, **7**, 121, 124
 C₅H₇O₂
 levulinyl, **6**, 84
 4-oxovaleryl, **7**, 120
 C₅H₈
 isoprene, **2**, 46, 62, 98
 1,4-pentadiene, **1**, 97
 C₅H₈ClNO₄, 3-chloroglutamic acid, **3**, 255
 C₅H₈Cl₂NO₂P, 2-cyano-1,1-dimethylethyl phosphorodichloridite, **7**, 130
 C₅H₈O, allyl vinyl ether, **5**, 348, 349
 C₅H₈O₂
 1-hydroperoxy-2,4-pentadiene, **1**, 97
 2,4-pentanedione, **5**, 440
 C₅H₈O₂S₂
 1,2-dithiolan-3-one 1-oxide analogue, **7**, 524
 1,2-dithiolan-3-one 1-oxide, **7**, 523
 dithiolanone oxide, **7**, 523
 C₅H₈O₃
 2-keto-3-methylbutanoate, **3**, 409
 2-ketovalerate, **3**, 382
 levulinic acid, **4**, 76
 C₅H₈O₄
 acetolactate, **2**, 49
 2'-deoxyribonolactone, **7**, 376
 glutaric acid, **1**, 298
 4-hydroxy-2-ketovalerate, **3**, 386, 413
 methylsuccinic acid, **1**, 679, **4**, 255
 C₅H₈O₅
 keto-3-deoxyarabonate, **3**, 429
 2-keto-4,5-dihydroxyvalerate, **3**, 382
 C₅H₈O₆
 2-keto-3-deoxyarabonate, **3**, 425
 2-keto-3-deoxyxylonate, **3**, 429
 C₅H₉, 1-methylcyclopropylcarbinyl radical, **5**, 220
 C₅H₉ClO, pivaloyl chloride, **7**, 139
 C₅H₉FO₄, 2'-fluoro-2'-deoxyribose, **6**, 226
 C₅H₉FO₅, 2-fluororibose, **6**, 76
 C₅H₉F₃O₇P₂, 3-(trifluoromethyl)-2-butenyl diphosphate, **2**, 80, **5**, 320, 335

- C₅H₉N, *N*-methylpyrrolidylidene, 7, 123
 C₅H₉NO, *N,N*-dimethylacrylamide, 5, 430
 C₅H₉NO₂
 allylglycine, 1, 842, 4, 168, 253
 proline, 4, 30, 209, 8, 210, 418
 C₅H₉NO₃
 aminolevulinic acid, 4, 140
 5-aminolevulinic acid, 4, 62, 72, 8, 62
 δ-aminolevulinic acid, 2, 64
 5-amino-3,4,5,6-tetrahydro-6-hydroxy-2*H*-pyran-2-one, 4, 69
 3,4-dihydroxy-5-hydroxymethyl-1-pyrroline, 3, 130
 glutamate semialdehyde, 3, 275,
 glutamate 1-semialdehyde, 4, 68, 69, 8, 63
 hydroxyproline, 1, 546, 3, 382
 nectrisine, 3, 134
 C₅H₉NO₃S₂, methionine-*S*-sulfoximine, 3, 627
 C₅H₉NO₄, glutamic acid, 8, 427
 C₅H₉NO₄
 O-acetylserine, 4, 165
 glutamic acid, 1, 853, 3, 245, 255, 259, 407, 627, 4, 62,
 67, 227, 249, 355, 5, 272, 8, 40, 94
 methyl aspartate, 3, 632
 N-methylasspartate, 6, 103
 strombine, 8, 417
 threo-β-methylasspartate, 5, 272
 C₅H₉NO₄S
 carboxymethylcysteine, 4, 249
 S-carboxymethylcysteine, 1, 842, 4, 168
 C₅H₉NO₅
 3-hydroxy-D-glutamic acid, 3, 246
 β-methyl-3-hydroxyaspartate, 3, 405
 C₅H₉NO₅S₂, cysteine thiazolidine derivative, 1, 833
 C₅H₉O
 t-butylcarbonyl, 7, 120
 tetrahydropyranyl, 6, 84
 C₅H₉OS, (butylthio)carbonyl, 7, 119
 C₅H₉O₂
 isobutoxycarbonyl, 7, 120
 isopropoxyacetyl, 7, 120
 C₅H₉O₃S, 2-oxo-4-methylthiobutyrate, 8, 94
 C₅H₉O₇P, phosphinomethylmalic acid, 1, 871
 C₅H₁₀
 cyclopentane, 7, 57
 1,1-dimethylcyclopropane, 5, 220
 2-pentene, 1, 214
 C₅H₁₀F₂O₇P₂
 difluorodimethylallyl diphosphate, 5, 331
 2,2-difluoroisopentenyl diphosphate, 2, 81
 C₅H₁₀N
 1-methyl-Δ-pyrrolinium cation, 4, 30
 N-methyl-Δ-pyrrolinium salt, 4, 27
 C₅H₁₀NNaS₂, sodium diethyldithiocarbamate, 1, 123
 C₅H₁₀NO₄, 2-cyano-1,1-dimethylethyl phosphate, 7, 130
 C₅H₁₀N₂O
 3-amino-2-piperidone, 4, 326
 proline amide, 5, 44
 C₅H₁₀N₂O₂S, *S*-aminovinyl-D-cysteine, 4, 275, 279
 C₅H₁₀N₂O₃, glutamine, 3, 251, 838, 4, 6, 355
 C₅H₁₀N₂O₃S, arcamine, 8, 417
 C₅H₁₀O
 3-methyl-2-buten-1-ol, 8, 220
 3-methyl-3-buten-1-ol, 8, 220
 2-methyl-3-buten-2-ol, 8, 200, 220
 2-methyl-1-buten-4-ol, 5, 220
 1-methylcyclobutanol, 5, 220
 3-pentanone, 8, 210
 rose furan, 8, 226
 C₅H₁₀O₂
 3-hydroxy-3-methylbutan-2-one, 8, 220
 isovaleric acid, 1, 141, 8, 220
 2-methylbutanoic acid, 8, 221
 pentanoic acid, 8, 210
 valeric acid, 1, 298
 C₅H₁₀O₂S, dimethyl-β-propiothetin, 8, 459
 C₅H₁₀O₃
 2-hydroperoxytetrahydropyran, 7, 95
 hydroxyisovalerate, 1, 545
 5-hydroxyvaleric acid, 1, 298
 C₅H₁₀O₄
 1,5-anhydropentitol, 3, 544
 cordcepose, 3, 312
 3-deoxy-D-*threo*-pentose, 3, 312
 2-deoxyribose, 3, 382, 5, 191, 7, 56
 2-deoxy-D-ribose, 3, 312, 332
 deoxyribose, 3, 372, 7, 373
 deoxyxylulose, 2, 168, 374
 1-deoxyxylulose, 1, 838, 840, 2, 55, 57
 1-deoxy-D-xylulose, 2, 376
 deoxy-D-xylulose, 8, 220
 C₅H₁₀O₅
 apiose, 3, 499
 arabinose, 1, 331, 3, 373, 424, 425, 426, 499, 601, 604,
 605
 pentulose, 1, 839
 ribose, 3, 392, 5, 74, 184, 189, 7, 56
 xylose, 3, 169, 393, 429, 499, 604, 605
 C₅H₁₀O₆, xylonate, 3, 429
 C₅H₁₀S
 2,2-dimethylthietane, 8, 220
 2,3-dimethylthietane, 8, 221
 C₅H₁₀S₂
 3,3-dimethyl-1,2-dithiolane, 8, 221
 3,4-dimethyl-1,2-dithiolane, 8, 221
 C₅H₁₁Cl₂N, mechlorethamine, 7, 96
 C₅H₁₁FO₇P₂
 allylic fluoride, 5, 335
 fluorodimethylallyl diphosphate, 5, 331
 2-fluoroisopentenyl diphosphate, 2, 81
 3-(fluoromethyl)-3-butenyl diphosphate, 2, 73
 C₅H₁₁N
 N-methylpyrrolidine, 4, 30
 piperidine, 7, 380
 C₅H₁₁NO₂
 δ-amino-*n*-valeric acid, 8, 434
 betaine, 8, 417
 CYB-3, 3, 134
 2-hydroxymethyl-3-hydroxypyrrolidine, 3, 130,
 norvaline, 1, 842, 4, 253, 327, 538
 valine, 1, 840, 2, 54, 55, 56, 58, 376, 4, 162, 165, 179,
 209, 246, 327, 537, 7, 639, 8, 418
 C₅H₁₁NO₂S
 3-amino-5-mercaptopentanoic acid, 8, 538
 methionine, 1, 847, 2, 386, 3, 397, 643, 4, 165, 176, 354,
 5, 165, 185, 209, 217, 263, 275, 8, 94, 458
 penicillamine, 5, 184, 186
 C₅H₁₁NO₂Se, selenomethionine, 4, 354
 C₅H₁₁NO₂S₂, *S*-(methylthiomethyl)cysteine, 1, 847, 848
 C₅H₁₁NO₃
 4-amino-5-hydroxyvaleric acid, 4, 70
 D-ABI, 3, 134, 141
 1,4-dideoxy-1,4-imino-D-arabinotol, 3, 130
 1,4-dideoxy-1,4-imino-D-ribitol, 3, 130, 134
 4-hydroxy-5-aminovaleric acid, 4, 70
 N-hydroxyvaline, 4, 253
 O-methylallothreonine, 4, 253
 C₅H₁₁NO₄
 2'-amino-2'-deoxyribose, 6, 226
 Ara4N, 3, 197
 C₅H₁₁NO₅, 2-aminoribose, 6, 76
 C₅H₁₁NO₅S₂, *S*-(2-sulfoethyl)cysteine, 1, 833
 C₅H₁₁NS₂, diethyldithiocarbamate, 5, 237
 C₅H₁₁N₂O₂, 4,5-diaminovaleric acid, 4, 70
 C₅H₁₁O₆P
 homophosphonate, 1, 579
 phosphonothrixin, 1, 865

- C₅H₁₁O₇P
 3-deoxyarabinose 5-phosphate, **1**, 581
 4-deoxyarabinose-5-phosphate, **3**, 389
 1-deoxypentulose phosphate, **2**, 55
 2-deoxyribose-5-phosphate, **3**, 373, 382
 deoxyxylulose 5-phosphate, **2**, 64
 1-deoxyxylulose 5-phosphate, **2**, 55
 1-deoxy-D-xylulose 5-phosphate, **2**, 4
 2-C-methylerythrose 4-phosphate, **2**, 4
 C₅H₁₁O₈P
 arabinose 5-phosphate, **1**, 580, **3**, 387, 388, 389, 390, 391, 419, 509
 ribose monophosphate, **6**, 139
 ribose-5-phosphate, **3**, 387, 388, 391, 414, 416
 ribulose-5-phosphate, **3**, 414, 509
 xylulose-1-phosphate, **3**, 426
 xylulose-5-phosphate, **3**, 392, 393, 414, 416
 C₅H₁₂NO₃PS₂, systemin, **8**, 119
 C₅H₁₂NO₄P
 bialaphos, **1**, 20, **4**, 330
 phosphinothricin, **1**, 866, **2**, 257
 C₅H₁₂NO₆P, FR33289, **1**, 865
 C₅H₁₂N₂O₂
 ornithine, **3**, 246, 248, **4**, 30, 209, 326
 C₅H₁₂N₂O₂S, 4-thialysine, **5**, 213
 C₅H₁₂N₂O₃, β-hydroxyornithine, **8**, 588
 C₅H₁₂N₄O₃, canavanine, **8**, 146
 C₅H₁₂O
 2-methylbutanol, **8**, 220
 3-methylbutanol, **8**, 220
 1-pentanol, **1**, 209
 C₅H₁₂O₄
 3-deoxy-L-glycero-tetronic acid, **3**, 195, 209
 2-methylerythritol, **2**, 56
 methylerythritol, **2**, 64
 C₅H₁₂O₇P₂
 dimethylallyl diphosphate, **2**, **5**, 7, 46, 62, 70, 98, 99, 102, 120, 340, 380, 392, **5**, 318, 331, 334
 isopentenyl diphosphate, **2**, **3**, 45, 70, 98, 99, 102, 112, 118, 120, 168, 331, 340, 372, 374, 378, **3**, 262, **5**, 317, 318, 334, **8**, 272
 3-methyl-2-butenyl diphosphate, **8**, 219, 239
 3-methyl-3-butenyl diphosphate, **8**, 219, 220
 C₅H₁₂O₈P₂, IPP epoxide, **5**, 335
 C₅H₁₂O₁₁P₂, ribulose-1,5-bisphosphate, **3**, 397
 C₅H₁₃NO, 4-methylaminobutanol, **4**, 27
 C₅H₁₃NOS₂, S-(methylthiomethyl)cysteinol, **1**, 847
 C₅H₁₃NO₂S₂, sparsomycin mono-oxodithioacetal moiety, **1**, 846
 C₅H₁₃NO₉P₂, 1-amino-2-deoxy-3,5-diphosphateribofuranose, **7**, 400
 C₅H₁₃O₇P
 erythritol derivative, **2**, 4
 2-methylerythritol 4-phosphate, **2**, 56
 C₅H₁₃O₁₄P₃, 1-pyrophosphorylribose-5-phosphate, **3**, 476
 C₅H₁₃O₁₄P₃, 5-phosphoribosyl pyrophosphate, **4**, 7
 C₅H₁₃Si, (trimethylsilyl)ethyl, **7**, 119
 C₅H₁₄NO, choline, **3**, 228
 C₅H₁₄N₂
 cadaverine, **4**, 34, 165
 N-methylputrescine, **4**, 27, 30
 C₅H₁₅ClNO₄P, phosphorylcholine, **3**, 228
 C₅H₁₆N₂S, thiol, **7**, 417
 C₆HCl₅O, pentachlorophenol, **5**, 411, 417, 418
 C₆H₂Cl₂O₂, tetrachlorohydroquinone, **5**, 414, 418
 C₆H₃ClN₂O₄, 1-chloro-2,4-dinitrobenzene, **1**, 260, **5**, 63
 C₆H₃Cl₂, dichlorophenyl, **7**, 119
 C₆H₃Cl₂NO₂, 2,6-dichloroisonicotinic acid, **1**, 626
 C₆H₃Cl₃O₂, trichlorohydroquinone, **5**, 414
 C₆H₃N₂O₄S, dinitrophenylthio, **7**, 119
 C₆H₃N₃O₉S, 2,4,6-trinitrobenzenesulfonate, **5**, 353
 C₆H₄, hex-1,5-diyne-3-ene, **7**, 557
 C₆H₄Br₂O, 2,6-dibromophenol, **8**, 35
 C₆H₄Br₂O₂, bromophenol oligomer, **8**, 461
 C₆H₄Cl, chlorophenyl, **7**, 119, 130
 C₆H₄Cl I, chloriodobenzene, **5**, 72
 C₆H₄ClNO₂, *p*-nitrochlorobenzene, **5**, 413
 C₆H₄ClO₃P, 2-chloro-4*H*-1,3,2-benzodioxaphosphorin-4-one, **7**, 139
 C₆H₄Cl₂O, 2,6-dichlorophenol, **8**, 230
 C₆H₄Cl₂O₂, 2,6-dichlorohydroquinone, **5**, 414
 C₆H₄Cl₄, 1,3,4,6-tetrachloro-1,4-cyclohexadiene, **5**, 409
 C₆H₄NO, pyridylcarbonyl, **7**, 120
 C₆H₄NO₃, nitrophenyl, **7**, 119
 C₆H₄NO₃S, nitrophenylthio, **7**, 119
 C₆H₄NO₃S, nitrophenylsulfonyl, **7**, 123
 C₆H₄N₂O₆, 3,5-dinitrocatechol, **3**, 647
 C₆H₄N₄, pteridine, **5**, 77
 C₆H₄O₂, benzoquinone, **4**, 211
 C₆H₄O₃, quinone, **7**, 536
 C₆H₄O₄, 4-carboxymethylenebut-2-en-4-olide, **5**, 130
 C₆H₅, phenyl, **7**, 119
 C₆H₅BrN₂O₂, 5-(2-bromovinyl)uridine, **7**, 317
 C₆H₅Cl, chlorobenzene, **5**, 72
 C₆H₅ClHgO₃S, *p*-chloromercuribenzenesulfonic acid, **1**, 293, **2**, 283
 C₆H₅ClO, *o*-chlorophenol, **3**, 408
 C₆H₅Cl₂O₂P, dichlorophenylphosphate, **7**, 106
 C₆H₅Cl₅, pentachlorocyclohexene, **5**, 409
 C₆H₅FO₄, fluoromuconolactone, **5**, 132
 C₆H₅I, iodobenzene, **5**, 72
 C₆H₅NO₂
 nicotinic acid, **2**, 25
 nitrosocyclohexadienone, **5**, 244
 C₆H₅NO₃
 nitrophenol, **8**, 212
 p-nitrophenol, **5**, 130, 150, 431
 C₆H₅NO₅, 1,6-dihydroxy-2-oxoisonicotinic acid, **1**, 592
 C₆H₅N₃
 7-deazapurine, **7**, 253
 deazapurine, **6**, 93
 1-hydroxybenzotriazole, **7**, 138
 C₆H₅N₃, 3-deazapurine, **7**, 253
 C₆H₅N₃O
 3-azidophenol, **3**, 408
 3,7-dihydroimidazo[1,2-*a*]pyrazin-3-one, **8**, 455
 C₆H₅N₃O₂, 7-deazaxanthine, **7**, 326
 C₆H₅N₃O, pterin, **1**, 837
 C₆H₅N₃O₂, 4-triazolylpyrimidione, **6**, 93
 C₆H₅ClN, β-chloroalanine, **3**, 100
 C₆H₆Cl₆, lindane, **5**, 402, 403, 409
 C₆H₆INO₄, *N*-(iodoacetoxy)succinimide, **7**, 159
 C₆H₆NO, nicotinamide, **2**, 64
 C₆H₆NO₆P, *p*-nitrophenyl phosphate, **5**, 142, 148
 C₆H₆N₄
 1-aminobenzotriazole, **1**, 720
 6-methylpurine, **8**, 59
 C₆H₆N₄O
 1-deazaguanine, **7**, 254
 3-deazaguanine, **7**, 254
 7-deazaguanine, **7**, 254
 pteridine hydrate, **5**, 77
 C₆H₆O
 cyclohexadienone, **3**, 405
 phenol, **1**, 257, **3**, 384, 405, 407, **5**, 42, 246
 C₆H₆OS, 4-hydroxythiophenol, **7**, 561
 C₆H₆O₂
 catechol, **3**, 711, **8**, 173
 hydroquinone, **3**, 711, **8**, 186, 169, 171, 186
 pyrocatechol, **3**, 408
 resorcinol, **3**, 408, 755
 C₆H₆O₃
 phloroglucinol, **1**, 715, 815, **3**, 624, 755, **8**, 460
 TAL, **1**, 416
 triacetic acid lactone, **1**, **3**, 354, 412
 trihydroxybenzene, **7**, 536

- C₆H₆O₄
 muconate, **5**, 44
 muconolactone, **5**, 132
 3-oxoadipate enol-lactone, **3**, 384
- C₆H₆O₅
 2-hydroxymuconate, **5**, 32, 34, 41
 maleyl acetate, **5**, 130
 2-oxo-3-hexenediaote, **5**, 34, 41
 2-oxo-4-hexenediioate, **5**, 34, 42
- C₆H₆S, thiophenol, **7**, 132
- C₆H₇N, 2-cyclopentenecarbonitrile, **1**, 70
- C₆H₇NO
 aminophenol, **3**, 412
 aniline *N*-oxide, **3**, 412
- C₆H₇NO₂, *N*-ethylmaleimide, **1**, 293, 491, **2**, 276, 283, 289, **3**, 80, **4**, 87, 335, **5**, 353, 407, 429
- C₆H₇NO₃, 1-carbapen-2-em-3-carboxylic acid, **4**, 187
- C₆H₇NO₄, clavam-2-carboxylate, **4**, 183
- C₆H₇N₃O₃, carboxycytosine, **7**, 320
- C₆H₇N₅
 4-aminopteridine, **5**, 77
N-6-methyladenine, **7**, 324
N-6-methylaminopurine, **8**, 59
 8-methyldeoxyguanine, **7**, 78
- C₆H₇N₅O
 8-methoxyadenine, **7**, 325
N-6-methoxyadenine, **7**, 324
C-6-*O*-methylguanine, **7**, 328
N-6-methyl-8-oxoadenine, **7**, 325
- C₆H₇N₅O₂, 8-methoxyguanine, **7**, 325
- C₆H₇O₂, furaneol, **8**, 165
- C₆H₇O₃PS, aromatic thiol, **5**, 158
- C₆H₈, cyclohexa-1,4-diene, **7**, 406
- C₆H₈N, methylpyridyl, **7**, 119
- C₆H₈N₂, *p*-phenylenediamine, **3**, 711
- C₆H₈N₂O₂
C-4-*O*-methylthymine, **7**, 315
C-6-methylthymine, **7**, 319
O-2-methylthymine, **7**, 314
- C₆H₈N₂O₂S, sulfanilamide, **5**, 349
- C₆H₈N₄, 4-dimethylaminopyrimidine, **6**, 93
- C₆H₈N₆O, 2-amino-6-methoxyaminopurine, **7**, 323
- C₆H₈O₂
 aleprolic acid, **1**, 69
 6-hydroxycyclohexenone, **8**, 139
- C₆H₈O₃
 L-aculose, **3**, 312
 3-oxo-4-hexenoic acid, **1**, 545
- C₆H₈O₅
 α-keto adipate, **1**, 834
 α-ketoglutarate, **3**, 425
 2-oxo-1,6-hexanedioate, **5**, 44
- C₆H₈O₆
 ascorbate, **6**, 136
 4-hydroxy-4-methyl-2-ketoglutarate, **3**, 385, 413
 hydroxymethylketoglutarate, **3**, 385
 2-keto-4-hydroxyglutarate, **3**, 425
 2-keto-4-hydroxy-4-methylglutarate, **3**, 382
 vitaminC, **4**, 211
- C₆H₈O₇
 citrate, **2**, 53, **3**, 386, 393, 454, 457, **4**, 255, **5**, 25
 isocitrate, **2**, 53, **3**, 382
 2-keto-3-deoxy-D-glucarate, **3**, 402
- C₆H₈O₈, 5-keto-4-deoxyglucarate, **3**, 382
- C₆H₉BrO₄, bromoconduritol, **3**, 20
- C₆H₉N, cyclopentanecarbonitrile, **1**, 70
- C₆H₉NOS, thiamine thiazole subunit, **1**, 837
- C₆H₉NO₂, piperidine-6-carboxylic acid, **4**, 165
- C₆H₉NO₂S
N-acetylhomocysteine thiolactone, **7**, 168
 5-(1,2-dihydroxyethyl)-4-methylthiazole, **1**, 838
- C₆H₉NO₃, 2-hydroxymethylclavam, **4**, 183
- C₆H₉NO₃, 2-amino-3-keto adipic acid, **4**, 66
- C₆H₉NS₂, raphanusanin, **8**, 29
- C₆H₉N₃O₂, 4-carboxy-1,3-dimethylimidazolium ion, **8**, 442
- C₆H₉N₃O, thiamine pyrimidine subunit, **1**, 837
- C₆H₉N₃O₂
 histidine, **3**, 369, 378, 393, 406, 632, **6**, 142, **8**, 209
N-4-methoxy-5-methylcytosine, **7**, 321
- C₆H₁₀F₂O₄, 2-deoxy-2-fluoro-β-L-idosyl fluoride, **5**, 299
- C₆H₁₀F₂O₅, 5-fluoro-α-D-glucosyl fluoride, **5**, 299
- C₆H₁₀N₂O₃, 6-diazo-5-oxonorleucine, **7**, 542
- C₆H₁₀N₂O₆S, SQ26180, **4**, 188
- C₆H₁₀O0004, L-cinerulose B, **3**, 312
- C₆H₁₀O
 2-hexenal, **1**, 84, 86, 89, **7**, 502, **8**, 152, 210
 3-hexenal, **1**, 84, 87, 91
 4-hexenal, **1**, 87, 5-hexenal, **1**, 86
 leaf aldehyde, **1**, 87
- C₆H₁₀O₂
 cyclopentanecarboxylic acid, **1**, 70
 4-hexanolide, **8**, 210
 3-hexenoic acid, **4**, 254
 4-hydroxyhex-2-enal, **8**, 147
 5-methoxy allyl vinyl ether, **5**, 352
 6-methoxy allyl vinyl ether, **5**, 350
 4-oxo-2-hexenal, **8**, 210
- C₆H₁₀O₂S, gonyauline, **8**, 457
- C₆H₁₀O₃
 D-cinerulose A, **3**, 312
 L-cinerulose A, **3**, 312
 ethyl acetoacetate, **2**, 17
 2-ketohexanoic acid, **3**, 381
 mevaldehyde, **2**, 32
- C₆H₁₀O₃S₂, 1,2-dithiolan-3-one 1-oxide analogue, **7**, 524
- C₆H₁₀O₄
 adipic acid, **1**, 298, **4**, 181
 2,6-dideoxy-D-*threo*-hexos-4-ulose, **3**, 312, 354
 D-kerriose, **3**, 312
- C₆H₁₀O₅
 conduritol B-epoxide, **3**, 131
 D-*ethy*ro-3,6-dideoxy-2-hexulosonate, **3**, 423
 diethyl pyrocarbonate, **1**, 588, **2**, 19, 33, 283, 311, 312, **3**, 378, 463, **6**, 65, **7**, 94, 253
 4-keto-6-deoxyglucose, **3**, 351
 streptose, **3**, 353
 L-streptose, **3**, 312
- C₆H₁₀O₆
 aceric acid, **3**, 499, 503, 509
 gluconolactone, **5**, 294
 D-glucuno-1,5-lactone, **3**, 687
 2-keto-3-deoxyfuconate, **3**, 425
 2-keto-3-deoxygluconate, **3**, 423
- C₆H₁₀O₇
 galactonic acid, **3**, 429, 499,
 glucuronic acid, **3**, 122, 161, 170, 499, 601
 iduronic acid, **3**, 161, 171
 2-keto-3-deoxygalactonate, **3**, 382, 425
 2-keto-3-deoxygluconate, **3**, 425
- C₆H₁₀O₈, 2-ketogluconate, **3**, 382
- C₆H₁₁FO₅, α-glucosyl fluoride, **5**, 290, 301, 302, 303, 306
- C₆H₁₁NO₂, pipecolic acid, **1**, 520
- C₆H₁₁NO₃, aminoadipic acid semialdehyde, **4**, 243
- C₆H₁₁NO₄
 AAA, **4**, 182
 Ala-Lac, **3**, 261, 272
 aminoadipic acid, **1**, 840, 841, **4**, 162, 165, 174, 243, 246
- C₆H₁₁NO₅S, *N*-sulfonylglucosamine, **3**, 161
- C₆H₁₁N₂O₅, β-D-glucoxyl azide, **5**, 290
- C₆H₁₁N₃O₃P, phosphohistidine, **5**, 144, 145
- C₆H₁₁O₂
 hexanoic acid, **8**, 165
 4-methoxytetrahydropyran-4-yl, **6**, 84
- C₆H₁₁O₂S, 4-(methylthiomethoxy)butyryl, **7**, 127

- C₆H₁₁O₉P
 DKPG, **3**, 429
 KDPG, **3**, 421
 KDPGal, **3**, 429
 5-keto-2-deoxygluconophosphate, **3**, 409
 2-keto-3-deoxy-6-phosphogluconate, **3**, 414
- C₆H₁₁O₁₀P
 2-keto-3-deoxygalactonate 6-phosphate, **3**, 425
 2-keto-3-deoxygluconate 6-phosphate, **3**, 425
- C₆H₁₂NO₅, glucosamine, **1**, 150
 C₆H₁₂NO₅P, *N*-acetyl DMPT, **1**, 871
 C₆H₁₂N₂O₂, Ala-Ala, **3**, 260
 C₆H₁₂N₂O₄S, lanthionine, **3**, 247, 259, 276, **4**, 275
 C₆H₁₂N₂O₇S, β -2-thionylserine, **4**, 327
- C₆H₁₂O
 dimethyltetrahydrofuran, **5**, 186
 hexanal, **1**, 84, 106, **8**, 210
 2-hexenol, **1**, 84, 86
 2-hexen-1-ol, **8**, 152
 3-hexenol, **1**, 84, 85, 86, 89
 5-hexenol, **1**, 86
 leaf alcohol, **1**, 87
 3-methyl-3-butenyl methyl ether, **8**, 220
- C₆H₁₂O₂
 capric acid, **1**, 298
 hexanoic acid, **4**, 254, **8**, 210
 3-hydroxy-2-hexanone, **8**, 210
 propoin, **3**, 394
- C₆H₁₂O₃
 D-amicetose, **3**, 312
 L-amicetose, **3**, 312
 6-hydroxycapric acid, **1**, 298
 D-rhodinose, **3**, 312
 L-rhodinose, **3**, 312
- C₆H₁₂O₄
 abequose, **3**, 187, 192, 288, 312, 322, 346, 349
 ascarylose, **3**, 312, 335, 346
 D-boivinose, **3**, 312
 D-canarose, **3**, 312
 colitose, **3**, 186, 192, 312, 346, 348
 2-deoxy-L-fucose, **3**, 312
 D-digitoxose, **3**, 312
 L-digitoxose, **3**, 312
 3,5-dihydroxy-3-methylpentanoate, **8**, 219
 kethoxal, **6**, 65
 mevalonic acid, **2**, 3, 15, 46, 70, 263, 353, 363, 378, **4**, 51, **5**, 319, **8**, 69, 84
 D-oliose, **3**, 312
 olivose, **3**, 355
 paratose, **3**, 187, 192, 312, 323, 346
 tyvelose, **3**, 187, 192, 312, 323, 346
- C₆H₁₂O₄S, 5'-methylthioribose, **8**, 96
- C₆H₁₂O₅
 D-allomethylose, **3**, 312
 L-altromethylose, **3**, 312
 D-antiarose, **3**, 312
 6-deoxy-D-allose, **3**, 352
 6-deoxy- β -L-altropyranose, **3**, 192
 6-deoxyaltrose, **3**, 192
 6-deoxy-L-altrose, **3**, 346
 2-deoxyglucose, **1**, 585
 2-deoxy-D-glucose, **3**, 312
 2-deoxy-D-gulose, **3**, 312
 4-deoxy-D-idose, **3**, 312
 dihydrohydroxystreptose, **3**, 323
 L-dihydrostreptose, **3**, 312
 fucose, **1**, 331, **3**, 55, 71, 114, 116, 117, 146, 424, 425, 499, 604, 605, 611
 D-fucose, **3**, 312
 L-fucose, **3**, 312
 2'-methoxy-2'-deoxyribose, **6**, 239
 D-quinovose, **3**, 312
 D-rhamnose, **3**, 312
 L-rhamnose, **3**, 312
 rhamnose, **3**, 288, 350, 499
 D-talomethylose, **3**, 312
 L-talomethylose, **3**, 312
- C₆H₁₂O₆
 fructose, **2**, 50, **3**, 414, 421, 431, 464, **8**, 162
 galactose, **3**, 71, 109, 113, 146, 161, 170, 203, 414, 428, 429, 430, 499, 544, 604, 611, **6**, 206, **8**, 427
 glucometasaccharinic acid, **3**, 429
 glucose, **2**, 50, 52, 61, **3**, 112, 225, 392, 414, 417, 421, 422, 430, 444, 445, 464, 536, 604, 606, 810, **4**, 174, **8**, 162
 inositol, **1**, 154, **3**, 410, 297
 mannose, **3**, 288, 297, 499, 502, 544, **4**, 311, **8**, 162
 myoinositol, **3**, 409, 506, 606
 tagatose, **3**, 431
 xylose, **3**, 417
- C₆H₁₂O₆C₆H₁₂O₆
 galactose, **3**, 430
 glucose, **3**, 430
- C₆H₁₂O₇, gluconate, **3**, 414, 423
- C₆H₁₂P₆, galactose, **3**, 607
- C₆H₁₂S, 3-methyl-3-butenyl methyl sulphide, **8**, 220
- C₆H₁₃Cl, 1-chlorohexane, **5**, 405
- C₆H₁₃NaO₂Si, sodium 3-trimethylsilylpropionate, **7**, 60
- C₆H₁₃NO₂
 allose, **1**, 842, **4**, 169, 253
 ϵ -amino-*n*-caproic acid, **8**, 434
 6-deoxyfagomine, **3**, 130, 134
 isoleucine, **1**, 853, **2**, 55, **4**, 165, 253, 327, 538, **8**, 221, 239
 leucine, **2**, 49, 55, 376, **4**, 165, 209, 327, 545, **8**, 221, 239
 norleucine, **4**, 327
- C₆H₁₃NO₂S, homomethionine, **1**, 859
- C₆H₁₃NO₃
 4-amino-4,6-dideoxymannose, **3**, 207
 6-deoxy-DMDP, **3**, 130, 134
 3-*epi*-fagomine, **3**, 131, 134
 fagomine, **3**, 130, 134, 143
- C₆H₁₃NO₃S
 mannostatin, **3**, 151, 156
 mannostatin A, **3**, 27, 134
- C₆H₁₃NO₄
 deoxymannojirimycin, **3**, 148, 151
 1-deoxymannojirimycin, **3**, 21, 22, 23, 24, 29, 31, 131, 134, 141, 154
 deoxynojirimycin, **3**, 152
 1-deoxynojirimycin, **3**, 18, 19, 31, 131, 134, 138, 139, 151, 152, 154, **5**, 302
 2,5-dihydroxymethyl-3,4-dihydropyrrolidine, **3**, 130, 151
 2,5-DM-3,4-DP, **8**, 152
 DMDP, **3**, 134, 141, 152
 DMJ, **3**, 155
 madurosamine, **7**, 580
 Rha4N, **3**, 209
- C₆H₁₃NO₅
 1,4-dideoxy-1,4-imino-D-mannitol, **3**, 154
 galactostatin, **3**, 131, 134
 glucosamine, **3**, 297, **4**, 69, 310
 mannojirimycin, **3**, 134
 mannosamine, **3**, 303
 nojirimycin, **3**, 131, 134, 141, 142
 nojirimycin B, **3**, 131
 nojirimycin tetrazole, **5**, 305
- C₆H₁₃O₈P
 3-deoxy-6-phosphogalactose, **3**, 429
 fuculose-1-phosphate, **3**, 424
 rhamnulose-1-phosphate, **3**, 426
- C₆H₁₃O₉
 galactose-1-phosphate, **3**, 391
 galactose-6-phosphate, **3**, 391
 glucose-1-phosphate, **3**, 391
 glucose-6-phosphate, **3**, 391

- mannose-6-phosphate, **3**, 391
- C₆H₁₃O₉P
fructose-1-phosphate, **3**, 430
fructose-6-phosphate, **3**, 204, 249, 391, 392, 393, 414, 415, 417, 430, 464, 469, 470, 505
Gal 1P, **3**, 203
galactose-6-phosphate, **3**, 430
glucose-1-phosphate, **3**, 7, 442, 444, 464, 471, 473, 475, 476, 505, 506, 807, **5**, 304
 α -D-glucose-1-phosphate, **3**, 336, 349
glucose 6-phosphate, **1**, 578, **3**, 204, 414, 464, 479, 482, 483, 485, 807
D-*arabino*-3-hexulose-6-phosphate, **3**, 413
inositol-1-phosphate, **3**, 610
Man 6P, **3**, 207
mannose-6-phosphate, **3**, 29
sorbitose-1-phosphate, **3**, 426, 430
tagatose-6-phosphate, **3**, 430
- C₆H₁₃O₁₀P, 6-phosphogluconate, **2**, 52, **3**, 414
- C₆H₁₄ClN, *N,N*-diethylaziridinium chloride, **3**, 575
- C₆H₁₄FO₃P
DFP, **3**, 303
diisopropylfluorophosphate, **1**, 293
- C₆H₁₄NO₈P
glucosamine-1-phosphate, **3**, 251
glucosamine-6-phosphate, **3**, 206, 251, 391
- C₆H₁₄N₂O₂
lysine, **3**, 245, 248, 259, 378, **4**, 162, 165, 176, 208, 243, **4**, 33, **5**, 206, **8**, 434
 β -lysine, **5**, 206
- C₆H₁₄N₂O₃
2,4-diamino-2,4,6-trideoxy-D-galactose, **3**, 192
hydroxylysine, **3**, 247
- C₆H₁₄N₂O₄, 2,3-diamino-2,3-dideoxy-D-glucose, **3**, 196
- C₆H₁₄N₄O₂, arginine, **1**, 150, **8**, 417
- C₆H₁₄O
hexanol, **1**, 84
1-hexanol, **8**, 210
- C₆H₁₄O₂, 2,3-hexanediol, **8**, 211
- C₆H₁₄O₅
D-digitalose, **3**, 312
D-thevetose, **3**, 312
- C₆H₁₄O₆
galactitol, **3**, 430
mannitol, **1**, 131
sorbitol, **1**, 131
- C₆H₁₄O₇P₂
3-ethyl-3-butenyl diphosphate, **2**, 72, 76
homoisopentenyl pyrophosphate, **8**, 272
3-methylenepentyl pyrophosphate, **8**, 236
3-methyl-2-pentenyl diphosphate, **2**, 72, 76, **8**, 219, 236
3-methyl-3-pentenyl diphosphate, **2**, 72, 78, **8**, 236
- C₆H₁₄O₁₀P₂, 5-pyrophosphomevalonate, **2**, 3
- C₆H₁₄O₁₂P₂
fructose diphosphate, **3**, 431
fructose 1,6-diphosphate, **1**, 831, **2**, 52, **3**, 382, 386, 390, 414, 419, 430, 431, 448, 464, 469, 470, 471, 473, 474, 475, 476
tagatose diphosphate, **3**, 431
tagatose-1,6-diphosphate, **3**, 430, 431
- C₆H₁₄O₁₂P₂, fructose-1,6-diphosphate, **3**, 470
- C₆H₁₅ClSi, *tert*-butyldimethylsilyl chloride, **6**, 86
- C₆H₁₅N, hexylamine, **8**, 161
- C₆H₁₅N₂O₃P, phospholysine, **5**, 144
- C₆H₁₅N₄O₃P
Ne-phosphate arginine, **6**, 127
phosphoarginine, **5**, 144
- C₆H₁₅O₉
inositol phosphate, **3**, 297
phosphatidylinositol, **3**, 301
- C₆H₁₅O₁₃P₃, 3-phospho-5-pyrophosphomevalonate, **2**, 3
- C₆H₁₅O₁₅, glucose triphosphate, **4**, 311
- C₆H₁₅Si
2-*t*-butyldimethylsilyl, **7**, 144
O-*tert*-butyldimethylsilyl, **6**, 86
- C₆H₁₆N₂
hexamethylenediamine, **7**, 161
tetramethylethylenediamine, **7**, 92
- C₆Cl₄O₂, tetrachlorobenzoquinone, **5**, 419
- C₇H₂F₄O₃, tetrafluoro-*p*-hydroxybenzoate, **5**, 418
- C₇H₂K₂O₆, potassium chelidonate, **8**, 29
- C₇H₃Cl₂N, 2,6-dichlorobenzonitrile, **3**, 610
- C₇H₃Cl₂O, dichlorobenzoyl, **7**, 120
- C₇H₃I₃O₂, 2,3,5-triiodobenzoic acid, **8**, 30, 34, 36, 68
- C₇H₄ClO, chlorobenzoyl, **7**, 119, 120
- C₇H₄Cl₂O₂
2,4-dichlorobenzoate, **5**, 417
3,4-dichlorobenzoic acid, **8**, 36
- C₇H₄F₃O₃, 3,5-difluoro-*p*-hydroxybenzoate, **5**, 418
- C₇H₄F₃NO, *O*-(2,3,4,5,6-pentafluorobenzyl)hydroxylamine, **1**, 632
- C₇H₄NO₃, nitrobenzoyl, **7**, 120
- C₇H₄N₂O₆, 3,4-dinitrobenzoic acid, **5**, 179
- C₇H₄OSSe, 3*H*-1,2-benzothiaselenol-3-one, **7**, 293
- C₇H₄O₂S, oxathiolanone, **7**, 523
- C₇H₄O₂S₂
3*H*-1,2-benzodithiol-3-one 1-oxide, **7**, 523
1,2-dithiolan-3-one 1-oxide analogue, **7**, 524
1,2-dithiolan-3-one 1-oxide, **7**, 523, 526
- C₇H₄O₃S₂, 3*H*-1,2-benzodithiole-3-one 1,1-dioxide, **7**, 143
- C₇H₅ClHgO₃, *p*-chloromercuribenzoate, **2**, 312, 359, **3**, 376, 378, **5**, 407
- C₇H₅ClO₂
2-chlorobenzoate, **5**, 417
4-chlorobenzoate, **5**, 402, 411
4-chlorobenzoic acid, **3**, 651
- C₇H₅ClO₃
chlorosalicylate, **3**, 378
5-chlorosalicylic acid, **1**, 626
- C₇H₅NaO₇S, polyclinal, **8**, 473
- C₇H₅NO₄
2,4-pyridinedicarboxylate, **1**, 725
quinolinic acid, **3**, 395
- C₇H₅NS, benzothiazole, **8**, 588
- C₇H₅NS₂
benzothiazole, **8**, 588
2-mercaptobenzothiazole, **7**, 119, 131, 132
- C₇H₅N₃O₂, *o*-nitrophenyldiazomethane, **6**, 85
- C₇H₅N₃O₂S, *C*-5-thiazoleuridine, **7**, 317
- C₇H₅N₃O₂, nitrophenyltetrazole, **7**, 138
- C₇H₅N₃O₃, pterin-6-carboxylic acid, **1**, 837
- C₇H₅O, benzoyl, **6**, 87, **7**, 119, 120
- C₇H₆, 1,2,4-heptatriene-6-yne, **7**, 556
- C₇H₆BrN₂O, *p*-azidophenacyl bromide, **7**, 169
- C₇H₆Br₂O₂, bromophenol oligomer, **8**, 461
- C₇H₆ClNO₂, *o*-nitrobenzyl chloride, **6**, 85
- C₇H₆Cl₂O, 2,4-dichloroanisole, **8**, 34
- C₇H₆HgO₃, *p*-hydroxymercuribenzoate, **3**, 393, 452
- C₇H₆NO₃, *o*-nitrobenzyl, **6**, 85
- C₇H₆NO₂S, nitrotolylthio, **7**, 119
- C₇H₆N₂
benzimidazole, **4**, 150
C-5-propynylpyrimidine, **7**, 317
- C₇H₆N₂O, 5-hydroxybenzimidazole, **4**, 150
- C₇H₆N₂O₂, *C*-5-propynyluridine, **7**, 317
- C₇H₆N₄, 4-triazolylpyridine, **6**, 93
- C₇H₆N₄O, 1,1'-carbonyldiimidazole, **7**, 161
- C₇H₆N₄O₂
3-amino-1,2,4-benzotriazine 1,1-dioxide, **7**, 534
C-5-(imidazol-2-yl)uridine, **7**, 318
- C₇H₆O
benzaldehyde, **3**, 377, 395, 396, 399, **8**, 165
- C₇H₆O₂
benzoic acid, **1**, 54, 74, 612, **3**, 649, **4**, 254
p-hydroxybenzaldehyde, **3**, 622, 682, 696

- salicylaldehyde, **3**, 376, 377, **8**, 139, 154
tropolone, **1**, 3
- C₇H₆O₃
hydroxybenzoic acid, **3**, 385, **8**, 169
m-hydroxybenzoic acid, **1**, 74, 528, 610
p-hydroxybenzoic acid, **1**, 574, 612, 815, **2**, 381, **3**, 640, 696, 804, **5**, 348, 412, 418, **8**, 173
protocatechualdehyde, **3**, 400,
salicylic acid, **1**, 72, 129, 133, 294, 610, 612, 779, **5**, 24, **8**, 119, 169, 171
- C₇H₆O₄
2,3-dihydroxybenzoic acid, **1**, 610, 610, 700, **4**, 209
2,5-dihydroxybenzoic acid, **1**, 700
3,4-dihydroxybenzoic acid, **5**, 418, **8**, 173
3,5-dihydroxybenzoic acid, **1**, 528
gentisic acid, **1**, 411
patulin, **1**, 2, 346, 411, 427
protocatechuic acid, **1**, 585, 589, **3**, 385, 803, **8**, 171
terreic acid, **1**, 411
- C₇H₆O₅
gallic acid, **3**, 10, 385, 800, 802, 803, 819, 820
phloroglucinolcarboxylic acid, **1**, 815
- C₇H₆S₅, 7-methylbenzopentathiapin, **7**, 527
- C₇H₇, benzyl, **7**, 119, 130
- C₇H₇FO₂S, phenylmethanesulfonyl fluoride, **1**, 293, 349
- C₇H₇FO₃, 6-fluorodehydroshikimate, **1**, 592
- C₇H₇NO
phenylacetaldoxime, **1**, 130
2-pyridyloxirane, **5**, 52, 53, 67
- C₇H₇NO₂
p-aminobenzoic acid, **1**, 72, 574, 611, 612, **4**, 4
anthranilic acid, **1**, 574, 599, 611, 846, **3**, 395, 396, **4**, 6, **8**, 34
homarine, **8**, 465
p-hydroxyphenylacetaldehyde oxime, **1**, 858
trigonelline, **8**, 29
- C₇H₇NO₃
3-amino-5-hydroxybenzoic acid, **1**, 527
carbapen-2-em-3-carboxylic acid, **8**, 398
p-nitrobenzyl alcohol, **5**, 431
salicylhydroxamic acid, **1**, 123
- C₇H₇N₂O, 4-(hydroxymethyl)benzenediazonium ion, **7**, 543
- C₇H₇N₃, 3-methylpyrazolo[4,3-*d*]pyrimidine, **8**, 68
- C₇H₇N₃O, C-5-propynylcytosine, **7**, 322
- C₇H₇N₃O₃, photoaffinity label, **1**, 588
- C₇H₇N₃S, 2-methylthiopyrrolo[2,3-*d*]pyrimidine, **8**, 68
- C₇H₈, toluene, **3**, 384, **5**, 42
- C₇H₈FO₄P, fluorotolyl phosphate, **5**, 160
- C₇H₈N₂, benzamidine, **1**, 349
- C₇H₈N₂O₃, dephostatin, **7**, 521
- C₇H₈N₄O₂, theobromine, **8**, 147
- C₇H₈N₆O, *N*-6-carbamoylmethyladenine, **7**, 325
- C₇H₈O
cresol, **3**, 408
m-cresol, **8**, 212
p-cresol, **3**, 711, **8**, 161
- C₇H₈O₂
guaiacol, **8**, 150, 152
p-hydroxybenzyl alcohol, **1**, 838
- C₇H₈O₃, 4,5-dideoxydehydroshikimate, **1**, 592
- C₇H₈O₄
dehydroquinone 1,2-epoxy derivative, **1**, 588
5-deoxydehydroshikimate, **1**, 592
- C₇H₈O₅
allyl vinyl ether 2,6-dicarboxylate, **5**, 366
dehydroquinone derivative, **1**, 587
dehydroshikimate, **1**, 585, 586, 589, 591, 591, 719
3-dehydroshikimic acid, **3**, 804
2-hydroxy-2,4-heptadiene-1,7-dioate, **5**, 35
2-oxo-3-heptene-1,7-dioate, **5**, 35
2-oxo-4-heptene-1,7-dioate, **5**, 35
- C₇H₈O₆, 5-dehydroquinone, **4**, 2
- C₇H₈O₈, 4-carboxy-4-hydroxy-2-ketoadipate, **3**, 385, 413
- C₇H₈S, phenylmethanethiol, **3**, 758
- C₇H₉FO₃, 6-fluoroshikimate, **1**, 592, 602
- C₇H₉FO₆
6-fluorodehydroquinone, **1**, 584
6-fluoro-1-*epi*-dehydroquinone, **1**, 584
- C₇H₉NO, *p*-anisidine, **3**, 709
- C₇H₉NO₂
gabaculine, **8**, 63
methyl 4-methylpyrrole-2-carboxylate, **8**, 221
- C₇H₉NO₃S, 5-(2-hydroxyethyl)-4-methylthiazole-2-carboxylic acid, **1**, 838
- C₇H₉NO₄
acyclic diene, **5**, 428
aminoDHS, **1**, 527
dehydroquinone imine derivative, **1**, 586, 587
2-formyloxymethylclavam, **4**, 183
- C₇H₉O₃, mesifuranone, **8**, 165
- C₇H₁₀N₂, 4-(*N,N*-dimethylamino)pyridine, **7**, 163
- C₇H₁₀N₂O₂
N-3-ethylthymine, **7**, 315
O-2-ethylthymine, **7**, 314
- C₇H₁₀N₂O₄,
α-amino-3-hydroxy-5-methylisoxazole-4-propionate, **6**, 103
- C₇H₁₀N₂O₅, heterocyclic DAP analogue, **3**, 277
- C₇H₁₀O, 3-methylcyclohexenone, **8**, 211
- C₇H₁₀O₂
1-cyclohexenecarboxylic acid, **1**, 72
2-cyclohexenecarboxylic acid, **1**, 72
4-methyl-3,5-hexadienoic acid, **8**, 236
- C₇H₁₀O₃
4,5-dideoxyshikimate, **1**, 593
5-hydroxycyclohex-1-enecarboxylic acid, **1**, 72
δ-lactone, **1**, 508
- C₇H₁₀O₄
5-deoxyshikimate, **1**, 593
4,5-dideoxydehydroquinone, **1**, 589
2'-hydroxycyclopentylglyoxylate, **1**, 70
α-ketopimelate semialdehyde, **1**, 69
- C₇H₁₀O₅
5-deoxydehydroquinone, **1**, 589
diethylxomalonate, **7**, 126,
enol pyranose 2-deoxy analogue, **1**, 582
6-fluoroshikimate, **1**, 593
α-ketopimelate, **1**, 69, 834
shikimic acid, **1**, 16, 72, 154, 574, 591, 592, 645, 719, 850, **3**, 626, 804, **4**, 4
- C₇H₁₀O₆
1-*epi*-dehydroquinone, **1**, 584
3-dehydroquinone, **1**, 586, **4**, 4
dehydroquinone derivative, **1**, 587
dehydroquinic acid, **1**, 581, 585, 589, 591, 719, **3**, 804
enolpyranose, **1**, 582, 583
hydroxyketopimelate, **3**, 413
- C₇H₁₀O₈
DHA, **3**, 499, 503, 509
- C₇H₁₁NO₂
2-(2'-cyclopentenyl)glycine, **1**, 69
hypoglycin, **8**, 146
- C₇H₁₁NO₃, 2-hydroxyethylclavam, **4**, 182
- C₇H₁₁NO₄, dehydroquinone derivative, **1**, 587
- C₇H₁₁NO₅
5-aminoshikimate, **1**, 593
dehydroquinone imine derivative, **1**, 587
- C₇H₁₁NS, 2-isobutyl-1,3-thiazole, **8**, 221
- C₇H₁₁N₃O₄, misonidazole, **7**, 397, 417, 583
- C₇H₁₁O₆P, 4,5-dideoxyshikimate 3-phosphate, **1**, 595
- C₇H₁₁O₈P, shikimate 3-phosphate, **1**, 592, 593, 596, **4**, 4, 10
- C₇H₁₂FO₁₀P, 3-fluorodehydroquinone, **1**, 584
- C₇H₁₂N₄O, *N*-4-(3-aminopropyl)cytosine, **7**, 320

- C₇H₁₂O
 4-hepten-2-one, **8**, 208
 1-methyl-2-cyclohexen-1-ol, **8**, 211
 pheromone of *Dendroctonus pseudotsugae*, **8**, 40
 seudenol, **8**, 211
- C₇H₁₂O₂
 cyclohexanecarboxylic acid, **1**, 72, 524
 2,6-heptanedione, **8**, 211
 2-methylhexanolide, **8**, 240
- C₇H₁₂O₃, 3-hydroxycyclohexanecarboxylic acid, **1**, 72
- C₇H₁₂O₄
 diethyl malonate, **1**, 3
 pimelic acid, **1**, 298, 826
- C₇H₁₂O₆, quinic acid, **1**, 466, 585, 589
- C₇H₁₂O₇
 3-deoxy-D-*arabino*-heptulosonate, **1**, 585
 homocitrate, **4**, 243
 4-*O*-methyl-D-glucuronic acid, **3**, 244, 601
- C₇H₁₃NO₃
 calystegine A₃, **8**, 152
 calystegine A₃, **3**, 133, 134
 calystegine A₅, **3**, 133, 134
 calystegine A₆, **3**, 133, 134
 calystegine A₇, **3**, 133, 134
 theoleucine, **8**, 570
- C₇H₁₃NO₄
 Ala-HBut, **3**, 272
 calystegine B₁, **3**, 133, 137, 139
 calystegine B₂, **3**, 133, 137, 139, 142
 calystegine B₃, **3**, 133, 137, 139
 calystegine B₄, **3**, 133, 137
 calystegine B₅, **3**, 133, 137
 calystegine V₂, **3**, 140
- C₇H₁₃NO₅
 calystegine C₁, **3**, 133, 134, 137, 139, 140
 calystegine C₂, **3**, 133, 137
 L-decilonitrose, **3**, 312
 4,6-dideoxy-4-formamido- α -D-mannose, **3**, 192
- C₇H₁₃NS, 4,5-dihydro-2-isobutyl-1,3-thiazole, **8**, 221
- C₇H₁₃O₈P
 dehydroquinate derivative, **1**, 585
 2-deoxydehydroquinatate, **1**, 585
- C₇H₁₃O₉P
 2-deoxydehydroquinatate, **1**, 585
 enolpyranose cyclic 2-deoxy analogue, **1**, 582
 phosphonate, **1**, 585
- C₇H₁₃O₁₀P
 DAHP, **1**, 575, 581, 585, **3**, 387
 3-deoxy-D-*arabino*-heptulosonic acid 7-phosphate, **1**, 346, 527, 575, 719
 7-phospho-2-keto-3-deoxy-D-*arabino*heptanoate, **3**, 386
- C₇H₁₄N, FPP ammonium analogue, **5**, 338
- C₇H₁₄NO₉P, aminoDAHP, **1**, 527
- C₇H₁₄N₂O₃, calystegine N₁, **3**, 133
- C₇H₁₄N₂O₄, diaminopimelic acid, **1**, 69, **3**, 245, 248, 256, 259
- C₇H₁₄N₂O₄S, methylanthionine, **4**, 275
- C₇H₁₄N₂O₄S₂, kjenkolic acid, **1**, 848
- C₇H₁₄N₂O₅
 2,6-diamino-3-hydroxypimelic acid, **3**, 247
 N-hydroxy-DAP, **3**, 276
- C₇H₁₄N₄, diisopropyltetrazolide, **7**, 133
- C₇H₁₄N₄O₃, α -ketoarginine, **8**, 568
- C₇H₁₄O
 2-heptanone, **8**, 161, 169, 211
 4-heptanone, **8**, 211
 4-hepten-2-ol, **8**, 209
- C₇H₁₄OS, S-methyl-n-thiolhexanoate, **1**, 849
- C₇H₁₄O₂
 amyl acetate, **8**, 165
 ethyl 2-methylbutanoate, **8**, 165
- heptanoic acid, **1**, 298
 3-methyl-1-butyl acetate, **8**, 220
 methyl hexanoate, **8**, 210
- C₇H₁₄O₂S, 7-mercaptoheptanoic acid, **1**, 834, 835
- C₇H₁₄O₃
 2-hydroxyheptanoic acid, **1**, 162, 452
 2,3,6-trideoxy-4-*O*-methyl-D-*erythro*-hexose, **3**, 312
- C₇H₁₄O₃S 2,6-dideoxy-4-*S*-methyl-4-thio-D-*ribo*-hexose, **3**, 312
 gonyol, **8**, 458
- C₇H₁₄O₄
 L-axenose, **3**, 312
 D-chalcose, **3**, 312
 chromose A, **3**, 313
 D-cymarose, **3**, 312
 L-cymarose, **3**, 312
 2,6-dideoxy-4-*O*-methyl-D-*arabino*-hexose, **3**, 312
 4,6-dideoxy-3-*O*-methyl-D-*ribo*-hexose, **3**, 312
 D-diginose, **3**, 312
 L-diginose, **3**, 312
 D-evermicose, **3**, 312, 342
 homomevalonic acid, **8**, 272
 D-mycarose, **3**, 312
 L-mycarose, **3**, 312
 mycarose, **3**, 342, 351, 352
 D-oleandrose, **3**, 312
 L-oleandrose, **3**, 312
 oleandrose, **3**, 355
 D-olivomose, **3**, 312
 D-sarmentose, **3**, 312
 L-sarmentose, **3**, 312
 D-variose, **3**, 312
- C₇H₁₄O₅
 D-acofriose, **3**, 312
 L-acofriose, **3**, 312
 L-acovenose, **3**, 312
 D-curacose, **3**, 312
 6-deoxy-4-*O*-methyl-D-altrose, **3**, 312
 L-digitalose, **3**, 312
 D-evalose, **3**, 312
 methylfucose, **1**, 331
 L-vallarose, **3**, 312
 virenose, **3**, 323
 D-virenose, **3**, 312
 L-virenose, **3**, 312
- C₇H₁₄O₆
 6-deoxy-D-*manno*-heptose, **3**, 192, 312
 1-methyl- β -D-glucopyranose, **3**, 810
 3-methyl- α -D-mannose, **3**, 186
 sequoyitol, **8**, 155
- C₇H₁₄O₇
 heptenitol, **5**, 304
 L-*glycero*-D-*manno*-heptose, **3**, 187
- C₇H₁₄O₇P₂, cyclopentylideneethyl diphosphate, **2**, 76
- C₇H₁₅N, diisopropylaminomethylene, **7**, 123
- C₇H₁₅NO₂, isoleucine methyl ester, **8**, 221, 223
- C₇H₁₅NO₃
 carnitine, **1**, 49
 N-hydroxyethyl-2-hydroxymethyl-3-hydroxypyrrolidine, **3**, 130, 134
- C₇H₁₅NO₄ 2,5-dideoxy-2,5-imino-DL-*glycero*-D-*manno*-D-heptitol, **3**, 130
 2,6-dideoxy-2-methylaminogalactose, **7**, 558
 homoDMDP, **3**, 134
 N-methyl-1-deoxynojirimycin, **3**, 19, 131
 N-methyl-DNJ, **3**, 134
- C₇H₁₅NO₅, α -homonojirimycin, **3**, 131, 134, 141
- C₇H₁₅N₃O₂, indospicine, **8**, 146
- C₇H₁₅O₁₀P
 D-*glycero*-D-*manno*-heptose 7P, **3**, 222
 sedohyptulose 7-phosphate, **3**, 222, 414, 417
- C₇H₁₆ClNOS, acetylthiocholine, **5**, 116
- C₇H₁₆ClNO₂, acetylcholine, **1**, 297, **5**, 116

- C₇H₁₆O
 1-heptanol, **8**, 211
 2-heptanol, **8**, 169, 208, 211
 4-methyl-3-hexanol, **8**, 242
 C₇H₁₆O₁₃P₂, sedoheptulose-1,7-diphosphate, **3**, 390
 C₇H₁₇NO₂P, *N,N*-diisopropylphosphoramidite, **7**, 131
 C₇H₁₇NO₈, neuraminate, **3**, 425
 C₇H₁₇N₂OP, bisphosphoramidite, **7**, 133
 C₇H₁₇N₃O₄P, anatoxin-a, **8**, 611, **4**, 30
 C₇H₁₇O₈P, carbocyclic homophosphonate, **1**, 585
 C₇H₁₉N₃, spermidine, **3**, 721, **4**, 30, **6**, 251
 C₇H₅₈O₁₁, mosesin-1, **8**, 474
 C₈H₁₁N, dimethylaniline, **3**, 412
 C₈H₄O₃S₂, thiotropocin, **1**, 77, 849
 C₈H₅NO₂, isatin, **8**, 429
 C₈H₅NO₆, phosphoramidite, **7**, 158
 C₈H₆BrN₃O, *p*-azidophenacyl bromide, **6**, 91
 C₈H₆Br₂O, *p*-bromophenacylbromide, **1**, 293
 C₈H₆ClO₂, chlorophenoxyacetyl, **7**, 120
 C₈H₆Cl₂O₃, 2,4-dichlorophenoxyacetic acid, **5**, 411, **8**, 23, 34, 35
 C₈H₆N₂O₂S, *C*-5-(thien-2-yl)uridine, **7**, 318
 C₈H₆O₂
 phenylacetic acid, **1**, 815
 phenylglyoxal, **3**, 448, 451, 463, **5**, 275
 C₈H₆O₃, carboxybenzaldehyde, **3**, 376, 377
 C₈H₆O₄, terephthalate, **3**, 385
 C₈H₆O₅, monoperphthalic acid, **6**, 65
 C₈H₇Br₂NO₃, aeropylsinin-1 dienone, **8**, 468
 C₈H₇ClO₂, 4-chlorophenylacetate, **5**, 417
 C₈H₇F₃N₂O₃S, benzimidazole trifluoromethane sulfonate, **7**, 138
 C₈H₇N
 indole, **5**, 379, **8**, 34, 161
 phenylacetonitrile, **8**, 26
 C₈H₇NOS, *p*-methoxyphenyl isothiocyanate, **7**, 159
 C₈H₇NO₂, benzoxazinones, **8**, 169
 C₈H₇NO₃
 desosamine, **3**, 335
 N-formylanthranilic acid, **1**, 846
 6-methoxy-2-benzoxazolinone, **8**, 29
 C₈H₇NS, benzothiazole, **8**, 588
 C₈H₇N₃O₂S
 C-5-(4-methyl)thiazoleuridine, **7**, 318
 C-5-(5-methyl)thiazoleuridine, **7**, 318
 C₈H₇O
 benzylcarbonyl, **7**, 120
 toluoyl, **7**, 119, 120
 C₈H₇O₂
 benzyloxycarbonyl, **7**, 120
 methoxybenzoyl, **7**, 119, 120
 4-methoxybenzoyl, **7**, 120
 phenoxyacetyl, **7**, 120, 121, 124
 C₈H₇O₃, methyl salicylate, **8**, 165
 C₈H₈, styrene, **5**, 173
 C₈H₈Cl₂, 1,2-dichlorophenylethane, **5**, 173
 C₈H₈Cl₂N₂O₃, dichloro(nitrophenethylamine), **8**, 431
 C₈H₈Cl₃N, dichloro(chlorophenethylamine), **8**, 431
 C₈H₈F₃NO₂, *N*-methylanilinium trifluoroacetate, **7**, 138
 C₈H₈NO₂, nitrophenylethyl, **7**, 119, 130
 C₈H₈NO₂S, nitrophenylthioethyl, **7**, 119
 C₈H₈NO₄S, nitrophenylsulfonylethyl, **7**, 119
 C₈H₈N₂, 5-methylbenzimidazole, **4**, 150
 C₈H₈N₂O, 5-hydroxy-6-methylbenzimidazole, **4**, 150
 C₈H₈N₂O₂, ricinine, **3**, 643
 C₈H₈N₂O₃, pyrimidineacrylic acid, **1**, 847
 C₈H₈N₂O₄, sparsomycin uracil acrylic acid moiety, **1**, 846
 C₈H₈O, acetophenone, **5**, 373
 C₈H₈O₂
 p-hydroxyacetophenone, **3**, 640, **8**, 173, 190, 191
 p-methoxybenzaldehyde, **3**, 395
 methyl benzoate, **8**, 161
 6-methylsalicylic aldehyde, **8**, 212
 phenylacetic acid, **1**, 54, 77, 850, **4**, 174, 182, 244, 254, **8**, 26, 34
 C₈H₈O₃
 3,4-dihydroxyacetophenone, **8**, 190, 191
 3-hydroxy-5-methylbenzoic acid, **1**, 401
 2-hydroxyphenylacetic acid, **4**, 254
 4-hydroxyphenylacetic acid, **3**, 413, **4**, 254, **5**, 46
 p-hydroxyphenylacetic acid, **8**, 26
 mandelic acid, **1**, 78, **5**, 16, 33
 4-methoxytoluquinone, **1**, 411
 methyl 4-hydroxybenzoate, **8**, 200
 methyl salicylate, **8**, 150, 152, 156, 212
 6-methylsalicylic acid, **1**, 2, 345, 410, 458, 849
 phenoxyacetic acid, **4**, 254
 vanillin, **3**, 622, 682, 696, **8**, 165
 C₈H₈O₄
 3,4-dihydroxyphenylacetic acid, **1**, 813
 2,6-dimethoxybenzoquinone, **8**, 181
 2,6-dimethoxy-*p*-benzoquinone, **8**, 175
 homogentisic acid, **1**, 856
 4-hydroxytropolone-3-carboxylic acid, **1**, 850
 monoacetylphloroglucinol, **1**, 763
 orsellinic acid, **1**, 2, 346, 410
 vanillic acid, **3**, 696, 805, **8**, 169, 171
 C₈H₈O₅, methyl gallate, **3**, 813, 820
 C₈H₈O₇
 5-(carboxymethyl)-2-hydroxymuconate, **5**, 34, 46
 5-carboxymethyl-2-oxo-3-hexenedioate, **5**, 34
 5-carboxymethyl-2-oxo-4-hexenedioate, **5**, 34
 C₈H₉
 p-tolylmethyl, **7**, 126
 xylyl, **7**, 119
 C₈H₉NO₂
 acetaminophen, **5**, 184
 methyl anthranilate, **8**, 161
 C₈H₉NO₃, pyridoxal, **3**, 369, 371, 405, 407
 C₈H₉NO₄, hematinic acid, **4**, 96
 C₈H₉NO₅
 clavulanic acid, **3**, 285, **4**, 173, 180, 182, 183, 185
 C₈H₉NO₅S, *N*-succinimidyl-*S*-acetyl thioacetate, **7**, 168
 C₈H₉O
 benzyloxymethyl, **7**, 119
 methoxybenzyl, **7**, 119
 C₈H₉S, (phenylthio)ethyl, **7**, 119
 C₈H₁₀NO₆P
 pyridoxal phosphate, **1**, 826, 843, **2**, 56, **3**, 449, 469, 476, 545, **5**, 304
 pyridoxal 5'-phosphate, **3**, 254, 448, 474, **4**, 65, 70, **5**, 207, 209, 211
 C₈H₁₀N₂O₃S, 3-exomethylenecepham, **1**, 844
 C₈H₁₀N₂O₃, theoalanine, **8**, 570
 C₈H₁₀N₂O₃S, 7-aminodeacetoxycephalosporanic acid, **4**, 180
 C₈H₁₀N₂O₄
 clavaminic acid, **4**, 185
 mimosine, **8**, 146
 C₈H₁₀N₂O₄S, 7-aminodeacetoxycephalosporanic acid, **4**, 262
 C₈H₁₀N₄O₂, caffeine, **4**, 26, **8**, 147, 167, 168, 169, 173
 C₈H₁₀O₂, dimethoxybenzene, **5**, 379
 C₈H₁₀O₄, penicillic acid, **1**, 2, 411, 427
 C₈H₁₀O₅, endothall, **5**, 155, 158
 C₈H₁₁ClO₂, 3-chloroacetyl cyclohexanone, **1**, 588
 C₈H₁₁N, dimethylaniline, **5**, 379
 C₈H₁₁NO, dimethylaniline-*N*-oxide, **3**, 412
 C₈H₁₁NO, tyramine, **8**, 430
 C₈H₁₁NO₂, dopamine, **1**, 297
 C₈H₁₁NO₃
 noradrenalin, **8**, 432
 noradreniline, **3**, 400
 pyridoxine, **2**, 376
 C₈H₁₁N₃O₃, *N*-4-(3-carboxypropyl)cytosine, **7**, 320
 C₈H₁₁N₃O₆, dioxetane degradation product, **7**, 411

- C₈H₁₂, fucoserratenene, **8**, 420
 C₈H₁₂ClN, *N,N*-dimethylaniline hydrochloride, **7**, 130
 C₈H₁₂NO₆P, pyridoxol phosphate, **2**, 4
 C₈H₁₂N₂
 diketopiperazine, **8**, 588
 N,N-dimethyl-*p*-phenylenediamine, **3**, 716
 C₈H₁₂N₂O, 3-isopropyl-2-methoxypyrazine, **8**, 152
 C₈H₁₂N₂O₂, 5-*tert*-butyluracil, **5**, 391
 C₈H₁₂N₂O₃S, 6-aminopenicillanic acid, **3**, 283, **4**, 170, 181, 240
 C₈H₁₂N₂O₄
 alanylclavam, **4**, 183
 dihydroclavaminic acid, **4**, 185
 C₈H₁₂N₂O₄S
 3β-hydroxycepham, **1**, 844
 3β-methylenehydroxypenam β-sulfoxide, **1**, 844
 3β-methylenehydroxypenam, **1**, 844
 C₈H₁₂N₂O₆, kifunensine, **3**, 21, 25, 134, 148, 151, 155
 C₈H₁₂O, 6-methyl-3,5-heptadien-2-one, **8**, 233
 C₈H₁₂O₂
 2-ethyl-6-methyl-4*H*-2,3-dihydropyran-4-one, **8**, 211
 6-ethyl-2-methyl-4*H*-2,3-dihydropyran-4-one, **8**, 211
 C₈H₁₂O₃, δ-lactone, **1**, 508
 C₈H₁₂O₄, diethyl maleate, **7**, 665
 C₈H₁₂O₅, α-ketosuberate, **1**, 834
 C₈H₁₃NO
 supinidine, **4**, 31
 tropinone, **4**, 27, 30
 C₈H₁₃NOS, hydroxyethylthiamine, **2**, 55
 C₈H₁₃NO₂
 heliotridine, **4**, 31
 retronecine, **4**, 32, 33, **8**, 147, 152
 C₈H₁₃NO₃, *N*-butyryl homoserine lactone, **8**, 398
 C₈H₁₃NO₄, HAI-1, **8**, 395
 C₈H₁₃NO₄S, NAG-thiazoline, **5**, 297
 C₈H₁₃NO₅
 N-acetyl-Ala-Lac, **3**, 273
 7*a*-*epi*-alexafflorine, **3**, 131, 134
 C₈H₁₃N₂O₅P, pyridoxamine 5'-phosphate, **4**, 70
 C₈H₁₃N₃O, *N*-4-butylcytosine, **7**, 320
 C₈H₁₃N₃O₄, 5-aminoimidazole β-D-ribofuranoside, **4**, 150
 C₈H₁₃N₃O₅, deoxyguanosine degradation product, **7**, 411
 C₈H₁₄ClN₅, atrazine, **5**, 411
 C₈H₁₄N₂O₄
 aziridino-DAP, **3**, 276
 proclavaminic acid, **4**, 183
 C₈H₁₄N₃O₅P, 5-aminoimidazole riboside, **1**, 838
 C₈H₁₄N₄O, *N*-4-(4-aminobutyl)cytosine, **7**, 320
 C₈H₁₄N₄O₅, deoxyguanosine degradation product, **7**, 411
 C₈H₁₄N₄O₆, α-amino-β-oxalylaminopropionic acid, **8**, 146
 C₈H₁₄O
 6-methyl-5-hepten-2-one, **8**, 232, 234
 6-methyl-6-hepten-2-one, **8**, 233
 1,5-octadien-3-ol, **1**, 239
 rillingol, **5**, 339
 C₈H₁₄O₂
 brevicomine, **3**, 417
 2-butenyl butanoate, **8**, 210
 diketone, **8**, 242
 1,5-dimethyl-6,8-dioxabicyclo[3.2.1]octane, **8**, 233
 6,7-epoxy-6-methylheptan-2-one, **8**, 233
 frontalin, **8**, 41
 3-hydroxy-2,3-dimethylcyclohexanone, **8**, 270
 karahana lactone, **8**, 43
 lactone, **8**, 240
 1,3,3-trimethyl-2,7-dioxabicyclo[2.2.1]heptane, **8**, 232
 C₈H₁₄O₂S₂, lipoic acid, **1**, 20, 832
 C₈H₁₄O₃
 allyl ether of ethyl acetoacetate, **5**, 350
 2-ketooctanoic acid, **3**, 381
 δ-lactone, **1**, 508
 C₈H₁₄O₄, suberic acid, **1**, 298
 C₈H₁₄O₅ 2-*O*-acetyl-3,6-dideoxy-α-D-xylo- hexose, **3**, 187
 D-chromose D, **3**, 312
 3-(3-hydroxybutanoyloxy)butanoic acid, **8**, 209
 L-pillarose, **3**, 312
 trioxacarcinose B, **3**, 312
 C₈H₁₄O₆, acetylfucose, **1**, 331
 C₈H₁₄O₇
 N-acetylgalactose, **3**, 170
 N-acetylglucose, **3**, 170
 C₈H₁₄O₈
 3-deoxy-D-*manno*-octulopyranosonic acid, **3**, 185
 KDO, **3**, 380, 387, 499, 503, 509
 C₈H₁₅INO₉, *N*-acetylglucosamine-6-phosphate analogue, **3**, 275
 C₈H₁₅N
 FPP ammonium analogue, **5**, 338
 tropane, **4**, 26
 C₈H₁₅NO
 hygrine, **4**, 30, 30
 pseudotropine, **4**, 30
 trachelanthamine, **4**, 31
 tropine, **4**, 27, 30
 ψ-tropine, **4**, 30
 C₈H₁₅NO₂, hastanecine, **4**, 31
 C₈H₁₅NO₃
 platynecine, **4**, 31, 32
 rosmarinicine, **4**, 31
 C₈H₁₅NO₄
 alexine, **3**, 131, 134
 australine, **3**, 20, 131, 134, 139, 140, 152
 1-*epi*-australine, **3**, 131, 134
 3-*epi*-australine, **3**, 131, 134
 7-*epi*-australine, **3**, 131, 134
 castanospermine, **3**, 20, 31, 381
 N-methylcalystegine B₂, **3**, 133, 137
 C₈H₁₅NO₅
 2-acetamido-2,6-dideoxy-α-D-galactose, **3**, 194
 casuarine, **3**, 132, 134
 deoxy-*N*-acetylmannosamine, **3**, 380
 4-deoxy-*N*-acetylmannosamine, **3**, 391
 L-evernitrose, **3**, 312
 N-methylcalystegine C₁, **3**, 133, 137
 perosamine, **3**, 186, 195
 L-rubranitrose, **3**, 312
 tomosamine, **3**, 186
 viosamine, **3**, 186
 C₈H₁₅NO₆
 N-acetyl-D-allosamine, **1**, 149, 150
 N-acetylgalactosamine, **3**, 70, 71, 111, 124, 146, 161, 305
 N-acetylglucosamine, **3**, 71, 111, 161, 229, 244, 275, 301, 380, **4**, 307
 N-acetylmannosamine, **3**, 378, 380, 390, 391
 N-acetyl-D-mannosamine, **3**, 378, 390
 C₈H₁₅NO₇, *N*-glycolylmannosamine, **3**, 391
 C₈H₁₅NS, 2-(2'-methylbutyl)-4,5-dihydrothiazole, **8**, 221
 C₈H₁₅N₃O₇, streptozocin, **7**, 520
 C₈H₁₅O₇P
 carbocyclic phosphonate, **1**, 585
 phosphonate, **1**, 582
 C₈H₁₅O₉P, homophosphonate, **1**, 585
 C₈H₁₅O₁₀P, 2-deoxy KDO-8P, **3**, 389
 C₈H₁₅O₁₁P
 3-deoxy-D-*manno*-octulosonate 8-phosphate, **1**, 580
 KDO 8-phosphate, **3**, 387, 509
 C₈H₁₆NO₉P
 N-acetylglucosamine-6-phosphate, **3**, 391
 N-acetyl-D-mannosamine-6-phosphate, **3**, 391
 C₈H₁₆N₂O₃S, cysteinylvaline, **1**, 842, **4**, 250
 C₈H₁₆N₂O₇, cycasin, **8**, 152
 C₈H₁₆O
 4-methyl-3-heptanone, **8**, 242
 6-methyl-5-hepten-2-ol, **8**, 232
 methyl-2-hepten-4-ol, **8**, 245

- 2-octanone, **8**, 212
 3-octanone, **8**, 150, 152, 211
 2-octenal, **8**, 211
 1-octen-3-ol, **8**, 211
 pheromone of *Atta texana*, **8**, 45
 sulcatol, **8**, 4, 46, 233
- C₈H₁₆O₂
 amyl propionate, **8**, 165
 butyl butanoate, **8**, 210
 3,3-dimethylbutyl acetate, **5**, 124,
 1,7-dioxaspiro[5.5]decane, **8**, 212
 ethyl hexanoate, **8**, 210
 hexyl acetate, **8**, 210
 2-(1-hydroxy-1-methylethyl)-5-
 methyltetrahydrofuran, **8**, 233
 5-hydroxy-4-methyl-3-heptanone, **8**, 210, 242
 3-hydroxy-2-octanone, **8**, 211
 2-hydroxy-3-octanone, **8**, 211
 isobutyroin, **3**, 394
 octanoic acid, **1**, 832, **4**, 254
 2,2,6-trimethyl-3-hydroxytetrahydropyran, **8**, 233
 vittatol, **8**, 234
- C₈H₁₆O₂S
 6-mercaptopoctanoic acid, **1**, 832
 8-mercaptopoctanoic acid, **1**, 832
- C₈H₁₆O₃
 8-hydroxycaprylic acid, **1**, 298
 6-hydroxyoctanoic acid, **1**, 832
 8-hydroxyoctanoic acid, **1**, 832
- C₈H₁₆O₄
 L-arcanose, **3**, 312
 cladinoce, **3**, 335, 342, 351
 L-cladinoce, **3**, 312
 6,8-dihydroxyoctanoic acid, **1**, 832
- C₈H₁₆O₅
 D-labilose, **3**, 312
 mycinoce, **3**, 352
 D-mycinoce, **3**, 312
 novioce, **3**, 342
 L-novioce, **3**, 312
 γ-octose, **3**, 317
 vinelose, **3**, 342
 L-vinelose, **3**, 312
 yersinoce A, **3**, 312
 yersinoce B, **3**, 312
- C₈H₁₆O₇P₂, cyclohexylideneethyl diphosphate, **2**, 76
- C₈H₁₆O₁₄P₂, 2,6-anhydro-3-deoxy-2β-phosphonylmethyl-
 8-phosphat e-D-*glycero*-D-*talo*-octonate, **3**, 389
- C₈H₁₇N, conicine, **1**, 450
- C₈H₁₇NO₃
 8-amino-7-oxopelargonic acid, **1**, 826, 827
 desosamine, **3**, 351
 kedarsamine, **7**, 577
- C₈H₁₇NO₄, mycaminoce, **3**, 351, 352
- C₈H₁₇NO₅
 1-deoxynojirimycin, **3**, 143
 N-hydroxyethyl-1-deoxynojirimycin, **3**, 143
- C₈H₁₇O₉P, 7,8-dideoxy-4-octulose-1-phosphate, **3**, 414
- C₈H₁₇O₁₁P, 3-deoxy-D-*manno*-2-octulosonate 8-
 phosphate, **1**, 76
- C₈H₁₈, 2-methylheptadecane, **8**, 240
- C₈H₁₈AlCl, chlorodiisobutylalane, **7**, 126
- C₈H₁₈ClN₃, 1-(3-dimethylaminopropyl)-3-
 ethylcarbodiimide hydrochloride, **7**, 158
- C₈H₁₈N₆O₄, streptidine, **3**, 353
- C₈H₁₈O
 4-methyl-3-heptanol, **8**, 242
 2-methyl-4-heptanol, **8**, 245, 246
 1-octanol, **8**, 162, 211
 3-octanol, **8**, 49, 211
- C₈H₁₈O₂, 2,3-octanediol, **8**, 211
- C₈H₁₈PS, dibutylphosphinothiyl, **7**, 119
- C₈H₂₀ClN, tetraethylammonium chloride, **8**, 434
- C₈H₂₀N₂O₂, 7,8-diaminopelargonic acid, **1**, 826
- C₈H₂₁N₃, homospermidine, **4**, 31
- C₈H₂₂N₄, N,N'-bis(3-aminopropyl)ethylenediamine, **7**,
 159
- C₈Cl₂N₂O₂, dichlorodicyanobenzoquinone, **5**, 376
- C₉H₁₁NO₅, dihydroxyphenylserine, **3**, 400
- C₉H₃N₉O₃P, trisriazolyphosphite, **7**, 139
- C₉H₄O₆, stipitatonic acid, **1**, 3
- C₉H₆I₂O₄, (diiodohydroxyphenyl)pyruvate, **5**, 47
- C₉H₆N₂O₂
 2,6-diisocyanatotoluene, **7**, 117
 4-nitroquinoline, **7**, 96
- C₉H₆N₂O₃, 4-nitroquinoline N-oxide, **7**, 522
- C₉H₆N₂O₄, 2-carboxyquinoxaline di-N-oxide, **7**, 533
- C₉H₆N₂S, brassilexin, **8**, 187
- C₉H₆O₂, coumarin, **1**, 627, 628
- C₉H₆O₃, umbelliferone, **1**, 19, 627, 628, **8**, 152
- C₉H₆O₄, aesculetin, **1**, 628
- C₉H₇BrO₄, bromoacetylsalicylic acid, **5**, 247, 248
- C₉H₇Cl₂N, dichlorophenethyl isocyanide, **8**, 431
- C₉H₇D₂O₃, 9-oxonona-5,7-dienoic acid, **8**, 425
- C₉H₇NO, indole-3-carboxaldehyde, **8**, 26
- C₉H₇NO₂S, 1,2-benzisothiazol-3-ylacetic acid, **8**, 35
- C₉H₇NO₃S, 3-oxo-1,2-benzisothiazolin-2-ylacetic acid, **8**,
 36
- C₉H₇N₂O₂S, nitrophenylthiopropionitrile, **5**, 380
- C₉H₇N₂O₆, 2,4-dinitrophenylethoxycarbonyl, **7**, 127
- C₉H₇N₃O₂, C-5-(pyridin-2-yl)uridine, **7**, 318
- C₉H₈BrNO₃, aeroplysinin-1, **8**, 468
- C₉H₈ClHgNO, [(β-acryloylamino)phenyl]mercuric
 chloride, **6**, 138
- C₉H₈ClO₄S, chlorophenylsulfonylethoxycarbonyl, **7**, 120
- C₉H₈Cl₂O₃, 3-(2,4-dichlorophenoxy)propionic acid, **8**, 35
- C₉H₈N, cyanophenethyl, **7**, 119
- C₉H₈NO₄, nitrophenylethoxycarbonyl, **7**, 120
- C₉H₈NO₆S, nitrophenylsulfonylethoxycarbonyl, **7**, 120
- C₉H₈N₂O₂, nitrophenethyl isocyanide, **8**, 431
- C₉H₈O, cinnamaldehyde, **8**, 161
- C₉H₈O₂
 cinnamic acid, **1**, 627, 635, 719, **3**, 2, 18, 624, 627, 681,
 804, 376, **8**, 169
p-coumaraldehyde, **3**, 655
 hydroxycinnamaldehyde, **1**, 686
- C₉H₈O₃
 coumarate, **1**, 18, **3**, 602
m-coumaric acid, **3**, 640
o-coumaric acid, **3**, 640
p-coumaric acid, **1**, 627, 716, 719, 815, **3**, 620, 682, 696
 hydroxycinnamic acid, **1**, 686, **3**, 9, 602
 phenylpyruvic acid, **1**, 850, **4**, **5**, **5**, 47, 344, 345
- C₉H₈O₄
 acetylsalicylic acid, **1**, 243
 aspirin, **1**, 123, 257, **5** 193, 247, 248, 249
 caffeic acid, **1**, 18, 645, 673, 716, 721, **3**, 651, 803, **8**,
 140, 141
p-hydroxyphenylpyruvate, **1**, 856, **4**, **5**, **5**, 47, 344, 345
- C₉H₈O₅
 flavipin, **1**, 411
 3,4-hydroxyphenylpyruvic acid, **4**, 39
 3,4,5-trihydroxycinnamic acid, **3**, 641, 803
- C₉H₉Br₂NO₂, aeroplysinin-I, **8**, 431
- C₉H₉N, skatole, **8**, 161
- C₉H₉NOS, benzothiazole, **8**, 588
- C₉H₉NO₃
 adrenochrome, **7**, 378
 indole-3-methanesulfonic acid, **8**, 35
- C₉H₉NO₄, *p*-nitrobenzyl acetate, **5**, 433
- C₉H₉N₃O, N-4-(6-amino-2-pyridinyl)cytosine, **7**, 321
- C₉H₉O
 2,4-dimethylbenzoyl, **7**, 120
 dimethylbenzoyl, **7**, 120
- C₉H₉O₃, diimethoxybenzoyl, **7**, 120
- C₉H₉O₄S, phenylsulfonylethoxycarbonyl, **7**, 119, 120

- C₉H₁₀BrNO₃, bromotyrosine, **8**, 468
 C₉H₁₀ClNO₂, chlorophenylalanine, **5**, 353
 C₉H₁₀FNO₂, fluorophenylalanine, **5**, 353
 C₉H₁₀F₂NO₃P, α -difluorophosphonate, **5**, 304
 C₉H₁₀NO, dimethylaminobenzoyl, **7**, 120
 C₉H₁₀NO₃, tyrosine, **5**, 344
 C₉H₁₀N₂
 5,6-dimethylbenzimidazole, **4**, 149, **5**, 174
 dimethylbenzimidazole, **4**, 149
 C₉H₁₀N₂O₂, *p*-aminophenylalanine, **5**, 347
 C₉H₁₀N₂O₄, 4-nitrophenylalanine, **3**, 634
 C₉H₁₀N₂O₅, nitrotyrosine, **5**, 244
 C₉H₁₀N₄O₃, 2-azidotyrosine, **3**, 408
 C₉H₁₀O
 p-hydroxyarylpropene, **1**, 645, 672
 p-hydroxyphenylpropene, **3**, 677
 C₉H₁₀O₂
 p-coumaryl alcohol, **1**, 648, 654, 672, 685, **3**, 618, 676
 hydroxycinnamyl alcohol, **1**, 686
 phenylpropionic acid, **4**, 254
 C₉H₁₀O₃
 atrolactic acid, **5**, 16
 dihydrocinnamic acid, **1**, 682
 methyl 6-methylsalicylate, **8**, 211
 C₉H₁₀O₄
 2',6'-dihydroxy-4'-methoxyacetophenone, **8**, 190
 jacaranone, **8**, 435
 methylorsellinic acid, **1**, 3
 α -pyrone, **1**, 401,
 veratric acid, **3**, 624, 703
 C₉H₁₀O₄, ubiquinone-0, **8**, 436
 C₉H₁₀O₅
 ethyl gallate, **3**, 813, 820
 syringic acid, **3**, 385, 696
 C₉H₁₀O₈,
 2,8-dioxabicyclo[3.2.1]octane-3,4,5-tricarboxylic acid,
 2, 257
 C₉H₁₀O₁₃P₂, shikimate 3-phosphate derivative, **1**, 598
 C₉H₁₁, mesityl, **7**, 119
 C₉H₁₁BrN₂O₅
 2'-bromo-2'-deoxyuridine, **7**, 382
 5-bromodeoxyuridine, **7**, 411, 419
 C₉H₁₁BrN₂O₆, 5-bromouridine, **6**, 91, 228
 C₉H₁₁ClO₂S, mesitylene sulfonyl chloride, **7**, 107
 C₉H₁₁IN₂O₅
 2'-iodo-2'-deoxyuridine, **7**, 382
 5-iododeoxyuridine, **7**, 411
 C₉H₁₁IN₂O₆, 5-iodouridine, **6**, 228
 C₉H₁₁NO₂
 methyl *N*-methylantranilate, **8**, 165
 β -phenylalanine, **2**, 222
 phenylalanine, **1**, 346, 574, 609, 716, 719, 840, 850, **3**,
 130, 261, 386, 405, 622, 677, 805, **4**, 2, 4, 16, 27,
 35, 209, 255, 325, 340, 342, 343, 345, **5**, 344, 345,
 346, 424, **6**, 127, 129, 165
 C₉H₁₁NO₂S₅, lissoclinotoxin A, **7**, 527, **8**, 541
 C₉H₁₁NO₂S₆, 3,4-desmethylvaracin, **8**, 542
 C₉H₁₁NO₃
 2-aminooxy-3-phenylpropanoic acid, **3**, 627
 2-aminooxy-3-phenylpropionic acid, **3**, 804
 α -aminooxy- β -phenylpropionic acid, **1**, 808, **3**, 634
 hydroxyphenylalanine, **5**, 353
 phenylisoserine, **2**, 222
 β -phenylserine, **3**, 399
 threophenylserine, **4**, 327
 tyrosine, **1**, 16, 574, 609, 838, **3**, 261, 346, 378, 386, 405,
 408, 622, 640, **4**, 2, 4, 35, **5**, 345, 346, 424
 m-tyrosine, **3**, 634
 C₉H₁₁NO₄
 dihydroxyphenylalanine, **4**, 39
 3,4-dihydroxyphenylalanine, **8**, 432
 Dopa, **3**, 408, **8**, 146
 N-hydroxytyrosine, **1**, 858
 opsopyrroledicarboxylic acid, **4**, 86
 C₉H₁₁NO₅
 dihydroxyphenylserine, **3**, 400
 N,N-dihydroxytyrosine, **1**, 858
 C₉H₁₁NO₆, showdomycin, **8**, 390
 C₉H₁₁NO₇, minimycin, **8**, 390
 C₉H₁₁NO₇S, olivanic acid, **4**, 186
 C₉H₁₁N₂O₅, uridine derivative, **7**, 376
 C₉H₁₁N₂O₇, uridine derivative, **7**, 378
 C₉H₁₁N₃O₃, alanine-4-nitroanilide, **1**, 279
 C₉H₁₁N₅O₆, 5-azidouridine, **6**, 230
 C₉H₁₁O₂, dimethoxybenzyl, **7**, 119
 C₉H₁₂
 1-(1,3-butadienyl)-2-vinylcyclopropane, **8**, 424
 cumene, **3**, 384
 7-methylcyclooctatriene, **8**, 424
 1,3,5,7-nonatetraene, **8**, 424
 C₉H₁₂BrNO₃S, dimethyl (2-hydroxy-5-nitrobenzyl)sulfonium bromide, **5**, 353
 C₉H₁₂IN₃O₃, 5-[3-(iodoacetamido)propyl]uridine, **7**, 319
 C₉H₁₂NO₃P, phosphonate, **5**, 304
 C₉H₁₂N₂, nornicotine, **8**, 151
 C₉H₁₂N₂O₃, nikkomycin, **3**, 423
 C₉H₁₂N₂O₅
 2'-deoxyuridin-2'-yl, **7**, 382
 deoxyuridin-5-yl, **7**, 380
 2'-deoxyuridin-5-yl, **7**, 411
 C₉H₁₂N₂O₅S
 2-thiouridine, **6**, 93
 4-thiouridine, **6**, 93, 225, 228
 6-thiouridine, **6**, 93
 C₉H₁₂N₂O₆
 pseudoisocytidine, **7**, 262
 pseudouridine, **4**, 361
 uridine, **5**, 24
 C₉H₁₂N₂O₁₃P₂, 2'-deoxy-3'-ketoUDP, **5**, 195
 C₉H₁₂O₂
 cumene hydroperoxide, **5**, 232
 dihydro-*p*-coumaryl alcohol, **1**, 682, **3**, 677
 2-hydroxy-4,4,6-trimethyl-2,5-cyclohexadien-1-one, **8**,
 234
 2,6-nonadien-4-olide, **8**, 212
 oxoisophorone, **8**, 234
 C₉H₁₂O₃
 nectriapyrone B, **8**, 600
 triketide lactone pyrone analogue, **1**, 515
 1,2,4-trimethoxybenzene, **8**, 161
 C₉H₁₂O₄,
 2-hydroxy-5-methyl-7-methoxy-1-naphthoate, **7**, 558
 C₉H₁₂O₆, 4-*C*-acetyl-6-deoxy-2,3-*O*-methylene-D-gala
 ctono-1,5-lactone, **3**, 312
 C₉H₁₃ClN₂O₁₂P₂, CIUDP, **5**, 194
 C₉H₁₃F₂O₁₁P₂, F₂CDP, **5**, 172
 C₉H₁₃F₃N₂O₈P₂, 4-[2-diazotri-fluoropropionyloxy]3-
 methyl-2-buten-1-ol, **2**, 126
 C₉H₁₃NO, benzyldimethylamine oxide, **3**, 412
 C₉H₁₃NO₂, dihydrophenylalanine, **8**, 178
 C₉H₁₃NO₂S, 3-pentynoyl-*N*-acetylcysteamine, **1**, 354
 C₉H₁₃NO₃
 adrenalin, **8**, 432
 epinephrine, **3**, 483, 485, 643, 644, **5**, 238, **7**, 378
 C₉H₁₃NO₇S₂, [3-(methylthio)propyl]glucosinolate
 derivative, **1**, 859
 C₉H₁₃N₂O₉P, UMP, **6**, 97, 104, 139
 C₉H₁₃N₃O₄
 2'-deoxycytidine, **7**, 272
 deoxycytidine, **7**, 375
 C₉H₁₃N₃O₅
 C-nucleoside, **7**, 263
 cytidine, **5**, 24, **6**, 249,
 cytidine derivative, **7**, 117
 C₉H₁₃N₃O₆, 4-amino-1-(β -D-ribofuranosyl)-2,6-[1*H*,3*H*]-
 pyrimidione, **7**, 272

- C₉H₁₃N₄O₁₁P₂
 2'-azido-2'-deoxyuridine diphosphate, **5**, 182
 N₃UDP, **5**, 197
 C₉H₁₃N₅O₄, dihydroneopterin, **3**, 374
 C₉H₁₃N₅O₁₂P₂, 2'-azido-2'-deoxyuridine 5'-diphosphate, **3**, 330
 C₉H₁₄ClN₅, 4-chloro-2-cyclobutylamino-6-ethylamino-*s*-triazine, **8**, 68
 C₉H₁₄F₂O₁₄P₃, F₂CTP, **5**, 172
 C₉H₁₄N₂O, 2-isobutyl-3-methoxypyrazine, **8**, 165
 C₉H₁₄N₂O₆, zebularine 3,4-hydrate, **5**, 24
 C₉H₁₄N₂O₁₁P₂S, 2'-deoxy-2'-mercaptouridine 5'-diphosphate, **3**, 330
 C₉H₁₄N₂O₁₂P₂, UDP, **3**, 483
 C₉H₁₄N₂O₁₅P₃, ClUTP, **5**, 195
 C₉H₁₄N₄O₂, *N*-(3-acetamidopropyl)cytosine, **7**, 320
 C₉H₁₄N₄O₄, *N*-9-amino-2'-deoxycytidine, **7**, 271
 C₉H₁₄N₅O₁₅P₃, 5-azidodeoxyuridine triphosphate, **6**, 230
 C₉H₁₄O
 botryococcenol, **5**, 338
 isophorone, **8**, 234
 2,6-nonadienal, **8**, 165
 γ-phorone, **8**, 234
 C₉H₁₄O₂
 dehydrobrevicomin, **8**, 47
 3,4-dehydrobrevicomin, **8**, 213
 methylethylcyclohexanedione, **8**, 270
 4-methyl-2,6-octadienoic acid, **1**, 543
 C₉H₁₄O₃
 cantharidin, **8**, 234
 triketide lactone ketone, **1**, 515
 C₉H₁₄O₆
 D-alldgarose, **3**, 312
 alldgarose, **3**, 342; 6-deoxy-4-*C*-[1-hydroxyethyl]-2,3-*O*-methylene-D-galactono-1,5-lactone, **3**, 312
 4-*C*-[1-methoxyethyl]-2,3-*O*-methylene-L-arabinono-1,5-lactone, **3**, 312
 C₉H₁₅BrO₃S, diethyl (bromomethyl)methylthiomalonate, **5**, 271
 C₉H₁₅NO₅
N-acetyl-Ala-HBut, **3**, 273
 2-dehydropantoate, **3**, 409
 C₉H₁₅NO₆
 1,6-anhydromuramic acid, **3**, 269
 muramic acid δ-lactam, **3**, 244
 C₉H₁₅N₂O₁₅P₃, UTP, **3**, 479
 C₉H₁₅N₂O₁₅P₃S, 5-sulphydryluridine triphosphate, **6**, 230
 C₉H₁₅N₃O₆, cytidine derivative, **5**, 24
 C₉H₁₅N₆O₁₃P₃, 8-azido-ATP, **3**, 448
 C₉H₁₅O₇P
cis-vinyl homophosphonate, **1**, 582
trans-vinyl homophosphonate, **1**, 582
 C₉H₁₆, β-cyclogeraniolene, **8**, 234
 C₉H₁₆NO₃, swainsonine, **3**, 25, 27, 28, 29, 151
 C₉H₁₆N₂, 1,8-diazabicyclo[5.4.0]undec-7-ene, **7**, 114
 C₉H₁₆N₂O₄, allosamizoline, **1**, 149
 C₉H₁₆N₂O₅S, aminoadipylcysteine, **4**, 249
 C₉H₁₆N₃O₁₂P₃, dideoxynucleotide, **7**, 664
 C₉H₁₆N₃O₁₄P₃, cytidine triphosphate, **3**, 336
 C₉H₁₆O
 3,5-dimethyl-3-hepten-2-one, **8**, 244
 3,6-nonadien-1-ol, **8**, 212
 6,8-nonadien-2-ol, **8**, 209, 212
 2-nonenal, **8**, 212
 3-nonenal, **1**, 235
 6-nonen-2-one, **8**, 212, 213
 C₉H₁₆O₂
 brevicomin, **8**, 46, 213, 233
 dominicalure 1 1-methylethyl ester, **8**, 241
 2-ethyl-1,6-dioxaspiro[4.4]nonane, **8**, 199, 212
 4-hydroxy-2-nonenal, **1**, 234
 2-hydroxy-2,6,6-trimethylcyclohexanone, **8**, 234
 2-*epi*-lentiginosine, **3**, 132, 134
 lentiginosine, **3**, 132, 134
 7-methyl-1,6-dioxaspiro[4.5]decane, **8**, 212
 4-methyl-6-octenoic acid, **1**, 543
 τ-nonalactone, **8**, 165.
 nonalactone, **8**, 389
 olean, **8**, 41
 C₉H₁₆O₃
 7-deoxy-6-*epi*-castanospermine, **3**, 132, 134
 2,4-dimethyl-3,5-dihydroxy-*n*-heptanoic acid δ-lactone, **1**, 357, 361
 8-formyloctanoic acid, **1**, 91
 4-hydroperoxy-2-nonenal, **1**, 235
 3-hydroxy-4-methyl-6-octenoate, **1**, 534, 543
 2-ketononanoic acid, **3**, 381
 δ-lactone, **1**, 507
 δ-lactone triketide, **1**, 515
 9-oxononanoic acid, **1**, 235
 swainsonine, **3**, 130, 132, 134, 138, 140, 141, 142, 143, 144, 153, 155
 triketide lactone, **1**, 514
 C₉H₁₆O₄
 azelaic acid, **1**, 298
 castanospermine, **3**, 130, 132, 134, 138, 139, 140, 141, 142, 143, 148, 151, 152, 155,
 6,7-*diepi*-castanospermine, **3**, 132, 134
 6-*epi*-castanospermine, **3**, 132, 134, 138
 2-(1'-hydroxybutyl)-3-hydroxymethyl-butyrolactone, **8**, 390
 IM-2, **1**, 140, **8**, 389
 1,5-pentanediol diacetate, **8**, 550
 C₉H₁₆O₅, L-chromose **B**, **3**, 312
 C₉H₁₆O₆, 2,3-epoxypropyl α-D-glucopyranoside, **5**, 303
 C₉H₁₇N, azaFPP analogue, **5**, 330
 C₉H₁₇NO, 4-[2-butenyl]-4-methylthreonine, **1**, 533
 C₉H₁₇NO₃, β-cyclohexylserine, **1**, 538
 C₉H₁₇NO₅
N-acetyl-*N*-methylfucosamine, **3**, 229
 pantothenic acid, **3**, 409, **4**, 168, 342
 C₉H₁₇NO₆, *N*-acetylmannosamine 6-*O*-methyl ether, **3**, 380
 C₉H₁₇NO₆S, curacin A methyl sulfonate, **8**, 606
 C₉H₁₇NO₈, neuraminic acid, **3**, 146
 C₉H₁₇N₃O₆S, narain, **8**, 442
 C₉H₁₇N₃O₃, deoxyguanidinoproclavaminic acid, **4**, 185
 C₉H₁₇N₃O₄, guanidinoproclavaminic acid, **4**, 183
 C₉H₁₇N₆O₆S, decarbamoyldeoxyneoxosaxitoxin sulfate, **8**, 485
 C₉H₁₇N₆O₇S, decarbamoylneoxosaxitoxin sulfate, **8**, 485
 C₉H₁₇N₁₁O₁₂, β-cyclohexylalanine, **1**, 538
 C₉H₁₇O₈P, carbahomophosphonate, **1**, 582
 C₉H₁₈ClN₂OP, 2-cyanoethyl-*N,N*-diisopropylchlorophosphoramidite, **6**, 85
 C₉H₁₈N₂O, 4-amino-2,2,6,6-tetramethylpiperidine-*N*-oxyl, **7**, 162
 C₉H₁₈N₂O₄
 methylserinylvaline, **4**, 250
O-methylserinylvaline, **1**, 842, **4**, 168
 C₉H₁₈N₄O₄, octopine, **8**, 399
 C₉H₁₈N₄O₄S, citrulline-cysteine, **6**, 142
 C₉H₁₈N₆O₂, decarbamoyldeoxyneoxosaxitoxin, **8**, 485
 C₉H₁₈N₆O₄, decarbamoylneoxosaxitoxin, **8**, 485
 C₉H₁₈O
 2,6-dimethyl-5-hepten-1-ol, **8**, 233
 2,6-dimethyl-6-hepten-1-ol, **8**, 233
 3,4-dimethyl-6-hepten-1-ol, **8**, 507
 6-methyl-3-octanone, **8**, 244
 nonanal, **8**, 212
 2-nonanone, **8**, 212
 2-nonen-1-ol, **8**, 212
 3-nonen-1-ol, **8**, 212
 6-nonen-2-ol, **8**, 213
 C₉H₁₈O₂
 5-methoxyoctan-2-one, **8**, 606

- nonanoic acid, **8**, 212
 C₉H₁₈O₃, 9-hydroxypelargonic acid, **1**, 298
 C₉H₁₈O₅S, isopropyl β -thio-D-galactopyranoside, **7**, 647
 C₉H₁₉N
 dibutylmethylmethylene, **7**, 123
 diisobutylaminomethylene, **7**, 123
 C₉H₁₉NO, pinidinol, **8**, 176
 C₉H₁₉N₃O₃, lysinoalanine, **4**, 280
 C₉H₂₀N₂O₂, 7,8-diaminopelargonic acid, **1**, 827
 C₉H₂₀N₂O₆, pseudaminic acid, **3**, 193
 C₉H₂₀O
 2-methyl-4-octanol, **8**, 245
 3-methyl-4-octanol, **8**, 245
 5-methyl-4-octanol, **8**, 245
 1-nonanol, **8**, 212
 2-nonanol, **8**, 212
 5-nonanol, **8**, 212, 245
 C₉H₂₀O₃Si₂, bis-TMS-enolpyruvate, **5**, 33
 C₉H₂₀O₄S, dihydro-2,6-dimethyl-6-hepten-1-ol sulfate, **8**, 233
 C₉H₂₀O₇P₂S
 linalyl sulfonium ion analogue, **5**, 328
 α -terpinyl sulfonium ion analogue, **5**, 328
 C₉H₂₂O₄, maximowiczol, **1**, 686
 C₉H₂₃NO₃Si, 3-aminopropyl triethoxysilane, **7**, 112
 C₉H₂₄N₄, *N,N'*-bis(3-aminopropyl)-1,3-propanediamine, **7**, 159
 C₁₀H₅Cl₄NO₂, ethylphthalimide, **5**, 429
 C₁₀H₆O₃, juglone, **8**, 169, 170, 179
 C₁₀H₆O₄, ayapin, **1**, 626, **8**, 189
 C₁₀H₇Cl, chloronaphthalene, **3**, 378
 C₁₀H₇Cl₂NO₂, 5,6-dichloroindole-3-acetic acid, **8**, 35
 C₁₀H₇Cl₂NO₂, 5,6-dichloro-IAA, **8**, 34
 C₁₀H₇NO₃, kynurenic acid, **3**, 395
 C₁₀H₈, naphthalene, **1**, 414, **3**, 375, 384, **5**, 42
 C₁₀H₈ClNO₂, 4-chloroindole-3-acetic acid, **8**, 26, 30
 C₁₀H₈NO, indole-3-acetaldehyde, **8**, 26, 33
 C₁₀H₈N₂, indole-3-acetonitrile, **8**, 26, 34
 C₁₀H₈N₄O₄, hydroperoxyflavin, **5**, 418
 C₁₀H₈O, 1-naphthol, **3**, 378, 716
 C₁₀H₈O₂
 benzalpyruvate, **3**, 377
 DHN, **1**, 427
 1,8-dihydroxynaphthalene, **1**, 415
 C₁₀H₈O₃
 2'-hydroxybenzalpyruvate, **3**, 377
 5-hydroxy-2-methylchromone, **1**, 415
 4-hydroxy-5-methylcoumarin, **1**, 625
 1-oxoindan-4-carboxylic acid, **1**, 135
 1,3,8-trihydroxynaphthalene, **1**, 427
 C₁₀H₈O₃S, naphthalene sulfonate, **3**, 377
 C₁₀H₈O₄
 6,8-dihydroxy-3-methylisocoumarin, **1**, 415
 furoin, **3**, 394
 3,4-methylenedioxycinnamic acid, **8**, 169, 171
 scopoletin, **1**, 626, 628, **8**, 189
 T4HN, **1**, 414, 425, 427
 tetrahydroxynaphthalene, **1**, 8
 1,3,6,8-tetrahydroxynaphthalene, **1**, 414
 C₁₀H₈O₅
 2-carboxy-3-hydroxycinnamic acid, **8**, 179
 m-carboxyphenylpyruvic acid, **1**, 610
 dihydroxybenzalpyruvate, **3**, 376
 isochracinic acid, **8**, 179
 C₁₀H₈O₈, EPSP synthase substrate, **1**, 598
 C₁₀H₉BrNO₂S, 3-carbomethoxymethylbenzothiazolium bromide, **8**, 35
 C₁₀H₉FO₆, 6-fluorochorismate, **1**, 602
 C₁₀H₉NOS, brassicanal A, **8**, 187
 C₁₀H₉NO₂
 indoleacetic acid, **1**, 129, **3**, 520, **8**, 23
 indole-3-acetic acid, **8**, 24, 26, 59
 3-methylindole-2-carboxylic acid, **1**, 854
 C₁₀H₉NO₃, 5-hydroxyindole-3-acetic acid, **8**, 26
 C₁₀H₉NO₃S
 brassicinalC, **8**, 187
 ethyl 3-oxo-1,2-benzisothiazolin-2-ylcarboxylate, **8**, 35
 C₁₀H₉NO₃, glycidyl-4-nitrobenzoate, **5**, 55
 C₁₀H₉N₃O₆S, 5-thiocyanatouridine, **6**, 91
 C₁₀H₉N₃O, kinetin, **4**, 27, **8**, 58
 C₁₀H₉O₂, 2-(acetoxymethyl)benzoyl, **7**, 121
 C₁₀H₁₀N₂, 2,2'-bipyridine, **7**, 92
 C₁₀H₁₀N₂O
 indoleacetaldoxime, **8**, 34
 indole-3-acetaldoxime, **8**, 26
 indoleacetamide, **8**, 34
 indole-3-acetoamide, **8**, 26
 C₁₀H₁₀N₂O₅, *S*-*m*-nitrobenzoylalanine, **3**, 396
 C₁₀H₁₀N₂O₇, 5-carbonyluridine, **6**, 91
 C₁₀H₁₀N₃O₆P, molybdenum cofactor form A, **1**, 835
 C₁₀H₁₀N₃O₆PS, molybdenum cofactor form B, **1**, 835
 C₁₀H₁₀N₃O₇P
 compoundZ, **1**, 835
 precursorZ, **1**, 835
 C₁₀H₁₀O
 benzalacetone, **1**, 752, 758, 761
 benzylidene acetone, **3**, 376
 C₁₀H₁₀O₂
 2-(2,3-dihydroxyphenyl)cyclopropane-1-carboxylate, **5**, 221
 safrole, **7**, 519
 C₁₀H₁₀O₃
 2-acetyl-6-methoxybenzaldehyde, **8**, 169
 coniferaldehyde, **3**, 655
 3,4-dihydro-4,8-dihydroxy-1(2*H*)-naphthalene, **1**, 429
 mellein, **1**, 134, 416, **8**, 210, 213, 241
 vermelone, **1**, 414, 427
 C₁₀H₁₀O₄
 ferulic acid, **1**, 18, 628, 733, **3**, 602, 620, 696, 502, **8**, 140, 169, 171
 6-hydroxymellein, **1**, 416
 isoferulic acid, **3**, 624
 oxyconiferyl alcohol, **3**, 703
 scytalone, **1**, 414, 427
 2,4,8-trihydroxytetralone, **8**, 179
 C₁₀H₁₀O₅
 acetylorsellinic acid, **1**, 414
 curvulinic acid, **1**, 414
 2,4-diacetylphloroglucinol, **1**, 763
 5-hydroxyferulic acid, **3**, 642, 644
 3,4,6,8-tetrahydroxytetralone, **8**, 179
 C₁₀H₁₀O₆
 chorismic acid, **1**, 74, 346, 367, 574, 575, 585, 599, 600, 609, 719, 850, **4**, 2, 4, 6, 209, **5**, 344, 347, 348, 352, 354, 424, **8**, 428
 endo-oxabicyclic diacid inhibitor, **5**, 358
 hydroquinone-*O,O'*-diacetic acid, **7**, 114
 isochorismate, **1**, 17, isochorismic acid, **1**, 609
 isohemipinic acid, **3**, 703
 prephenic acid, **1**, 17, 346, 367, 719, 850, **4**, 4, **5**, 344, 348, 354, 355, 359, 424
 C₁₀H₁₁BrN₄O₄, 6-bromopurine riboside, **5**, 77
 C₁₀H₁₁ClN₄O₄, 6-chloropurine riboside, **5**, 77
 C₁₀H₁₁ClO₃
 2-(3-chloro-4-methylphenoxy)propionic acid, **8**, 35
 4-chlorophenoxyisobutyric acid, **8**, 36
 C₁₀H₁₁FN₄O₄, 6-fluoropurine riboside, **5**, 77
 C₁₀H₁₁IN₄O₄, 6-iodopurine riboside, **5**, 77
 C₁₀H₁₁NO
 indole-3-ethanol, **8**, 26
 tryptophol, **8**, 178
 C₁₀H₁₁NO₂S₄, lissoclinotoxin B, **8**, 541
 C₁₀H₁₁NO₃
 4-amino-4-deoxychorismic acid, **1**, 612, **5**, 347
 4-amino-4-deoxyprephenate, **5**, 347
 C₁₀H₁₁N₃O₃S, sulfamethoxazole, **5**, 349

- $C_{10}H_{11}N_4O_5$, inosine, **7**, 626
 $C_{10}H_{11}O_2S$, 2-(methylthiomethoxymethyl)benzoyl, **7**, 127
 $C_{10}H_{11}O_4S$, tolylsulfonylethoxycarbonyl, **7**, 119
 $C_{10}H_{12}$
 dimethylstyrene, **8**, 165
 2-phenylmethylcyclopropane, **5**, 220
 $C_{10}H_{12}ClN_3O_7$, 2'-chloro-2'-deoxy-6'-nitrohomouridine, **5**, 193
 $C_{10}H_{12}ClN_3O_3$, 2-chloro-2'-deoxyadenosine, **5**, 74
 $C_{10}H_{12}FO_{10}P$
 6-fluoroEPSP, **1**, 600, 602
 9-fluoroEPSP, **1**, 595
 $C_{10}H_{12}MoN_5O_8PS_2$, molybdenum cofactor, **1**, 835
 $C_{10}H_{12}NO_6P_2$, aminophosphonophosphate analogue, **5**, 338
 $C_{10}H_{12}N_2$, tryptamine, **4**, 46, 109, 110, 113, 114, 118, 121, 122, 124, 126, 127, 133, 135, **8**, 33, 430
 $C_{10}H_{12}N_2O$, 6-hydroxytryptamine, **4**, 121
 $C_{10}H_{12}N_2O_3$, kynurenine, **3**, 395
 $C_{10}H_{12}N_2O_3S$, 7-aminocephalosporanic acid, **4**, 171, 262
 $C_{10}H_{12}N_2O_6$, 5-formyldeoxyuridine, **7**, 407
 $C_{10}H_{12}N_4O_4$
 deoxyinosine, **7**, 495
 2'-deoxyinosine, **5**, 73
 2'-deoxyisoinosine, **7**, 325,
 purine riboside, **5**, 76, 78, 79, **6**, 249
 thymine cyclobutane photodimer, **5**, 373
 thymine photodimer, **5**, 378
 $C_{10}H_{12}N_4O_4S$
 deoxy-6-thioinosine, **7**, 279
 6-thioinosine, **6**, 229
 $C_{10}H_{12}N_4O_5$, inosine, **5**, 73, 308, **6**, 76, 104, 249, **8**, 417
 $C_{10}H_{12}N_4O_6$, xanthosine, **1**, 847
 $C_{10}H_{12}N_5O_2$, 5'-deoxyadenosine-5'-yl, **5**, 208
 $C_{10}H_{12}N_5O_3$, deoxyadenosine radical, **7**, 409
 $C_{10}H_{12}N_5O_4$, deoxyguanosine radical, **7**, 409
 $C_{10}H_{12}N_8O_4$, 8-azidoadenosine, **6**, 229
 $C_{10}H_{12}N_8O_5$, 8-azidoguanosine, **6**, 229
 $C_{10}H_{12}O$
 2-allyl-4-methyl phenol, **5**, 350
 allyl *p*-tolyl ether, **5**, 350
 estragole, **7**, 519
 methylchromane, **1**, 414
 nezukone, **2**, 107, 108
 $C_{10}H_{12}O_2$
 2-acetyl-3,5-dimethylphenol, **1**, 401
 allylphenol, **1**, 686
 aroma component, **1**, 761
 p-cumate, **3**, 384
 epievodone, **8**, 169, 171
 eugenol, **1**, 645, 676, **8**, 165, **3**, 677, 717
 4-hydroxyphenylbutan-2-one, **1**, 761
 1-(*p*-hydroxyphenyl)-3-butanone, **8**, 165
 isoeugenol, **1**, 645, **3**, 677, 703, **8**, 161, 165,
 pentenylpyron-2-one, **8**, 213
 perillenal, **8**, 226
 2-phenylbutyric acid, **4**, 254
 4-phenylbutyric acid, **4**, 254
 γ -thujaplicin, **2**, 108
 $C_{10}H_{12}O_3$
 coniferyl alcohol, **1**, 18, 647, 648, 652, 685, 688, **3**, 618,
 676, 683, 699, 703, 717
 demethyl nectriapyrone A, **8**, 600
 iridotrial, **2**, 106, **4**, 112
 $C_{10}H_{12}O_4$
 2'-hydroxy-4',6'-dimethoxyacetophenone, **8**, 190
 PIBP, **1**, 760,
 syringaldehyde, **3**, 643, 682, 696
 $C_{10}H_{12}O_5$
 3',5'-dimethoxy-4'-hydroxy-(2-hydroxy)acetophenone,
 8, 190
 propyl gallate, **3**, 820
 N-propyl gallate, **1**, 123
 $C_{10}H_{12}O_6$
 5,6-dihydrochorismic acid, **5**, 352
 oxabicyclic dicarboxylic acid, **5**, 425
 $C_{10}H_{13}BrN_2O_4$, α -bromoporphobilinogen, **4**, 86
 $C_{10}H_{13}BrN_5O_7P$, 8-bromoadenosine monophosphate, **5**, 82
 $C_{10}H_{13}CrN_5O_{13}P_3$, chromium adenosine triphosphate, **3**, 448
 $C_{10}H_{13}IN_2O$, *N*-(4-dimethylaminobenzene-4')iodoacetamide, **7**, 168
 $C_{10}H_{13}N$, actinidin, **8**, 227
 $C_{10}H_{13}NO_2$, fusaric acid, **8**, 178
 $C_{10}H_{13}NO_2S_5$, varacin, **7**, 527, **8**, 541
 $C_{10}H_{13}NO_3$, 2-amino-4-hydroxy-4-phenylbutanoic acid,
 3, 395
 $C_{10}H_{13}NO_5$
 arogenate, **3**, 626
 arogenic acid, **4**, **5**, **5**, 344
 $C_{10}H_{13}N_2O_8P$, thymidine phosphate, **7**, 401
 $C_{10}H_{13}N_3O_4$, adenosine, **5**, 78
 $C_{10}H_{13}N_3O_7$, cytosylglucuronic acid, **3**, 339
 $C_{10}H_{13}N_4O_8P$, inosine 5'-monophosphate, **1**, 847, **8**, 417
 $C_{10}H_{13}N_4O_9P$, xanthosine 5'-monophosphate, **1**, 847
 $C_{10}H_{13}N_5$, *N*₆-(γ,γ -dimethylallylamino)p urine, **8**, 119
 ipA, **8**, 68
 isopentenyladenine, **2**, 1
 $C_{10}H_{13}N_5O$, zeatin, **8**, 58, 60, 61, 69
 $C_{10}H_{13}N_5O_2$
 3'-deoxyadenosine, **5**, 74
 2',3'-dideoxyadenosine, **5**, 74
 2-hydroxyzeatin, **8**, 61
 $C_{10}H_{13}N_5O_3$
 2-aminopurine-2'-deoxyriboside, **7**, 259
 cordycepin, **3**, 313, **4**, 200
 deoxyadenosine, **7**, 376, 409, 410, 122
 2'-deoxyadenosine, **5**, 73, 74, **7**, 625
 3'-deoxyadenosine, **6**, 206
 5'-deoxyadenosine, **5**, 74, 165, 170, 208, 217
 dideoxyguanosine, **6**, 163
 $C_{10}H_{13}N_5O_4$
 adenosine, **5**, 73, 74, 81, **7**, 122, 625, **8**, 155
 2'-deoxyguanosine, **7**, 259, 279
 deoxyguanosine, **5**, 184, **6**, 163, **7**, 122, 398, 409, 410
 formycin, **5**, 74
 8-oxodeoxyadenosine, **7**, 410
 8-oxopurine, **7**, 409
 $C_{10}H_{13}N_5O_4S$
 6-mercaptopguanosine, **3**, 117
 6-thioguanosine, **6**, 93, 228, 229
 $C_{10}H_{13}N_5O_5$
 arabinosylguanine, **7**, 278
 araguanosine, **7**, 279
 guanine arabinoside, **5**, 74
 guanosine, **5**, 73, **6**, 160, 254, 257, 837, **7**, 122
 isoguanosine, **6**, 76, 93
 8-oxodeoxyguanosine, **7**, 410, 419
 8-oxopurine, **7**, 409
 xyloguanosine, **7**, 279
 $C_{10}H_{13}N_5O_7$
 dioxetane, **7**, 411
 dioxetane degradation product, **7**, 411
 $C_{10}H_{13}N_5O_8$, 5'-deoxyadenosine, **5**, 185
 $C_{10}H_{13}O_2$, nepetalactone, **8**, 44
 $C_{10}H_{13}O_{10}P$
 5-enolpyruvylshikimate 3-phosphate, **1**, 593
 EPSP, **1**, 575, 596, 600
 iso-EPSP, **1**, 600
 ketal, **1**, 596
 $C_{10}H_{14}$
 p-cymene, **2**, 103, 136, 146
 4-methylene-6,6-dimethylbicyclo[3.3.1]hept-2-ene, **8**,
 224
 $C_{10}H_{14}FN_2O_{10}P_2$, 2'-fluoromethylene-2'-deoxycytidine 5'-
 diphosphate, **3**, 330

- C₁₀H₁₄F₂O₁₄P₂, phosphate, **1**, 595
 C₁₀H₁₄MgN₅O₁₃P₃, MgATP, **3**, 448
 C₁₀H₁₄NO₅PS, parathion, **5**, 419
 C₁₀H₁₄NO₆P, *O,O*-diethyl-4-nitrophenyl phosphate, **5**, 151
 C₁₀H₁₄N₂
 nicotine, **3**, 643, **4**, 26, 30, **8**, 151, 162,
 N-phenylpiperazine, **5**, 380
 C₁₀H₁₄N₂O₃, dihydrokynurenine, **3**, 396
 C₁₀H₁₄N₂O₄
 porphobilinogen, **4**, 72, 141
 2-pyrimidinone-2'-deoxyriboside, **7**, 259
 C₁₀H₁₄N₂O₄S, 4-thiothymidine, **6**, 228
 C₁₀H₁₄N₂O₅
 hydroxyorphobilinogen, **4**, 86
 thymidine, **5**, 389, **7**, 56, 398, 401
 C₁₀H₁₄N₂O₆, 5-hydroxymethyldeoxyuridine, **7**, 407
 C₁₀H₁₄N₂O₇, 2-acetamido-3-acetimidoyl-2,3-dideoxy-β-
 D-m annuronic acid, **3**, 194
 C₁₀H₁₄N₄O₅
 purine riboside hydrate, **5**, 78, 79
 purine riboside 1,6-hydrate, **5**, 76
 C₁₀H₁₄N₅O₆PS, adenosine phosphorothioate, **6**, 249
 C₁₀H₁₄N₅O₆PS₂, molybdopterin, **1**, 835
 C₁₀H₁₄N₅O₇P
 adenosine-5'-monophosphate, **8**, 417
 AMP, **3**, 447, 470, 474, 476, 483, **5**, 80, **6**, 139
 5'-AMP, **2**, 39
 C₁₀H₁₄N₅O₇PS
 guanosine monophosphorothioate, **6**, 138
 5'-guanosine monophosphorothioate, **6**, 129, 219
 C₁₀H₁₄N₅O₈, 3'-guanosine monophosphate, **7**, 279
 C₁₀H₁₄N₅O₈P
 5'-GMP, **6**, 160
 guanosine phosphate, **1**, 837
 C₁₀H₁₄N₅O₁₇P, AMP, **3**, 469
 C₁₀H₁₄N₆O₃, 2,6-diaminopurine-2'-deoxyriboside, **7**, 259
 C₁₀H₁₄O
 carbone, **8**, 306
 car-3-en-5-one, **2**, 135
 carvacrol, **2**, 103, 146, **8**, 306
 carvone, **2**, 103, 110, 116, 144, 147, **8**, 142, 169
 chrysanthenone, **8**, 224
 eucarvone, **2**, 107, 108
 ipsdienone, **8**, 223
 isopiperitenone, **2**, 144
 isopiperitenone, **8**, 225
 menthofuran, **2**, 148, **8**, 169, 171, 226
 myrtenal, **8**, 224
 perillene, **8**, 226, 229
 pinocarbone, **8**, 224
 sabinone, **2**, 104, 147
 thymol, **2**, 62, 103, 146, **8**, 165, 306
 verbenone, **8**, 224
 C₁₀H₁₄OSi, (hydroxystyryl)dimethylsilyl, **7**, 129
 C₁₀H₁₄O₂
 β-acaridial, **8**, 225
 carvone oxide, **8**, 161
 decatrienone, **1**, 214
 dihydroconiferyl alcohol, **3**, 677
 1,5-dimethyl-6,8-dioxabicyclo[3.2.1]octane, **8**, 202
 dolichodial, **8**, 226
 elymnia furan, **8**, 226
 iridodial, **2**, 106, **4**, 112
 nepetalactone, **8**, 226
 nepetalactone lactol, **8**, 234
 10-oxogeranial, **4**, 110
 C₁₀H₁₄O₃, dihydroconiferyl alcohol, **1**, 682
 C₁₀H₁₄O₄
 2,7-dimethylocta-2,4-dienedioic acid, **8**, 87
 succinylacetone, **4**, 76
 C₁₀H₁₅ClN₅O₁₃P₃, 2-chloro-ATP, **4**, 326
 C₁₀H₁₅NO
 ephedrine, **4**, 26
 hordenine, **1**, 369
 C₁₀H₁₅NO₃, 2-methoxycarbonyl-3-tropinone, **4**, 27
 C₁₀H₁₅NO₄
 kainate, **6**, 103
 N-(3-oxohexanoyl)homoserine lactone, **4**, 187, **8**, 398
 VAI-1, **8**, 393
 C₁₀H₁₅N₂O₅, 5,6-dihydrothymid-5-yl, **7**, 401, 403
 C₁₀H₁₅N₂O₆P, thymidilate, **3**, 397
 C₁₀H₁₅N₃O₄
 2'-deoxy-5-methylcytidine, **7**, 259
 5-methyl-2'-deoxycytidine, **7**, 272
 C₁₀H₁₅N₃O₅, 6-aminothymidine, **7**, 261
 C₁₀H₁₅N₃O₇, 11-norTTX-6-ol, **8**, 481, 482, 484
 C₁₀H₁₅N₃O₈, 11-norTTX-6,6-diol, **8**, 484
 C₁₀H₁₅N₄O₁₃P₃, deoxyinosine triphosphate, **7**, 621
 C₁₀H₁₅N₅O, dihydrozeatin, **8**, 61, 71
 C₁₀H₁₅N₅O₄, formamidopyrimidine derivative, **7**, 409
 C₁₀H₁₅N₅O₅, formamidopyrimidine derivative, **7**, 409
 C₁₀H₁₅N₅O₁₀P₂, adenosine diphosphate, **1**, 592, **3**, 447,
 452, 469, 470, 483, **4**, 326, **6**, 105, **7**, 106
 C₁₀H₁₅N₅O₁₁P₂, 5'-GDP, **6**, 160
 C₁₀H₁₅N₅O₁₃P₂S, 3'-phosphoadenosine 5'-
 phosphosulfate, **1**, 331, 859, **3**, 171
 C₁₀H₁₅N₅O₁₄, 8-azidoguanosine triphosphate, **7**, 277
 C₁₀H₁₅O₂S, adamantanesulfonate, **5**, 355
 C₁₀H₁₅O₃P, adamantyl phosphate, **5**, 355
 C₁₀H₁₅O₃S, adamantyl sulfate, **5**, 355
 C₁₀H₁₆
 adamantane, **7**, 482
 camphene, **2**, 104, 107, 131, 139, 141, **8**, 169
 3-carene, **2**, 105, 135, **8**, 143, 165
 3,5-dimethyl-2,4,6-octatriene, **8**, 240
 limonene, **2**, 147, **8**, 142, 222, 225, 306
 myrcene, **2**, 98, 101, 102, 131, 141, **8**, 139, 143, 222, 306
 ocimene, **2**, 102, 132, **8**, 161, 222, 237
 β-ocimene, **8**, 150, 152, 207
 α-phellandrene, **2**, 103, 141
 β-phellandrene, **2**, 103, 137, 141
 pinene, **2**, 101, 131, **8**, 143
 α-pinene, **2**, 102, 104, 118, 134, 139, 141, **8**, 221, 224,
 225
 β-pinene, **2**, 102, 104, 118, 131, 139, 141, **8**, 169, 221
 sabinene, **2**, 104, 136, 145
 santolinatriene, **2**, 108
 α-terpinene, **2**, 103, 146
 γ-terpinene, **2**, 103, 104, 136, 146
 terpinolene, **2**, 103, 105, 122, 131, 141
 α-thujene, **2**, 104, 136, **8**, 156
 verbenol, **2**, 104
 C₁₀H₁₆FeN₂O₈
 Fe-EDTA, **7**, 397
 Fe(II)EDTA, **7**, 87
 ferrous ethylenediamine tetraacetate, **7**, 89
 C₁₀H₁₆FO₁₁P₂, FMCDP, **5**, 172
 C₁₀H₁₆KNO₉S₂, sinigrin, **1**, 858, **8**, 145, 152, 155
 C₁₀H₁₆N₂
 diketopiperazine, **8**, 588
 tetramethylphenylenediamine, **5**, 237
 C₁₀H₁₆N₂O₂S, cyclo-(proline-methionine), **8**, 590
 C₁₀H₁₆N₂O₃, 5,6-dehydrotethiobiotin, **1**, 831
 C₁₀H₁₆N₂O₃S, biotin, **1**, 826, **6**, 3, 20, 118, **7**, 116, 631
 C₁₀H₁₆N₂O₅, 5,6-dihydrothymidine, **7**, 407
 C₁₀H₁₆N₂O₆
 5,6-dihydro-5-hydroxythymidine, **7**, 401, 407
 thymidine hydrate, **7**, 408
 C₁₀H₁₆N₂O₇
 2,3-diacetamido-2,3-dideoxygalacturonic acid, **3**, 229
 2,3-diacetamido-2,3-dideoxymannuronic acid, **3**, 229
 2,3-diacetamido-2,3-dideoxy-β-D-mannuronic acid, **3**,
 194
 5,6-dihydro-5,6-dihydroxythymidine, **7**, 401, 407

- thymidine glycol, **7**, 407, 417
 C₁₀H₁₆N₂O₈, EDTA, **3**, 22, **6**, 200
 C₁₀H₁₆N₃O₆, glutathione derivative, **7**, 417
 C₁₀H₁₆N₄O₃, anserine, **3**, 643
 C₁₀H₁₆N₄O₅, A19009, **3**, 275
 C₁₀H₁₆N₄O₆, Sch37137, **3**, 275
 C₁₀H₁₆N₅O₈P, 6-hydroxy-6-aminopurine ribose 5'-phosphate, **5**, 83
 C₁₀H₁₆N₅O₁₁P₃, dideoxynucleotide, **7**, 664
 C₁₀H₁₆N₅O₁₂, 2',3'-dideoxyguanosine triphosphate, **7**, 279
 C₁₀H₁₆N₅O₁₂P₃
 2'-deoxy-ATP, **4**, 326
 3-deoxy-ATP, **4**, 326
 dideoxynucleotide, **7**, 664
 C₁₀H₁₆N₅O₁₂P₃S, ATP-γS, **6**, 127
 C₁₀H₁₆N₅O₁₃, 2'-deoxyguanosine triphosphate, **7**, 279
 C₁₀H₁₆N₅O₁₃P₃, adenosine triphosphate, **1**, 592, **3**, 393, 448, 449, 464, 471, 472, 473, 476, 483, **4**, 15, 315, 326, **5**, 80, **6**, 105, 121, 127, **7**, 106, 625, 631
 C₁₀H₁₆N₅O₁₃P₃S, guanosine 5'-γ-thiotriphosphate, **6**, 219
 C₁₀H₁₆N₅O₁₄P₃, guanosine triphosphate, **5**, **80**, **6**, 160, 219
 C₁₀H₁₆N₇O₈S, neosaxitoxin 11-*O*-sulfate, **8**, 485
 C₁₀H₁₆N₇O₉S, neosaxitoxin 11-*N*-sulfate, **8**, 485
 C₁₀H₁₆O
 1-adamantanol, **7**, 463
 amaitinol, **8**, 224
 artemisia ketone, **2**, 108
 camphor, **2**, 101, 129, 146, **8**, 142, 169
 carveol, **2**, 144, 147
 citral, **2**, 102, **8**, 161, 165, 222, 223
 cyclohexane derivative, **8**, 224
 dehydrocineol, **8**, 225
 diene, **1**, 396
 fenchone, **2**, 104, 107, **8**, 224, 306
 geranial, **2**, 98, **8**, 223, 232
 grandisal, **8**, 224
 ipsdienol, **2**, 101, **8**, 42, 223
 ipsonone, **8**, 223
 isocaranone, **2**, 135
 isopinocamphe, **2**, 146
 isopiperitenol, **2**, 144, 147
 isopulegone, **2**, 144, **8**, 306
 isothujone, **2**, 145
 3-isothujone, **2**, 146
 methanediol, **8**, 225
 myrcenol, **8**, 224
 myrtenol, **2**, 146, **8**, 169, 224
 neral, **2**, 98, **8**, 223, 232
 perillyl alcohol, **2**, 102
 α-pinene, **8**, 4
 pinocamphe, **2**, 146
 pinocarveol, **2**, 146, **8**, 224
 pulegone, **2**, 62, 101, 103, 144, 147, **8**, 142, 306
 sabinol, **2**, 104, 145, 147
 thujone, **2**, 145
 3-thujone, **2**, 104, 146
 α-thujone, **8**, 167
 verbenol, **2**, 101, **8**, 224
 C₁₀H₁₆O₂
 ascaridole, **2**, 146
 1,2-campholide, **2**, 114
 chrysanthemic acid, **2**, 108
 3,7-dimethyl-6-octen-4-olide, **8**, 226
 2,3-epoxyneral, **8**, 225
 geranic acid, **8**, 222, 223
 grandisoic acid, **8**, 224
 iridodial, **8**, 226
 iridomyrmecin, **8**, 226
 lineatin, **8**, 224
 3-methyl-2-butenyl 3-methyl-2-butenate, **8**, 220
 nerolic acid, **8**, 222, 223
 10-oxogeraniol, **4**, 110
 phoracantholide I, **8**, 213
 pyrethroid, **2**, 101
 C₁₀H₁₆O₃
 α-campholonic acid, **2**, 114
 9-oxo-2-decenoic acid, **8**, 213
 10-oxo-8-decenoic acid, **1**, 211
 C₁₀H₁₆O₄
 callosobruchic acid, **8**, 225
 4,7-dihydroxy-3-methylheptanoic acid acetate lactone, **8**, 624
 2-hydroxycampholonic acid, **2**, 115
 C₁₀H₁₆O₅, isoketocamphoric acid, **2**, 115
 C₁₀H₁₆O₁₃P₂, phosphonate, **1**, 595
 C₁₀H₁₇FO₁₄P₃, FMCTP, **5**, 172
 C₁₀H₁₇N, polyzonimine, **8**, 234
 C₁₀H₁₇NO₃, methylecgonine, **4**, 27
 C₁₀H₁₇NO₆, linamarin 0003, **8**, 144, 152, 154, 183
 C₁₀H₁₇NO₇S₃, [3-(methylthio)propyl]glucosinolate, **1**, 859
 C₁₀H₁₇NO₈S₃, [3-(methylsulfinyl)propyl]glucosinolate, **1**, 859
 C₁₀H₁₇NO₁₂P₂, shikimate 3-phosphate derivative, **1**, 597
 C₁₀H₁₇N₂O₁₃P₃, dideoxynucleotide, **7**, 664
 C₁₀H₁₇N₃O₆S
 glutamylcysteinylglycine, **7**, 560
 glutathione, **1**, 260, **3**, 392, **4**, 178, **5**, 53, 61, 67, 183, 186, 238, 408, 414, 275, 280, **7**, 393, 560
 C₁₀H₁₇N₇O₄, saxitoxin, **8**, 485, 486
 C₁₀H₁₇N₇O₅, neosaxitoxin, **8**, 485
 C₁₀H₁₈
 bornane, **5**, 325
 camphane, **5**, 325
 dihydromyrcene, **2**, 138
 fenchane, **5**, 325
 isocamphane, **2**, 107
 pinane, **5**, 325
 sabinane, **5**, 322
 thujane, **5**, 325
 C₁₀H₁₈Cl₂N₃OP, imidazole monoamidite, **7**, 133
 C₁₀H₁₈N₂O₂
 cyclo-Ala-MeLeu, **1**, 542
 cycloalanyl-*N*-methylleucine, **1**, 545
 C₁₀H₁₈N₂O₃, dethiobiotin, **1**, 826
 C₁₀H₁₈N₂O₃S
 1-mercaptodethiobiotin, **1**, 830
 4-mercaptodethiobiotin, **1**, 830
 C₁₀H₁₈N₂O₄
 acetaminodeoxycastanospermine, **3**, 29
 1-hydroxydethiobiotin, **1**, 830
 4-hydroxydethiobiotin, **1**, 830
 C₁₀H₁₈N₂O₅, 1,4-dihydroxydethiobiotin, **1**, 830
 C₁₀H₁₈N₃O₂, uridylate zwitterion, **7**, 319
 C₁₀H₁₈N₃O₁₃P₃, 2'-methylene-2'-deoxycytidine triphosphate, **5**, 175
 C₁₀H₁₈O
 artemisia alcohol, **2**, 109
 borneol, **2**, 104, 131, 146, **8**, 169
 camphor, **2**, 104, 113, 114
 chrysanthemyl alcohol, **2**, 109
 1,8-cineole, **2**, 103, 137, **8**, 161, 169, 225
 cyclohexane derivative, **8**, 224
 3,7-dimethyl-2,7-octadien-1-ol, **8**, 222
 4,6-dimethyl-6-octen-3-one, **8**, 243
 4,6-dimethyl-4-octen-3-one, **8**, 243
 fenchol, **2**, 104, **2**, 137
 geraniol, **2**, 62, 70, 98, 102, 106, 113, 121, 310, **4**, 110, **8**, 161, 173, 222, 306
 γ-geraniol, **8**, 223
 gragranol, **8**, 224
 grandisol, **8**, 224
 ipsonol, **8**, 223,
 isoborneol, **2**, 104, 147
 4-isocaranol, **2**, 135
 isogeraniol, **8**, 223
 isomenthone, **2**, 144, **8**, 306

- lavandulol, **2**, 108, **8**, 234
 linalool, **2**, 102, 122, **8**, 150, 152, 156, 161, 162, 222, 223, 306
 menthone, **2**, 62, 114, 144, 147, **8**, 173, 306
 7-methyl-3-methylene-7-octen-1-ol, **8**, 222
 α -necrodol, **8**, 234
 β -necrodol, **8**, 234
 nerol, **2**, 98, 102, 113, 121, 310, **4**, 110, **8**, 161, 222, 225
 rose oxide, **8**, 225
 sabinene hydrate, **2**, 136, 139
 terpinen-4-ol, **2**, 103, **8**, 224
 α -terpineol, **2**, 103, 122, 138, **8**, 224
 terpineol, **8**, 306
 thujyl alcohol, **2**, 104, 147
- C₁₀H₁₈O₂
 bicolorin, **8**, 234
 3-decenoic acid, **8**, 213
 2,4-dimethyl-5-ethyl-6,8-dioxabicyclo[3.2.1]octane, **8**, 244
 ethyl 3-octenoate, **8**, 211
 hydroxycineole, **2**, 123
 10-hydroxygeraniol, **2**, 106, **4**, 110
 8-hydroxylinalool, **8**, 225
 lactone, **1**, 511
 linalool oxide, **8**, 225, 229, 234
 3,4-menthone lactone, **2**, 114
 2-octenyl acetate, **8**, 211
 4-oxo-2-decenal, **8**, 213
- C₁₀H₁₈O₃
 9-hydroxy-2-decenoic acid, **8**, 199, 213
 lactone, **1**, 511, 515
 9-oxo-2-decenoic acid, **8**, 199
- C₁₀H₁₈O₄, 2-(1'-hydroxyvaleryl)-3-hydroxymethylbutyrolactone, **8**, 390
- C₁₀H₁₈O₇P₂, 6-cyclopropylidene-3-methylhex-2-en-1-yl diphosphate, **2**, 127
- C₁₀H₁₈S, 1-*p*-menthene-8-thiol, **8**, 165
- C₁₀H₁₉FO₇P₂
 2-fluorogeranyl diphosphate, **2**, 80, 126, **5**, 320, 327
 2-fluorolinalyl diphosphate, **2**, 126, **5**, 327
- C₁₀H₁₉N, keramaphidinC, **8**, 554
- C₁₀H₁₉NO
 epilupinine, **4**, 35
 lupinine, **4**, 34, 35
- C₁₀H₁₉NO₃S, *N*-acetyl cysteamine thioester erythromycin analogue, **1**, 500
- C₁₀H₁₉NO₈, neuraminic acid β -methyl glycoside, **3**, 378
- C₁₀H₁₉N₃O₆P, demethylbialaphos, **1**, 867
- C₁₀H₁₉N₄O, cytidylate zwitterion, **7**, 319
- C₁₀H₂₀, *p*-menthane, **5**, 322, 325
- C₁₀H₂₀N₂O₃Si₂, silylated pyrimidinedione, **7**, 260
- C₁₀H₂₀N₂O₃, Ala-MeLeu, **1**, 548
- C₁₀H₂₀N₂O₄, carbamate, **1**, 827
- C₁₀H₂₀N₂S₄, tetraethylthiuram disulfide, **6**, 90
- C₁₀H₂₀O
 citronellol, **2**, 101, 121, **8**, 222
 2-decanone, **8**, 181, 212
 dihydrogeranol, **5**, 327
 dihydrolinalool, **2**, 138, **5**, 327
 dihydronerol, **5**, 327
 4,6-dimethyl-3-octanone, **8**, 244, 243
 isomenthol, **2**, 144
 menthol, **2**, 114, 116, 144, **8**, 306
 6-methylnonan-3-one, **8**, 244
 neoisomenthol, **2**, 144
 neomenthol, **2**, 114, 144
 2,3,6-trimethyl-5-hepten-1-ol, **8**, 234
- C₁₀H₂₀O₂
 ethyl 4-methylheptanoate, **8**, 241
 3-hydroxy-4-methyl-5-nonanone, **8**, 245
 octyl acetate, **8**, 211
 valeroin, **3**, 394
- C₁₀H₂₀O₅, L-nogalose, **3**, 312
- C₁₀H₂₀O₇P₂
 bornyl diphosphate, **2**, 104, 119, 120, 129, 141
 geranyl diphosphate, **2**, 7, 8, 46, 62, 70, 75, 125, 147, 201, 380, 331, 340, **5**, 318, **8**, 219
 linalyl diphosphate, **2**, 8, 99, 125, 130, 147, **5**, 325
 neryl diphosphate, **2**, 98, 99, 125, 147
- C₁₀H₂₁NO₄
N-butyldeoxynojirimycin, **3**, 143
N-butyl-1-deoxynojirimycin, **3**, 20
- C₁₀H₂₂O
 4-methyl-1-nonanol, **8**, 241
 4-methyl-5-nonanol, **8**, 245
- C₁₀H₂₂O₂
 menthyl acetate, **2**, 114
 sordidin, **8**, 40
- C₁₀H₂₂O₇P₂
 2,3-dihydrogeranyl diphosphate, **5**, 327
 6,7-dihydrogeranyl diphosphate, **2**, 76, 138, **5**, 327
 6,7-dihydrolinalyl diphosphate, **2**, 138
- C₁₀H₂₂S₂, bis(3-methylbutyl) disulphide, **8**, 221
- C₁₀H₂₆N₄, spermine, **3**, 721, **4**, 30, **7**, 159
- C₁₀H₂₆O, 4-tridecenal, **8**, 241
- C₁₁H₄F₄N₃O₄, *N*-hydroxysuccinimide ester of *p*-azidotetrafluorobenzoic acid, **7**, 161
- C₁₁H₆Br₂N₂O, 7-bromoeudistomin D, **8**, 526
- C₁₁H₆O₃
 angelicin, **1**, 633
 isopsoralen, **8**, 141
 psoralen, **1**, 625, 631
- C₁₁H₆O₄
 bergaptol, **1**, 633
 8-hydroxypsoralen, **1**, 634
 xanthotoxol, **1**, 633
- C₁₁H₆O₅, 5,8-dihydroxypsoralen, **1**, 633
- C₁₁H₇BrN₂, eudestomin derivative, **8**, 525
- C₁₁H₇BrN₂O, eudestomin derivative, **8**, 525
- C₁₁H₇NO₄, 1,8-nitronaphthoic acid, **7**, 522
- C₁₁H₇N₃O₂S, *C*-5-benzthiazoleuridine, **7**, 318
- C₁₁H₇O, naphthoyl, **7**, 120, 123
- C₁₁H₈O₂
 menadione, **7**, 375, 398, **5**, 419
 vitamin K₃, **8**, 436
- C₁₁H₈O₃
 dihydrofuranocoumarin, **1**, 630
 1-hydroxy-2-naphthoic acid, **3**, 376
- C₁₁H₈O₅, 2'-carboxybenzalpyruvate, **3**, 376
- C₁₁H₉O₃, indolepyruvic acid, **8**, 33
- C₁₁H₉O₄, acetoxymethylbenzoyl, **7**, 120
- C₁₁H₁₀, methyl naphthalene, **3**, 378
- C₁₁H₁₀N₂O
 1-methoxyindole-3-acetonitrile, **8**, 26
 4-methoxyindole-3-acetonitrile, **8**, 26
- C₁₁H₁₀N₂OS₂
 cyclobassinin sulfoxide, **8**, 187
 spirobassinin, **8**, 187
- C₁₁H₁₀N₂S₂, cyclobassinin, **8**, 187
- C₁₁H₁₀O₂, 1,4-dihydro-1-naphthoic acid, **8**, 35
- C₁₁H₁₀O₄, lathodoratin, **8**, 189
- C₁₁H₁₀O₅
 sphagnum acid, **3**, 620
o-succinylbenzoic acid, **1**, 613
- C₁₁H₁₁BrN₂O₃, 2-bromo-5-hydroxytryptophan, **8**, 570, 573
- C₁₁H₁₁FN₂O₂, fluorotryptophan, **5**, 331
- C₁₁H₁₁NO
 vitamin K, **2**, 376
 vitamin K₅, **1**, 72
- C₁₁H₁₁NO₂
 3,4-dimethylindole-2-carboxylic acid, **1**, 854
 indole-3-propionic acid, **4**, 51, **8**, 26
- C₁₁H₁₁NO₃, 4-hydroxymethyl-3-methylindole-2-carboxylic acid, **1**, 854

- C₁₁H₁₁NO₇, *p*-nitrophenyl riboside, **5**, 307
 C₁₁H₁₁N₃O₄, nitrotryptophan, **5**, 331
 C₁₁H₁₁N₇O₂, *N*-2-(3-imidazolepropionic acid, **7**, 327
 C₁₁H₁₂Cl₂N₂O₅, chloramphenicol, **4**, 200, 227, **5**, 347, **7**, 664, 665
 C₁₁H₁₂FN₃O₃, 2-fluoronaplanocin A, **5**, 74
 C₁₁H₁₂N₂O, tambjamine A, **8**, 472
 C₁₁H₁₂N₂O₂, tryptophan, **1**, 16, 257, 346, 574, 609, 846, 853, **3**, 386, 395, **4**, 2, 4, 5, 46, 109, 110, 123, 135, 227, **5**, 331, 346, 382, **7**, 639, **8**, 32, 418, 428
 C₁₁H₁₂N₂O₂S₂, dioxybrassinin, **8**, 187
 C₁₁H₁₂N₂O₃, 7-hydroxytryptophan, **1**, 846
 C₁₁H₁₂N₂O₄, *N*-formylkynurenine, **1**, 846
 C₁₁H₁₂N₂S₂, brassinin, **8**, 187
 C₁₁H₁₂N₄O₄S
 1-(mesitylenesulfonyl)-3-nitro-1,2,4-triazole, **7**, 117
 1-(mesitylene-2-sulfonyl)-3-nitro-1,2,4-triazole, **6**, 82
 C₁₁H₁₂O₂, ethyl cinnamate, **1**, 134
 C₁₁H₁₂O₃
 3,4-dihydroisocoumarin, **8**, 241
 nakitriol, **8**, 609
 C₁₁H₁₂O₄
 macrophomic acid, **1**, 16, 368, 388, 401
 methyl *p*-methoxycinnamate, **3**, 624
 pyrenocine A, **1**, 401
 sinapaldehyde, **3**, 651
 C₁₁H₁₂O₅
 chorismate, **3**, 626
 raphanusol B, **8**, 29
 sinapate, **1**, 720, 733
 sinapic acid, **3**, 620, 696
 C₁₁H₁₂O₆, chorismate methyl ether, **5**, 353
 C₁₁H₁₃ClN₃O₃, 6-chloro-5-hydroxy-*N*-methyltryptophan, **8**, 573
 C₁₁H₁₃F₃NO, *m*-(*N,N,N*-trimethylammonio)-trifluoroacetophenone, **5**, 114
 C₁₁H₁₃NO₃, vinylogous tyrosine, **8**, 568
 C₁₁H₁₃N₃O₃, neplanocin A, **5**, 74
 C₁₁H₁₃N₇O, guanine derivative, **7**, 328
 C₁₁H₁₃O, *t*-butylbenzoyl, **7**, 120
 C₁₁H₁₄
 6-(1,3-butadienyl)-1,4-cycloheptadiene, **8**, 420
 3-(1,3-butadienyl)-4-vinylcyclopentene, **8**, 420
 desmarestene, **8**, 424
 1-(1,3,5-hexatrienyl)-2-vinylcyclopropane, **8**, 424
 hormonsirene, **8**, 425
 C₁₁H₁₄D₄, dihydrotetrahydrohormonsirene, **8**, 425
 C₁₁H₁₄NO₆P, indole, **4**, 7
 C₁₁H₁₄NO₇P, *p*-nitrophenyl carboxybutylphosphonate, **5**, 434
 C₁₁H₁₄N₂
 gramine, **4**, 26
 7-methyltryptamine, **4**, 121
 N-methyltryptamine, **4**, 122
 C₁₁H₁₄N₂O, cytosine, **4**, 34, **8**, 147, 152, 154, 167, 176
 C₁₁H₁₄N₂O₄
 ethyl nitrophenethylcarbamate, **8**, 431
 Gly-Tyr, **5**, 184
 C₁₁H₁₄N₂O₆, *N*-malonyl ACC, **8**, 96
 C₁₁H₁₄N₄, 6-cyclobutylamino-2-methylpyrrolo[2,3-*d*]pyrimidine, **8**, 68
 C₁₁H₁₄N₄O, peramine, **8**, 177
 C₁₁H₁₄N₄O₄
 deazaadenosine, **6**, 76
 1-deazaadenosine, **5**, 77, **7**, 29
 7-deazaadenosine, **6**, 225
 *N*₇-deazaadenosine, **6**, 249
 tubercidin, **8**, 611
 C₁₁H₁₄N₄O₅
 deazaguanosine, **6**, 76
 *N*₇-deazaguanosine, **6**, 249
 8-ketocoformycin, **5**, 76
 C₁₁H₁₄N₅O₄, *O*-6-methyl-2'-deoxyguanosine, **7**, 626
 C₁₁H₁₄O
 3-(1,2-epoxy)-3-butenyl-4-vinylcyclopentene, **8**, 420
 lamoxirene, **8**, 422
 C₁₁H₁₄O₂
 decalindione, **5**, 440
 methyleugenol, **8**, 155
 5-phenyl-4-pentenylhydroperoxide, **5**, 237, 246
 C₁₁H₁₄O₃
 1-benzyloxy-3,4-epoxy-2-butanol, **1**, 310
 methyleugenol, **3**, 677
 methyl *p*-2-hydroxyisopropyl benzoate, **2**, 136
 nakienone A, **8**, 609
 nakienone B, **8**, 609
 nakienone C, **8**, 609
 nectriapyrone, **8**, 600
 C₁₁H₁₄O₃S₂, pyrone, **1**, 396
 C₁₁H₁₄O₄
 PIVP, **1**, 760
 sinapyl alcohol, **1**, 648, 654, 672, 685, **3**, 618, 676
 C₁₁H₁₄O₅, pyrenocine B, **1**, 401
 C₁₁H₁₅BrN₄O₄, thymine electrophile, **7**, 319
 C₁₁H₁₅ClO, adamantanecarbonyl chloride, **7**, 139
 C₁₁H₁₅NO₂, ethyl *N*-(2-phenethyl)carbamate, **8**, 431
 C₁₁H₁₅NO₂S₄
 dimethoxy(methylthio)(aminoethyl)benzotrithiane, **8**, 542
 5-(methylthio)varacin, **8**, 542
 C₁₁H₁₅NO₉P, nicotinic acid mononucleotide, **4**, 149
 C₁₁H₁₅N₃O₇, 4,9-anhydroTTX, **8**, 481, 483
 C₁₁H₁₅N₃O₁₁, TTX-11-carboxylic acid, **8**, 484
 C₁₁H₁₅N₄O₃, 7-deaza-2'-deoxyadenosine, **7**, 626
 C₁₁H₁₅N₄O₄, 7-deaza-adenosine, **7**, 626
 C₁₁H₁₅N₅O₃
 aristeromycin, **1**, 152
 5'-deoxymethyladenosine, **5**, 271
 C₁₁H₁₅N₅O₃S, 5'-methylthioadenosine, **8**, 96
 C₁₁H₁₅N₅O₄, 1-methyladenosine, **4**, 361
 C₁₁H₁₅N₅O₅
 2-amino-6-methoxypurine arabinoside, **5**, 74
 2-methylguanosine, **6**, 195
 2-*O*-methylguanosine, **7**, 279
 3'-*O*-methylguanosine, **7**, 279
 7-methylguanosine, **7**, 277
 N-1-methylguanosine, **6**, 225
 *O*₆-methylguanosine, **6**, 249, **7**, 277
 C₁₁H₁₅N₅S, 2-methylthiozeatin, **8**, 62
 C₁₁H₁₅O₂, adamantanecarboxylate, **5**, 355
 C₁₁H₁₆
 3-(1-butenyl-4-vinylcyclopentene, **8**, 420
 divinylcyclopropane, **8**, 424
 ectocarpene, **8**, 420
 finavarrene, **8**, 422
 giffordene, **1**, 216, **8**, 423
 homosirene, **8**, 422
 3-methyl-7-methylene-1,3,8-nonatriene, **8**, 236
 1,3,5,8-undecatetraene, **8**, 423
 C₁₁H₁₆Br₂N₂O, moloka'iamine, **8**, 440
 C₁₁H₁₆FN₃O₁₀P₂, 2'-vinylfluoro-2'-deoxycytidine 5'-diphosphate, **5**, 182
 C₁₁H₁₆NO₇P, InGP, **4**, 7
 C₁₁H₁₆N₂O₄S, thienamycin, **3**, 285, **4**, 186
 C₁₁H₁₆N₃O₈, 4-epiTTX, **8**, 481, 483
 C₁₁H₁₆N₄O₄, 2'-deoxycoformycin, **5**, 74, 76, 78, 83
 C₁₁H₁₆N₄O₅
 coformycin, **5**, 74, 79, 83
 p-nitrophenyl riboamidrazone, **5**, 307
 C₁₁H₁₆N₄O₈P, 6-hydroxymethyl-5,6-dihydropurine ribonucleoside, **5**, 77
 C₁₁H₁₆O, jasmone, **8**, 108
 C₁₁H₁₆O₂
 butylated hydroxyanisole, **1**, 95
 2,4,6-decatrienoate, **8**, 213
 dihydroactinidiolide, **8**, 44, 234, 236

- C₁₁H₁₆O₃
 cyclohexanedione, **5**, 440
 1,8-dimethyl-3-ethyl-2,9-dioxabicyclo[3.3.1]non-7-ene, **8**, 244
- C₁₁H₁₆O₄, dihydrosinapyl alcohol, **3**, 677
- C₁₁H₁₆O₅
 hypoxanthin base, **8**, 442
 trimethoxystyrene derivative, **8**, 442
- C₁₁H₁₇NO₂, salsolidine, **4**, 40
- C₁₁H₁₇NO₂S₂, lissoclinotoxinC, **8**, 541
- C₁₁H₁₇NO₃
 isoproterenol, **1**, 294
 mescaline, **4**, 26
- C₁₁H₁₇NO₄, *N*-(carboxyheptyl)maleimide, **5**, 250
- C₁₁H₁₇NO₈
 2,7-anhydro-*N*-acetylneuraminic acid, **5**, 295
 2-deoxy-2,3-didehydro-*N*-acetylneuraminic acid, **3**, 378
- C₁₁H₁₇N₃O₅S, 5-methylaminomethyl-2-thiouridine, **4**, 68
- C₁₁H₁₇N₃O₇, 11-deoxyTTX, **8**, 481, 483
- C₁₁H₁₇N₃O₈
 6-epi-TTX, **8**, 481, 483
 tetradotoxin, **8**, 480, 486
- C₁₁H₁₇N₃O₉, 11-oxoTTX, **8**, 481, 484
- C₁₁H₁₇N₄O₇P, 2'-deoxycoformycin 5'-monophosphate, **5**, 83
- C₁₁H₁₇N₄O₈P, coformycin 5'-phosphate, **5**, 80, 83, 84
- C₁₁H₁₇N₄O₁₃P₃, 7-deaza-ATP, **4**, 326
- C₁₁H₁₇N₅O₁₀P₂, 2'-*C*-methyladenosine diphosphate, **3**, 332
- C₁₁H₁₈
 dictyotene, **8**, 420, 424
 4,8-dimethyl-1,3,7-nonatriene, **8**, 150, 152, 231
 homoocimene, **8**, 232, 236
 1,3,5-undecatriene, **8**, 420
- C₁₁H₁₈ClN₅, 2-chloro-4-cyclohexylamino-6-ethylamino-*s*-triazine, **8**, 69
- C₁₁H₁₈FN₃O₆S, fluoromethylglutathione, **5**, 408
- C₁₁H₁₈N₂, diketopiperazine, **8**, 588
- C₁₁H₁₈N₂O₅, hyrmidine hydrate isostere, **7**, 408
- C₁₁H₁₈N₃O₇
 1-hydroxy-5,11-dideoxyTTX, **8**, 482
 11-norTTX-6-ol, **8**, 484
 5,6,11-trideoxyTTX, **8**, 482
- C₁₁H₁₈N₃O₈, tetrodonic acid, **8**, 481, 483
- C₁₁H₁₈N₅O₁₃P₃, 1-methyladenosine, **7**, 626
- C₁₁H₁₈O
 epoxy alcohol, **1**, 310
 10-homonerol oxide, **8**, 237
- C₁₁H₁₈O₂
 3-acetoxy-2,6-dimethyl-1,5-heptadiene, **8**, 235
 1,8-dimethyl-3-ethyl-2,9-dioxabicyclo[3.3.1]non-7-en-6-one, **8**, 244
 methyl 2,4-decadienoate, **8**, 199, 213
 neryl formate, **8**, 209, 222
 pheromone of *Periplaneta americana*, **8**, 46
- C₁₁H₁₈O₃P, adamantyl methyl phosphate, **5**, 355
- C₁₁H₁₈FO₃S, 2-fluorogeranyl methanesulfonate, **2**, 80
- C₁₁H₁₉NO₃
 Garner's aldehyde, **8**, 551
 oxazolidine aldehyde, **8**, 551
- C₁₁H₁₉NO₆, lotaustralin, **8**, 139, 144, 154
- C₁₁H₁₉NO₈, *N*-acetylmuramic acid, **3**, 244, 275
- C₁₁H₁₉NO₉
 acetylneuraminic acid, **3**, 378, 380
N-acetylneuraminic acid, **3**, 101, 378, 381, 390, 391, **5**, 295
N-glycolylmuramic acid, **3**, 244
 sialic acid, **3**, 3
- C₁₁H₁₉NO₁₀
 glycolylneuraminic acid, **3**, 378
N-glycolylneuraminic acid, **3**, 381
- C₁₁H₁₉N₃O₆S, hydroxyglutathionylmethane, **5**, 408
- C₁₁H₁₉N₃O₇, hydrazine DAP analogue, **3**, 277
- C₁₁H₂₀NO₁₂, NeuAc9P, **3**, 391
- C₁₁H₂₀N₂O₆, sacharopine, **4**, 243
- C₁₁H₂₀N₂O₈P, plumbemycin, **1**, 865
- C₁₁H₂₀O
 4,6-dimethyl-4-nonen-3-one, **8**, 243
 homogerialiol, **2**, 310
- C₁₁H₂₀O₂
 2,8-dimethyl-1,7-dioxaspiro[5.5]undecane, **8**, 214
 dominacalure 1, **8**, 45, 241
 1-ethyl-3,5,7-trimethyl-2,8-dioxabicyclo[3.2.1]octane, **8**, 246
 lactone, **1**, 511, **8**, 240
 γ-undecalactone, **8**, 165
 5-undecenoic acid, **8**, 214
- C₁₁H₂₀O₃
 4-acetylnonanoic acid, **8**, 114
 3-hexenyl 2-hydroxy-3-methylbutanoate, **8**, 221
 lactone, **1**, 511
N-2, **1**, 147
- C₁₁H₂₀O₃S, geranyl methanesulfonate, **2**, 80
- C₁₁H₂₀O₄
 VBC, **8**, 385
 VBE, **1**, 140, **8**, 385
- C₁₁H₂₀O₅, L-olivomycoseE, **3**, 312
- C₁₁H₂₀O₆, 1,6-dioxadecalin derivative, **8**, 506
- C₁₁H₂₀O₇P₂, diphosphate, **5**, 321
- C₁₁H₂₀S, geranyl methyl sulphide, **8**, 223
- C₁₁H₂₁NO₄, carbamate analogue, **1**, 827
- C₁₁H₂₁NO₅S, *N*-(7-mercaptoheptanoyl)threonine, **1**, 835
- C₁₁H₂₁NO₈, 2-deoxy-2,3-dihydro-*N*-acetylneuraminic acid, **5**, 295
- C₁₁H₂₁N₂O₆P, bialaphos, **1**, 865
- C₁₁H₂₂, 1-undecene, **1**, 91
- C₁₁H₂₂NO₇PS
 7-mercaptoheptanoylthreonine phosphate, **1**, 835
N-(7-mercaptoheptanoyl)threonine phosphate, **1**, 833, 834
- C₁₁H₂₂O
 4,6-dimethylnonan-3-one, **8**, 244
 undecanal, **8**, 212
 2-undecanone, **8**, 214
 3-undecanone, **8**, 214
- C₁₁H₂₂O₂
 ester, **8**, 241
 ethyl 4-methyloctanoate, **8**, 241
 1-methylethyl octanoate, **8**, 209, 211
 serricornin, **8**, 43
- C₁₁H₂₂O₃
 (1,2-dihydroxy-4-methylpentyl)pyran, **8**, 507
 1-ethylpropyl 2-methyl-3-hydroxypentanoate, **8**, 241
- C₁₁H₂₂O₄, VBC, **1**, 140
- C₁₁H₂₂O₇P₂
 2,3-cyclopropylgeranyl diphosphate, **5**, 327
 homogerial diphosphate, **2**, 78
- C₁₁H₂₃N₂O₄PS, bisphosphoramidite, **7**, 133
- C₁₁H₂₃N₂O₇PS, 4'-phosphopantetheine, **1**, 27, 842, **4**, 209, 321, 339, 342, 343
- C₁₁H₂₃N₂O₇S, 4-phosphopantetheine, **1**, 546
- C₁₁H₂₃O₅, diethyl 5-oxo-1,9-nonanedioate, **8**, 213
- C₁₁H₂₄, undecane, **8**, 204, 214
- C₁₁H₂₄N₃OP, bisphosphoramidite, **7**, 133
- C₁₁H₂₄O, 2-undecanol, **8**, 214
- C₁₁H₂₄O₁₄P₄
 DMAPP bisubstrate analogue, **5**, 321
 IPP bisubstrate analogue, **5**, 321
- C₁₁H₂₇N₂O₃PS, bisphosphoramidite, **7**, 133
- C₁₁H₃₂N₃O, 4-aminoethylamino-2,2,6,6-tetramethylpiperidine-*N*-oxyl, **7**, 162
- C₁₂H₄O₂, naphthylenedicarbonyl, **7**, 120
- C₁₂H₇Br₂NO, 4,6-dibromo-3-hydroxycarbazole, **8**, 526
- C₁₂H₈Br₂N₂O, 9-methyl-7-bromoeudistomin D, **8**, 526
- C₁₂H₈Cl₂N₂, bauerine B, **8**, 529
- C₁₂H₈Cl₂N₂O, bauerineC, **8**, 529

- C₁₂H₈N₂
 1,10-phenanthroline, **3**, 426, **6**, 88, 200
 o-phenanthroline, **3**, 378
 C₁₂H₈N₂O₄, myxin, **7**, 532
 C₁₂H₈O₄
 bergapten, **1**, 625, 626, 634, **8**, 168
 xanthotoxin, **1**, 625, 626, 634, **8**, 141, 155, 167, 168
 C₁₂H₈O₅, 5-hydroxyxanthotoxin, **1**, 633, 634
 C₁₂H₈S, dibenzothiophene, **3**, 376
 C₁₂H₈S₃, α -terthienyl, **8**, 169
 C₁₂H₉BrN₂, brominated β -carboline, **8**, 529
 C₁₂H₉Cl F₃N₃O
 norflurazon, **2**, 341, 342, 347
 SAN 9879, **2**, 338
 C₁₂H₉ClN₂, bauerine **A**, **8**, 529
 C₁₂H₉NO₃, 4-acetylquinoline-2-carboxylic acid, **1**, 855
 C₁₂H₉N₃O₂, 5-azido-1-naphthaleneacetic acid, **8**, 35
 C₁₂H₁₀, biphenyl, **3**, 384, 385
 C₁₂H₁₀ClO₃P, diphenylchlorophosphate, **7**, 106, 139
 C₁₂H₁₀F₃NO₂, *S*-4,4,4-trifluoro-3-(indole-3-yl)butyric acid, **8**, 36
 C₁₂H₁₀N₂O₃, olefin, **5**, 428
 C₁₂H₁₀N₂S, camalexin, **1**, 779, **8**, 187
 C₁₂H₁₀N₄, benzylaminopurine, **8**, 119
 C₁₂H₁₀O₂
 eutypine, **8**, 180
 naphthaleneacetic acid, **8**, 34
 1-naphthaleneacetic acid, **4**, 27, **8**, 35, 68
 naphthyl acetate, **3**, 820
 C₁₂H₁₀O₄, 2-hydroxy-6-oxo-6-phenylhexa-2,4-dienoate, **3**, 376
 C₁₂H₁₀O₆, diphloretol, **8**, 441
 C₁₂H₁₁BrO₄, 4-bromomethyl-6,7-dimethoxycoumarin, **1**, 543
 C₁₂H₁₁Cl₂NO₂, 5,7-dichloroindole-3-isobutyric acid, **8**, 36
 C₁₂H₁₁F₃N₂O₂, trifluoromethyltryptophan, **5**, 331
 C₁₂H₁₁N, diphenylamine, **2**, 341
 C₁₂H₁₁NO₂
 carbaryl, **3**, 377
 indole-3-carboxylic acid, **8**, 26
 C₁₂H₁₁NO₂S, brassicanal **B**, **8**, 187
 C₁₂H₁₁NO₃,
 4-(1-hydroxyethyl)quinoline-2-carboxylic acid, **1**, 855
 C₁₂H₁₁NO₄, *N*-(1-carboxypropyl)phthalimide, **8**, 35
 C₁₂H₁₁N₅
 benzyladenine, **8**, 59
 cytokinin, **1**, 126
 C₁₂H₁₁O₁₃P
 EPSP synthase substrate, **1**, 598
 hydroxymalonate, **1**, 598
 C₁₂H₁₂, 2,6-dimethylnaphthalene, **3**, 378
 C₁₂H₁₂ClNO₂S, dansyl chloride, **6**, 77
 C₁₂H₁₂N₄O₃, 4-thiothymine photodimer, **5**, 391
 C₁₂H₁₂O₄
 1'-hydroxysafrole, **7**, 520
 methylfuroin, **3**, 394
 C₁₂H₁₂O₅
 de-*O*-methyladiaporthin, **8**, 180
 radicinin, **8**, 179
 C₁₂H₁₃ClN₂O₃, 6-chloro-5-hydroxy-*N*-methyltryptophan, **8**, 573
 C₁₂H₁₃FN₂O₉, 2',4'-dinitrophenyl-2-deoxy-2-fluoro- β -D-glucopyranoside, **5**, 289
 C₁₂H₁₃F₃O₃, thymyl trifluoroacetate, **8**, 306
 C₁₂H₁₃NO₂
 indolebutyric acid, **4**, 46, **8**, 30
 indole-3-butyric acid, **8**, 26, 34
 C₁₂H₁₃N₂O₄S₂, *N*-succinimidyl-3-(2-pyridyldithio)propionate, **7**, 168
 C₁₂H₁₃N₄O₃S, photoexcited thiothymine, **5**, 391
 C₁₂H₁₄BrNO₂,
 2-methyl-3-bromo-(*N*-benzaldimino)alanine methyl ester, **5**, 210
 C₁₂H₁₄N₂OS₂, methoxybrassinin, **8**, 187
 C₁₂H₁₄N₂O₂
 methyltryptophan, **5**, 331
 2-methyltryptophan, **1**, 855
 C₁₂H₁₄N₂O₂S, oxymethoxybrassinin, **8**, 187
 C₁₂H₁₄N₂O₃, methoxytryptophan, **5**, 331
 C₁₂H₁₄N₂O₄S, *S*-phenylacetylcysteinylglycine, **4**, 264, 265
 C₁₂H₁₄N₂O₅
 5-(1-propynyl)-2'-deoxyuridine, **7**, 272
 5-(propynyl)-2'-deoxyuridine, **6**, 225
 C₁₂H₁₄N₂O₅S, *S*-phenoxyacetylcysteinylglycine, **4**, 264, 265
 C₁₂H₁₄N₂O₁₀, 2',4'-dinitrophenyl- β -D-glucopyranoside, **5**, 290
 C₁₂H₁₄N₄, 3,3-diaminobenzidine, **3**, 97
 C₁₂H₁₄N₄O₃S, 4-thiothymine photodimer, **5**, 391
 C₁₂H₁₄O, calaminthone, **8**, 169, 171
 C₁₂H₁₄O₂, precocene **I**, **8**, 278
 C₁₂H₁₄O₃
 3,4-dihydroisocoumarin, **8**, 241
 1'-hydroxyestragole, **7**, 520
 C₁₂H₁₄O₄, deoxyradicinin, **8**, 179
 C₁₂H₁₄O₆
 dicarboxylic acid, **1**, 404
 dimethyl chorismate, **5**, 352
 C₁₂H₁₄O₇, phomazin, **8**, 179
 C₁₂H₁₅ClO₃, clofibrate, **2**, 25
 C₁₂H₁₅FNO, 1-[(2-fluorophenyl)]-4-methoxypiperidin-4-yl, **6**, 84
 C₁₂H₁₅IN₂O₆, 2',3'-isopropylidene-5-iodouridine, **6**, 91
 C₁₂H₁₅NO₂, acetamidobenzylpropionaldehyde, **5**, 439
 C₁₂H₁₅NO₃S, *N*-formylmethionine, **5**, 434
 C₁₂H₁₅NO₇, *p*-nitrophenyl- α -D-glucopyranoside, **5**, 302
 C₁₂H₁₅NO₈
 p-nitrophenylgalactose, **5**, 438
 1-*O*-(*p*-nitrophenyl)- β -D-glucose, **3**, 819
 p-nitrophenyl- α -D-glucoside, **3**, 148
 p-nitrophenyl- α -D-mannopyranoside, **3**, 154
 p-nitrophenyl- α -D-mannoside, **3**, 24, 27
 C₁₂H₁₅N₃O₅S, *S*-cyanoethyl-4-thiouridine, **6**, 93
 C₁₂H₁₅O, *t*-butylbenzylcarbonyl, **7**, 120
 C₁₂H₁₅O₂, *t*-butylphenoxyacetyl, **7**, 120, 121, 123
 C₁₂H₁₅O₃S, 2-(isopropylthiomethoxymethyl)benzoyl, **7**, 127
 C₁₂H₁₆NO₉P
 carboxyphenylamino-1-deoxyribulose *S*-phosphate, **4**, 7
 phosphoribosylanthranilate, **4**, 7
 C₁₂H₁₆N₂, *N,N*-dimethyltryptamine, **1**, 369
 C₁₂H₁₆N₂O
 bufotenine, **8**, 155
 N-methylcytosine, **8**, 176
 methylcytosine, **8**, 154
 C₁₂H₁₆N₂O₅, 3'-*O*-acetyl-2'-deoxythymidine, **7**, 185
 C₁₂H₁₆N₂O₈, 5-methylcarboxymethyluridine, **4**, 360
 C₁₂H₁₆N₄, 6-cyclopentylamino-2-methylpyrrolo[2,3-*d*]pyrimidine, **8**, 69
 C₁₂H₁₆O₂
 anastrephin, **8**, 236
 elijopyrone **D**, **8**, 596
 C₁₂H₁₆O₃
 asarone, **8**, 155
 cyercene **1**, **8**, 462
 elijopyrone **B**, **8**, 596
 4'-hydroxy-3'-(3-methylbutanoyl)acetophenone, **8**, 189
 jasmonic acid, **1**, 2, 7, 626
 primin, **8**, 139
 C₁₂H₁₆O₄S, gonyauline bis- α,β -unsaturated ester, **8**, 457
 C₁₂H₁₆O₅, β -glucosyl benzene, **5**, 294
 C₁₂H₁₆O₆
 phenyl β -D-galactoside, **3**, 115
 phenyl β -D-glucopyranoside, **5**, 290
 C₁₂H₁₆O₇, arbutin, **8**, 162, 186

- C₁₂H₁₇ClN₂O₄, chlorotetain, **3**, 275
 C₁₂H₁₇ClN₂O₅, thiamine, **1**, 826, 837, **2**, 4, 55, 376, **3**, 369
 C₁₂H₁₇N₃O₃, cerulenin, **1**, 29, 357, 491, 564, 752, **8**, 395
 C₁₂H₁₇N₂O₆, 2',3'-*O*-isopropylidene uridine, **7**, 405
 C₁₂H₁₇N₃O₃, leucine-4-nitroanilide, **1**, 279
 C₁₂H₁₇N₃O₄S, *N*-formidoylthienamycin, **4**, 186
 C₁₂H₁₇N₃O₆, nagstatin, **3**, 134
 C₁₂H₁₇N₃O₄, *N*6-dimethyladenosine, **6**, 195
 C₁₂H₁₈, ectocarpene, **1**, 8
 C₁₂H₁₈CINS,CPTA, **2**, 338, 343
 C₁₂H₁₈FN₅O₁₀P₂, GDP-2-deoxy-2-fluorofucose, **5**, 309
 C₁₂H₁₈N₂O₅, bacilysin, **3**, 275
 C₁₂H₁₈O
 5,7-dimethyl-2,6,8-decatrien-4-one, **8**, 244
 2-propyl-5-ethylbenzyl alcohol, **1**, 87
 C₁₂H₁₈O₂
 adamantanylacetic acid, **5**, 355
 4,8-dimethyldecadien-10-olide, **8**, 236
 3,6-dodecadien-11-olide, **8**, 215
 3,6-dodecadien-12-olide, **8**, 215
 3,6,9-dodecatricenic acid, **8**, 423
 elijopyroneC, **8**, 596
 epicucurbitic acid lactone, **1**, 118
 ferrulalactone I, **8**, 236
 C₁₂H₁₈O₃
 elijopyrone A, **8**, 596
 epijasmonic acid, **1**, 121
 hydroxy acid, **1**, 220
 11-hydroxyjasmonic acid, **1**, 118
 12-hydroxyjasmonic acid, **1**, 118
 isojasmonic acid, **1**, 241
 7-isojasmonic acid, **1**, 231
 jasmonic acid, **1**, 117, 119, 228, 234, 240, **8**, 108, 151, 215
 miconidin, **8**, 139
 patuolide, **1**, 410
 tuberonic acid, **1**, 125
 C₁₂H₁₈O₄
 buenolide, **1**, 145
 tuberonic acid, **8**, 117
 C₁₂H₁₉ClN₄O₇P₂S
 thiamine diphosphate, **2**, 376
 thiamine pyrophosphate, **3**, 370
 C₁₂H₁₉NO₄
 N-(carboxyheptyl)succinimide, **5**, 250
 conjugation factor, **8**, 399
 C₁₂H₁₉N₃O₆, valclavam, **4**, 182
 C₁₂H₁₉N₃O₇S, acetylglutathione, **2**, 19
 C₁₂H₁₉N₅O₃, tetramethylguanidinium salt of 4-nitrobenzaldehyde, **7**, 117
 C₁₂H₁₉O₇P, butenolide phosphate, **1**, 145
 C₁₂H₂₀, 5-ethyl-3-methyl-2,4,6-nonatriene, **8**, 240
 C₁₂H₂₀N₄O₇P₂S, thiamine pyrophosphate, **1**, 837
 C₁₂H₂₀N₄O₉S, sulfazecin, **4**, 187, 188
 C₁₂H₂₀O
 3,6,8-dodecatrien-1-ol, **8**, 214
 pheromone of *Biprorulus bibax*, **8**, 48
 C₁₂H₂₀O₂
 1-acetoxymethyl-2,2-dimethyl-3-(1-methylvinyl)cyclobutane, **8**, 224
 3,4-bis(1'-butenyl)tetrahydro-2-furanol, **8**, 215
 bornyl acetate, **2**, 101, **8**, 139
 3,6-dodecadienoic acid, **8**, 423
 3-dodecen-11-olide, **8**, 215
 3-dodecen-12-olide, **8**, 215
 5-dodecen-4-olide, **8**, 215
 ethyl 2,4-decadienoate, **8**, 165
 geranyl acetate, **8**, 223, 306
 2-hexenyl 2-hexenoate, **8**, 210
 2-hexenyl 3-hexenoate, **8**, 210
 1-methylethyl 2,4-dimethyl-2,4-heptadienoate, **8**, 241
 C₁₂H₂₀O₃
 cucurbitic acid, **1**, 118, **8**, 114
 dihydrojasmonic acid, **1**, 118
 9,10-dihydrojasmonic acid, **1**, 124, **8**, 116
 11-formyl-9-undecenoic acid, **1**, 91, 92
 11-formyl-10-undecenoic acid, **1**, 91
 8-oxocitronellyl acetate, **8**, 225
 12-oxo-9-dodecenoic acid, **1**, 103
 putaminoxin, **8**, 181
 C₁₂H₂₀O₄
 6-dehydroVB A, **1**, 144, 145, **8**, 386
 9,10-dihydro-11-hydroxyjasmonic acid, **1**, 124, **8**, 116
 9,10-dihydro-12-hydroxyjasmonic acid, **8**, 116
 traumatic acid, **4**, 46
 C₁₂H₂₀O₅
 butanolide ester derivative, **1**, 145
 dihydroxyacetone ester of 3-oxo-7-methyloctanoic acid, **8**, 385
 C₁₂H₂₀O₁₀, anhydrocellobiose, **3**, 540
 C₁₂H₂₁FO₁₀, β-cellobiosyl fluoride, **5**, 301
 C₁₂H₂₁NO₃, VAI-2, **8**, 395
 C₁₂H₂₁O₇P, 6-dehydroVB A phosphate, **1**, 145
 C₁₂H₂₁O₈P, butenolide derivative, **1**, 145
 C₁₂H₂₂CaO₁₄, D-glucal, **5**, 304
 C₁₂H₂₂N₃O₂P, bis(2-cyanoethyl)diisopropylphosphoramidite, **7**, 168
 C₁₂H₂₂N₃O₆P, *N*-acetyl DMBA, **1**, 871
 C₁₂H₂₂O, 4,6-dimethyl-4-decen-3-one, **8**, 243
 C₁₂H₂₂O₂
 3-acetoxy-7-methyl-6-nonene, **8**, 246
 C12:1, **1**, 340
 2-decenyl acetate, **8**, 213
 3,5-dimethyl-6-(1'-methylbutyl)tetrahydro-2*H*-pyran-2-one, **8**, 240
 4-dodecanolide, **8**, 215
 9-dodecenoic acid, **8**, 205
 11-dodecenoic acid, **8**, 205
 dominicalure 2, **8**, 46
 invictolide, **8**, 241, 244
 linalool derivative, **8**, 235
 1-methylbutyl 2,4-dimethyl-2-pentenoate, **8**, 241
 12-oxo-9-dodecenol, **1**, 106
 terpenoid, **8**, 235
 C₁₂H₂₂O₃
 6-hydroxy-4-dodecanolide, **8**, 215
 lactone, **1**, 513
 N-4, **1**, 147
 C₁₂H₂₂O₄
 butanolide A, **1**, 139
 N derivative, **1**, 147
 tetraketide, **1**, 508, 513, 515
 VB A, **1**, 140, **8**, 385
 VB B, **1**, 140, **8**, 385
 VB D, **1**, 140, **8**, 385
 C₁₂H₂₂O₉, Glcα1, -(1,2-dideoxy)mannose, **3**, 20
 C₁₂H₂₂O₁₀, β-2-deoxymaltose, **5**, 303
 C₁₂H₂₂O₁₁
 cellobiose, **3**, 546, 570
 β-D-Fruf-(2→6)-β-D-Glcp, **3**, 195
 Galα1-3Gal, **3**, 81
 Glcα1,3Man, **3**, 20
 lactose, **3**, 43, 78, 112, 115, 430, **4**, 174
 maltose, **3**, 151, 444, 457, **5**, 302, 303
 nigerose, **3**, 148
 sucrose, **2**, 50, **3**, 9, 151, 421, 443, 444, 463, 505, 608, **8**, 162, 166
 C₁₂H₂₃N, dodecadienamine, **8**, 545
 C₁₂H₂₃NO₈, 2,5-dideoxy-2,5-imino-DL-glycero-D-manno-D-heptitol 7-*apioside*, **3**, 130
 C₁₂H₂₃NO₉
 1-deoxymannojirimycin 2-*O*-α-D-galactopyranoside, **3**, 131
 1-deoxymannojirimycin 6-*O*-α-D-galactopyranoside, **3**, 131
 1-deoxymannojirimycin 2-*O*-α-D-glucopyranoside, **3**, 131

- 1-deoxymannojirimycin 2-*O*- β -D-glucopyranoside, **3**, 131
 1-deoxymannojirimycin 3-*O*- α -D-glucopyranoside, **3**, 131
 1-deoxymannojirimycin 3-*O*- β -D-glucopyranoside, **3**, 131
 1-deoxymannojirimycin 4-*O*- α -D-glucopyranoside, **3**, 131
 1-deoxymannojirimycin 4-*O*- β -D-glucopyranoside, **3**, 131
 1-deoxymannojirimycin 6-*O*- β -D-glucopyranoside, **3**, 131
 2-*O*- α -D-galactopyranosyl-DNJ, **3**, 143
 C₁₂H₂₄NO₁₃P, glucosamine phosphatidyl inositol, **3**, 300
 C₁₂H₂₄O
 4,8-dimethyldecanal, **8**, 40, 217, 236
 tribolure, **8**, 246
 C₁₂H₂₄O₂
 decyl acetate, **8**, 162, 213
 dodecanoic acid, **8**, 205
 1,12,9-dodecenediol, **1**, 106
 7-hydroxy-4,6-dimethyl-3-nonanone, **8**, 244
 lauric acid, **3**, 220
 C₁₂H₂₄O₇P₂, bishomogerynyl diphosphate, **2**, 78
 C₁₂H₂₄O₁₅, GDP-fucose, **3**, 55
 C₁₂H₂₄O₁₇, GDP-Man, **4**, 312
 C₁₂H₂₄O₁₇P₂
 GDP-mannose, **3**, 301
 GDP-[3H]mannose, **3**, 300
 C₁₂H₂₆, dodecane, **8**, 214
 C₁₂H₂₆NO₃P, Ala-P-Ala, **3**, 277
 C₁₂H₂₆N₃OP, bisphosphoramidite, **7**, 133
 C₁₂H₂₆N₄O₆, neamine, **6**, 194
 C₁₂H₂₆O, 1-dodecanol, **8**, 214
 C₁₂H₂₆O₇P₂, 3-methyl-2-undecenyl diphosphate, **2**, 76
 C₁₂H₂₇P, tributylphosphine, **7**, 130
 C₁₂H₂₈Cl₂OSi₂, 1,3-dichloro-1,1,3,3-tetraisopropylidisiloxane, **6**, 85
 C₁₃H₆O₂, 12,13-epoxy-2,4,6,8,10-tridecapentayne, **8**, 189
 C₁₃H₇NO, acridone, **1**, 759
 C₁₃H₈
 phenylheptatriyne, **8**, 169
 1-tridecan-3,5,7,9,11-pentayne, **8**, 189
 C₁₃H₈Br₄O₃
 3,5-dibromo-2-(3',5'-dibromo-2'-methoxyphenoxy)phenol, **8**, 588
 C₁₃H₈Br₄O₄, bromophenol oligomer, **8**, 461
 C₁₃H₈F₂O₃, diflunisal, **1**, 294
 C₁₃H₈N₂, diazo compound, **7**, 542
 C₁₃H₈O₃, furanocoumarin, **1**, 19
 C₁₃H₈O₅, xanthone, **1**, 760
 C₁₃H₈O₆, hymenoquinone, **3**, 624
 C₁₃H₉N, acridine, **7**, 116, 436
 C₁₃H₉N₂O, phenylazobenzoyl, **7**, 120
 C₁₃H₉N₂O₂, phenylazophenoxycarbonyl, **7**, 127
 C₁₃H₉O, xanthenyl, **7**, 126
 C₁₃H₁₀Br₂N₂, brominated β -carboline, **8**, 529
 C₁₃H₁₀NO, diphenylformamido, **7**, 119
 C₁₃H₁₀N₂, 9-aminoacridine, **7**, 444, 451, 467, 488
 C₁₃H₁₀N₂O₄, iodinin, **7**, 532
 C₁₃H₁₀N₂S₃, 2-pyridyl 3-isothiocyanatobenzyl disulfide, **6**, 227
 C₁₃H₁₀O, benzophenone, **1**, 432, 760
 C₁₃H₁₀O₂, dehydrosafynol, **8**, 189
 C₁₃H₁₀O₃, mycosinol, **8**, 189, 190
 C₁₃H₁₀O₄
 2'-acetyl-2',3'-dihydrosoralen, **1**, 632
 bisnoryangonin, **1**, 19, 761, **3**, 624
 C₁₃H₁₀O₅
 hispidin, **1**, 761, **3**, 624
 isopimpinellin, **1**, 633, 635
 C₁₃H₁₀O₆, leucohymenoquinone, **3**, 624
 C₁₃H₁₁BrN₂, brominated β -carboline, **8**, 529
 C₁₃H₁₁BrN₄O, aplysinopsin derivative, **8**, 429
 C₁₃H₁₁N
 aminofluorene, **7**, 96
 2-aminofluorene, **7**, 470, 522
 C₁₃H₁₁NO
 N-hydroxy-2-aminofluorene, **7**, 96
 1-hydroxy-3-methylcarbazole, **4**, 54
 C₁₃H₁₁N₃, proflavine, **7**, 435, 446
 C₁₃H₁₂BrN₄O, dihydroaplysinopsin derivative, **8**, 429
 C₁₃H₁₂ClN₅, tetracyclis, **1**, 720
 C₁₃H₁₂N₂, diaminofluorene, **3**, 713
 C₁₃H₁₂N₂O
 diphenylurea, **8**, 61
 1-(1'-hydroxyethyl)- β -carboline, **8**, 529
 C₁₃H₁₂N₂O₅, indole-3-acetylaspatic acid, **8**, 26
 C₁₃H₁₂N₂S, methoxycamalexin, **8**, 187
 C₁₃H₁₂N₄O, aplysinopsin derivative, **8**, 429
 C₁₃H₁₂O₂, safynol, **8**, 189
 C₁₃H₁₂O₃
 methoxy-(2-naphthyl)acetic acid, **8**, 500
 α -(2-naphthoxy)propionic acid, **8**, 36
 C₁₃H₁₃NO₃, anthosamine A, **8**, 442
 C₁₃H₁₃N₄O, dihydroaplysinopsin derivative, **8**, 429
 C₁₃H₁₄N₂O₃, *N*-acetyltryptophan, **5**, 379
 C₁₃H₁₄O₄, pyrenochaetic acid A, **1**, 401
 C₁₃H₁₅Br₂N₃O₂, ceratinamine, **8**, 440
 C₁₃H₁₆N₂O, tamjamineE, **8**, 472
 C₁₃H₁₆N₂O₈P, nitrobenzyl phosphonate, **5**, 431
 C₁₃H₁₆N₄O₄
 thymine dimer, **5**, 375
 thymine photodimer, **5**, 375
 C₁₃H₁₆N₄O₆, 5-imidazolylmethyluridine, **6**, 225
 C₁₃H₁₆O₂, 4'-hydroxy-3'-prenylacetophenone, **8**, 189, 190
 C₁₃H₁₆O₃
 4'-hydroxy-3'-(3-methylbutanoyl)acetophenone, **8**, 190
 precocene II, **8**, 278
 C₁₃H₁₆O₄
 2-*tert*-butyl-2-methyl-1,3-benzodioxole-4-carboxylic acid, **8**, 503
 dinor-ABA, **8**, 79
 ethyl benzoate derivative, **1**, 401
 pyrenochaetic acidC, **1**, 401
 C₁₃H₁₆O₅, pyrenochaetic acid B, **1**, 401
 C₁₃H₁₆O₇, 1-*O*-benzoylglucose, **3**, 810
 C₁₃H₁₆O₈
 2'-carboxyphenyl β -D-glucopyranoside, **5**, 290
 4'-carboxyphenyl β -glucopyranoside, **5**, 290
 1-*O*-*p*-hydroxybenzoylglucose, **3**, 807
 1-*O*-hydroxybenzoyl- β -D-glucose, **3**, 806
 C₁₃H₁₆O₉
 1-*O*-protocatechuoylglucose, **3**, 807
 1-*O*-protocatechuoyl- β -D-glucose, **3**, 806
 tri-*O*-protocatechuoylglucose, **3**, 807
 C₁₃H₁₆O₁₀
 β -glucogallin, **3**, 10, 800, 802, 805, 807, 820, 821
 4-*O*- β -D-glucosidogallic acid, **3**, 805
 C₁₃H₁₆O₁₈, 6-galloylglucose, **3**, 809
 C₁₃H₁₇ClNO, 1-[(2-chloro-4-methyl)phenyl]-4'-methoxypiperidin-4-yl, **6**, 84, **7**, 144
 C₁₃H₁₇NO₃, phenyl *N*-formylnorleucine, **5**, 434
 C₁₃H₁₇N₄O₉, chiriquitoxin 6,13-lactone, **8**, 482
 C₁₃H₁₇N₅O₈S₂, aztreonam, **4**, 187
 C₁₃H₁₈N₂O₅NS-398, **5**, 250, 252, 255
 C₁₃H₁₈N₄O₁₀, chiriquitoxin, **8**, 482
 C₁₃H₁₈N₆O₃, lupinic acid, **8**, 43, 61, 62, 483
 C₁₃H₁₈O₂, ibuprofen, **1**, 123, 131, **5**, 248
 C₁₃H₁₈O₃
 dehydrovomifoliol, **8**, 88
 methyl jasmonate, **1**, 7, 611, 626, **4**, 46
 C₁₃H₁₈O₆, 1-benzyl- β -D-glucopyranose, **3**, 810
 C₁₃H₁₈O₇, salicin, **8**, 139, 152, 154
 C₁₃H₁₉NO₂S₄, 3,4-dimethoxy-6-(2'-*N*,*N*-dimethylaminoethyl)-5-(methylthio)benzotrithiane, **8**, 542

- C₁₃H₁₉NO₂S₆, *N,N*-dimethyl-5-(methylthio)varacin, **8**, 542
- C₁₃H₁₉NO₃
7-angeloylheliotridine, **4**, 31
pellotine, **4**, 26
- C₁₃H₁₉N₃O₃S₂, sparsomycin, **1**, 845
- C₁₃H₁₉N₃O₆S, 7-aminocephalosporanic acid, **4**, 180
- C₁₃H₁₉N₆O₈P, alanyl adenylate, **7**, 628
- C₁₃H₂₀, 3,5,7-trimethyl-2,4,6,8-decatetrene, **8**, 240
- C₁₃H₂₀N₂O₂, procaine, **4**, 240
- C₁₃H₂₀O
2,5-epoxy-6,8-megastigmadiene, **8**, 45
β-ionone, **8**, 234
- C₁₃H₂₀O₃
allenic ketone, **8**, 234
1'-epistegobinone, **8**, 244
methyl jasmonate, **1**, 117, 126, **8**, 108, 150, 215
13-oxo-9,11-tridecadienoic acid, **1**, 209, 214
stegobinone, **8**, 44, 244
vomifoliol, **8**, 88
- C₁₃H₂₀O₄
drummondol, **8**, 88
salonitenolide, **8**, 308
- C₁₃H₂₀O₆, sylingolide, **1**, 148
- C₁₃H₂₁NO, MPTA, **2**, 338, 343
- C₁₃H₂₁NO₁₀
O-acetyl-*N*-acetylneuraminic acid, **3**, 378
N-acetyl-4-*O*-acetylneuraminic acid, **3**, 378
- C₁₃H₂₁N₃O₄PS, cremat, **1**, 127
- C₁₃H₂₁N₃O₈S, (*S*-D-lactoyl)glutathione, **5**, 67
- C₁₃H₂₂F₃N₂O₄P, phosphoramidite, **7**, 171
- C₁₃H₂₂N₂
1,3-dicyclohexylcarbodiimide, **7**, 112
dicyclohexylcarbodiimide, **6**, 82, **7**, 107
- C₁₃H₂₂N₂O₂, pyrimidine photodimer model, **5**, 378
- C₁₃H₂₂N₂O₁₀, trehazolin, **1**, 152, **3**, 134, 153
- C₁₃H₂₂O
geranylacetone, **8**, 161, 234
5-(1-methylethyl)-8-methyl-6,8-nonadien-2-one, **8**, 235
- C₁₃H₂₂O₂, geranyl propionate, **8**, 306
- C₁₃H₂₂O₃
dehydrodipropylguaicol, **3**, 725
2,3-dihydro-2,3,5-trimethyl-6-(2'-hydroxy-1'-methylbutyl)-4*H*-pyran-4-one, **8**, 244
- C₁₃H₂₂O₄, A factor, **1**, 140, **8**, 380
- C₁₃H₂₃F₃N₃O₃P, phosphoramidite, **7**, 154
- C₁₃H₂₃NO₃S, 3-oxo-7-methyloctanoic acid *N*-acetylcysteamine thioester, **1**, 142
- C₁₃H₂₄ClN₂O₄P, phosphoramidite, **7**, 171
- C₁₃H₂₄N₂O
cuscohygrine, **4**, 27, 30
hygrinic acid, **4**, 30
- C₁₃H₂₄N₂O₃S, acetylpantheine, **2**, 19
- C₁₃H₂₄O
4-tridecenal, **8**, 219
4,6,8-trimethyl-7,9-decadien-5-ol, **8**, 245
- C₁₃H₂₄O₂, 8-tridecenoic acid, **8**, 207
- C₁₃H₂₄O₄
butanolide derivative, **1**, 140
factor **1**, 140
2-(1-hydroxy-6-methylheptyl)-4-hydroxymethylbutanolide, **8**, 592
- C₁₃H₂₄O₅, 6-*O*-butyrylcastanospermine, **3**, 143
- C₁₃H₂₄O₁₁, methyl β-cellobioside, **3**, 546, 570
- C₁₃H₂₅N, monomorphine **I**, **8**, 216
- C₁₃H₂₅NO₈, *N*-(3-deoxy-L-glycero-tetronyl)-D-p-erosamine, **3**, 195
- C₁₃H₂₅NO₁₀, -α-homonojirimycin 7-*O*-β-D-glucopyranoside, **3**, 131
- C₁₃H₂₆
4-tridecene, **8**, 214
5-tridecene, **8**, 216
- C₁₃H₂₆O, 2-tridecanone, **8**, 215, 216
- C₁₃H₂₆O₂, 4,4,10β-trimethyldecal-3β-ol, **2**, 291
- C₁₃H₂₆O₃, 10-propoxydecanoic acid, **4**, 316
- C₁₃H₂₇NO
1-aminotridec-5-en-2-ol, **8**, 545
2-hydroxy-3-tridecenamine, **8**, 545
2-hydroxy-4-tridecenamine, **8**, 545
- C₁₃H₂₇N₃O₁₀, 2,6-diamino-2,6-imino-7-*O*-(β-D-glucopyranosyl)-D-glycero-L-gulo-heptitol, **3**, 153
- C₁₃H₂₈, tridecane, **8**, 214
- C₁₃H₂₈N₃OP, bisphosphoramidite, **7**, 133
- C₁₃H₃₁N₂OP, bis-amidite, **7**, 133
- C₁₄H₆O₈, ellagic acid, **3**, 801, 817
- C₁₄H₈N₂O₆S₂, 5,5'-dithiobis(2-nitrobenzoic acid), **1**, 293, 578, 601, **3**, 378, **5**, 353
- C₁₄H₈O₂, anthraquinone, **1**, 432
- C₁₄H₈O₅S, anthraquinone-2-sulfonate, **5**, 378
- C₁₄H₈Cl₅, DDT, **5**, 401, 411
- C₁₄H₉N₂O₆S, 2-(2,4-dinitrobenzenesulfonyloxymethyl)benzoyl, **7**, 127
- C₁₄H₁₀
anthracene, **7**, 436
phenanthrene, **3**, 375, 377
- C₁₄H₁₀ClNO₄, chloroaristolactam, **7**, 522
- C₁₄H₁₀Cl₂O₄, mollisin, **1**, 3
- C₁₄H₁₀F₃NO₂, flufenamic acid, **5**, 248
- C₁₄H₁₀IN₃O, 5-iodoacetamido-1,10-phenanthroline, **6**, 76
- C₁₄H₁₀O, phenanthrene 9,10-oxide, **5**, 62, 63
- C₁₄H₁₀O₄, diphenic acid, **3**, 801
- C₁₄H₁₀O₆, parasperone A, **1**, 417
- C₁₄H₁₀O₉, digallic acid, **3**, 820
- C₁₄H₁₀O₁₀
dehydrodigallic acid, **3**, 801
hexahydroxydiphenic acid, **3**, 10
- C₁₄H₁₁Cl₂NO₂
diclofenac, **5**, 248
meclofenamate, **5**, 248
- C₁₄H₁₁IO₂S, iodosuprofen, **5**, 232, 248
- C₁₄H₁₁N, *N*-methylacridinium, **5**, 121
- C₁₄H₁₁NO₃, 1,3-dihydroxy-*N*-methylacridone, **1**, 759
- C₁₄H₁₁NO₆, dianthramine, **8**, 191
- C₁₄H₁₁N₃O, 9-aminoacridine-4-carboxamide, **7**, 607
- C₁₄H₁₁O, diphenylacetyl, **7**, 120
- C₁₄H₁₁O₃
methoxyphenoxybenzoyl, **7**, 120
3-methoxy-4-phenoxybenzoyl, **7**, 123
- C₁₄H₁₂, stilbene, **1**, 758
- C₁₄H₁₂N₄O, 5-glycylamido-1,10-phenanthroline, **7**, 185
- C₁₄H₁₂O₂
benzoin, **3**, 395
pinosylvin, **8**, 139
- C₁₄H₁₂O₃
resveratrol, **1**, 752, 757, **8**, 189, 190
4,5',8-trimethylpsoralen, **7**, 96
- C₁₄H₁₂O₄
eriobofuran, **8**, 187
piceatannol, **8**, 189
- C₁₄H₁₂O₅, 9-hydroxyeriobofuran, **8**, 187
- C₁₄H₁₂O₆, YWA1, **1**, 419, 425
- C₁₄H₁₃BrN₄O, aplysinopsin derivative, **8**, 429
- C₁₄H₁₃ClN₂O₅, monomethyl 4-chloroindole-3-acetylaspertate, **8**, 26
- C₁₄H₁₃ClN₂O, *N*-(2-hydroxyethyl)phenazinium chloride, **7**, 161
- C₁₄H₁₃N₃O₄S₂, meloxicam, **5**, 252
- C₁₄H₁₄N₂O, metyrapone, **5**, 419
- C₁₄H₁₄N₂O₂, CC-1065 analogue, **7**, 505
- C₁₄H₁₄N₄O, aplysinopsin derivative, **8**, 429
- C₁₄H₁₄O₂, lunularin, **1**, 765
- C₁₄H₁₄O₃
aucuparin, **8**, 187
demethylsuberosin, **1**, 628, 630
isoaucuparin, **8**, 187
naproxen, **5**, 248

- osthenol, **1**, 628, 630, 631
 7-*O*-prenylumbelliferone, **1**, 630
O-prenylumbelliferone, **1**, 635
 C₁₄H₁₄O₄
 columbianetin, **1**, 628, 631, 633
 2'-hydroxyaucuparin, **8**, 187
 marmesin, **1**, 19, 628, 630, 631
 raphiolepsin, **8**, 187
 C₁₄H₁₄O₅, 3'-hydroxymarmesin, **1**, 633
 C₁₄H₁₄O₆, citreoisocoumarin, **1**, 419, 426
 C₁₄H₁₅BrClNO₆, 5-bromo-4-chloro-3-indolyl- β -D-galactoside, **7**, 646
 C₁₄H₁₅BrN₄O, dihydroaplysinopsin derivative, **8**, 429
 C₁₄H₁₅NO₃, anthosamine B, **8**, 442
 C₁₄H₁₅NO₅, methyl 1-acetylindole-3-glycerate, **8**, 35
 C₁₄H₁₅NO₈, *o*-nitrobenzyl enolpyranose, **1**, 583
 C₁₄H₁₅N₃O, dimethylaminoazobenzene-*N*-oxide, **3**, 412
 C₁₄H₁₅N₃O₂, indolmycin, **1**, 150
 C₁₄H₁₆BrN₃OS, eudestomin derivative, **8**, 525
 C₁₄H₁₆BrN₃O₂S
 eudestomin derivative, **8**, 525
 eudistomin K sulfoxide, **8**, 527
 C₁₄H₁₆NO₃, Belleau's reagent, **2**, 289
 C₁₄H₁₆N₂O₂, phenylalanyl-prolyl-piperazinedione, **4**, 326
 C₁₄H₁₆N₂O₃, oxetane, **5**, 387
 C₁₄H₁₆N₂O₈S₂, dithiobis(*N*-succinimidyl)propionate, **7**, 168
 C₁₄H₁₆N₄O, dihydroaplysinopsin derivative, **8**, 429
 C₁₄H₁₇NO₃, fagaramide, **8**, 304
 C₁₄H₁₇NO₇, dhurrin, **1**, 858
 C₁₄H₁₇N₃O₆, *p*-nitrobenzylcarboxymethylglutamide, **5**, 432
 C₁₄H₁₇N₇, berenil, **7**, 459
 C₁₄H₁₈N₂O₈, 4-nitrophenyl β -*N*-acetylglucosaminide, **3**, 30
 C₁₄H₁₈N₄O₃, trimethoprim, **5**, 349
 C₁₄H₁₈O₂
 dienone, **7**, 508
 pterisin B, **7**, 508
 C₁₄H₁₈O₃
 cyercene 2, **8**, 462
 cyercene 4, **8**, 462
 cyercene B, **8**, 462
 gyrinal, **8**, 234
 C₁₄H₁₈O₄, nor-ABA, **8**, 79
 C₁₄H₁₈O₈, phyllanthurinolactone, **8**, 41
 C₁₄H₁₉BrO₂, deacetylkumausyne, **1**, 303
 C₁₄H₁₉NO₃, ruspolinone, **4**, 30
 C₁₄H₁₉NO₄, anisomycin, **4**, 30
 C₁₄H₁₉NO₆, GalNAcz-phenyl, **3**, 71
 C₁₄H₁₉N₂NaO₄S, penicillin F, **4**, 262, 267
 C₁₄H₁₉N₃O₃S, *N*-hydroxysuccinimide, **7**, 154
 C₁₄H₁₉N₃O₆S, deacetoxycephalosporin C, **1**, 840, 843, **4**, 164, 171
 C₁₄H₁₉N₃O₇S
 deacetylcephalosporin, **4**, 172
 deacetylcephalosporin C, **1**, 840, 844, **4**, 164
 C₁₄H₁₉N₅O₆, *N*-isobutrylguanosine, **6**, 85
 C₁₄H₂₀ClNO₃, 2-*N,N*-dimethylaminoethyl 4-chlorophenoxyacetate, **8**, 35
 C₁₄H₂₀Cl₂N₂OP, bisphosphoramidite, **7**, 133
 C₁₄H₂₀F₅N₂OP, bisphosphoramidite, **7**, 133
 C₁₄H₂₀N₂O₄S, penicillin F, **4**, 162
 C₁₄H₂₀N₂O₅, 5-(1-pentenyl)-2'-deoxyuridine, **7**, 636
 C₁₄H₂₀N₂O₆, uridine derivative, **7**, 376
 C₁₄H₂₀N₄O₄, 1,3-dimethylthymine dimer, **5**, 375
 C₁₄H₂₀N₆O₂, discadenine, **8**, 62
 C₁₄H₂₀N₆O₅S
S-adenosylhomocysteine, **2**, 359, **5**, 215, **8**, 64
S-adenosyl-L-homocysteine, **3**, 647
 C₁₄H₂₀O₃
 gyrinidione, **8**, 234
 gyrinidone, **8**, 234
 C₁₄H₂₀O₁₀, 2,3,4,6-tetra-*O*-acetyl-D-glucose, **3**, 821
 C₁₄H₂₁ClO₃, chloriolin A, **8**, 601
 C₁₄H₂₁N₂NaO₄S, penicillin DF, **4**, 262
 C₁₄H₂₁N₃O₆S
 isopenicillin N, **1**, 840, **4**, 162, 169, 243
 penicillin N, **1**, 840, **4**, 164, 171
 C₁₄H₂₂
 3,5-dimethyl-7-ethyl-2,4,6,8-decatetrene, **8**, 240
 3,5,7-trimethyl-2,4,6,8-undecatetraene, **8**, 240
 C₁₄H₂₂Cl₃N₂OP, bisphosphoramidite, **7**, 133
 C₁₄H₂₂N₂O₆
 piperidinol acetate, **8**, 551
 pseudodistominC acetate, **8**, 550
 uridine derivative, **7**, 401
 C₁₄H₂₂N₂O₁₆P₂
 UDP-apiose, **3**, 505
 UDP-D-apiose, **3**, 508, 517
 UDP-L-arabinose, **3**, 505
 UDP-xylose, **3**, 478, 480, 481, 507, 508, 510, 517, 604, 606, 608, 612
 UDP-D-xylose, **3**, 505, 507
 C₁₄H₂₂N₃O₇P, lysine-pyridoxal 5'-phosphate, **4**, 65
 C₁₄H₂₂N₇O₈PS₂, molybdenum cofactor
 bis(carboxamidomethyl) derivative, **1**, 835
 C₁₄H₂₂O, hernandulcin, **8**, 41
 C₁₄H₂₂OSi
 2-dimethylphenylsilylcyclohexanol, **2**, 317
 (hydroxystyryl)diisopropylsilyl, **7**, 129
 C₁₄H₂₂O₂
 pheromone of *Cryptolestes turcicus*, **8**, 47
 rishitin, **2**, 183, 184
 sclerosporin, **8**, 408
 5,8-tetradecadien-13-olide, **8**, 216
 C₁₄H₂₂O₃, 2,3-dihydro-2-ethyl-3,5-dimethyl-6-(1'-methyl-2'-oxobutyl)-4*H*-pyran-4-one, **8**, 244
serricorone, **8**, 244
 α -serricorone, **8**, 207
 C₁₄H₂₂O₅, triethoxy(dihydroxyphenyl)ethane, **8**, 442
 C₁₄H₂₃ClN₄O₈P₂S, 2-hydroxyethylthiamine
 pyrophosphate, **3**, 370
 C₁₄H₂₃IN₄O₃S, *N*-biotinyl-*N'*-iodoacetylenediamine, **7**, 632
 C₁₄H₂₃NO, spilanthal, **8**, 303
 C₁₄H₂₃N₃O₁₀, diethylenetriaminepentaacetic acid, **7**, 540
 C₁₄H₂₄
 5-ethyl-7-methyl-3,5,7-undecatriene, **8**, 240
 sterpurene, **2**, 172
 C₁₄H₂₄, germacrene B, **8**, 161
 C₁₄H₂₄BrN₂OP, bisphosphoramidite, **7**, 133
 C₁₄H₂₄N₂O₇, spectinomycin, **4**, 200
 C₁₄H₂₄N₃O₃P, bisphosphoramidite, **7**, 133
 C₁₄H₂₄O₂
 echinolone, **8**, 277
 geranyl butanoate, **8**, 223
 japonilure, **8**, 42, 49
 3,5-teradecadienoic acid, **8**, 216
 9,11-tetradecadienoic acid, **8**, 205
 tetradecan-4-olide, **8**, 216
 5-tetradecen-13-olide, **8**, 216
 5-tetradecen-4-olide, **8**, 216
 C₁₄H₂₄O₃
 putaminoxin B, **8**, 181
 serricorole, **8**, 244
 undecadiene-1,2,3-triol 2,3-acetonide, **1**, 310
 C₁₄H₂₄O₄
 blastmycinone, **3**, 312
 CTX-4B derivative, **8**, 502
 C₁₄H₂₅BrHgN₂O₂, piperidine derivative, **8**, 551
 C₁₄H₂₅N
 azaFPP analogue, **5**, 330
 tetradecatrienamine, **8**, 545
 C₁₄H₂₅NO
 pellitorine, **1**, 333, **8**, 293

- C₁₄H₂₅NO₁₀, casuarine 6-glucoside, **3**, 132
- C₁₄H₂₅NO₁₁
N-acetyllactosamine, **3**, 115, 119, 122
 Galβ1-3GlcNAc, **3**, 57
 Galβ1-4GlcNAc, **3**, 57
 lacto-*N*-biose, **3**, 115
- C₁₄H₂₅N₂OP, bisphosphoramidite, **7**, 133
- C₁₄H₂₅N₃O₆S
 ACV, **4**, 178, 226, 230, 235, 321
 ACV tripeptide, **1**, 840
 aminoacidipylcysteinylvaline, **4**, 162, 167, 243, 246
- C₁₄H₂₆N, sesquiterpene FPP analogue, **2**, 160
- C₁₄H₂₆NO₁₄P, GlcNAc-PI, **3**, 301
- C₁₄H₂₆N₂O₂, benzyl carbamate, **8**, 551
- C₁₄H₂₆N₂O₃, piperidinol derivative, **8**, 551
- C₁₄H₂₆O, 7-tetradecen-2-one, **8**, 216
- C₁₄H₂₆O₂
 C14:1, **1**, 340
 7-dodecenyl acetate, **8**, 202
 9-dodecenyl acetate, **8**, 205
 11-dodecenyl acetate, **8**, 205
 9-tetradecenoic acid, **1**, 42, **8**, 207
 11-tetradecenoic acid, **8**, 205
 Δ-7-tetradecenoic acid, **3**, 197
- C₁₄H₂₆O₃, 3-oxotetradecanoic acid, **3**, 196
- C₁₄H₂₆O₄, butanolide derivative, **1**, 140
- C₁₄H₂₆O₇P₂, FPP analogue, **5**, 332
- C₁₄H₂₇N, tetradecadienamine, **8**, 545
- C₁₄H₂₇NO, crucigersterin 225, **8**, 545
- C₁₄H₂₇NO₂, 9-tetradecenyl nitrate, **8**, 207
- C₁₄H₂₇NO₈, 2-*O*-methyl-*N*-(3-deoxy-*L*-glycero-*te* tronyl)-*D*-perosamine, **3**, 195
- C₁₄H₂₇N₅O₂, 5-{4-[*N,N*-bis(3-aminopropyl)amino]butyl}-uridine, **7**, 319
- C₁₄H₂₈, tetradecene, **8**, 216
- C₁₄H₂₈O
 10-methyl-2-tridecanone, **8**, 244
 tetradecanal, **8**, 393
 5-tetradecen-1-ol, **8**, 219
- C₁₄H₂₈O₂
 1,7-dimethylnonyl propanoate, **8**, 246
 myristic acid, **1**, 48, **3**, 220, 304, **8**, 205
 1,3,5,7-tetramethyldecyl formate, **8**, 244
- C₁₄H₂₉NO
N,N-dimethyldodecylamine *N*-oxide, **2**, 312
 dodecyltrimethylamine *N*-oxide, **2**, 311
- C₁₄H₃₀, tetradecane, **8**, 216
- C₁₄H₃₀Cl₃N₃OP, bisphosphoramidite, **7**, 133
- C₁₄H₃₁N, *N,N*-dimethyldodecylamine, **2**, 270
- C₁₄H₃₆N₃OP, bisphosphoramidite, **7**, 133
- C₁₅H₂O, euryfuran, **8**, 462
- C₁₅H₈O₅, coumestrol, **1**, 722, 780, 781, 782, 786, 809, 810, 812, 815
- C₁₅H₈O₇, allyl pyrophosphate, **2**, 38
- C₁₅H₁₀BrN₃, eudistomin A, **8**, 525
- C₁₅H₁₀O₄
 aloesaponarin II, **1**, 484
 chrysophanol, **1**, 429, 458
 daidzein, **1**, 19, 329, 774, 780, 781, 782, 783, 786, 791, 793, 795, 799, 800, 806, 810, 812, 815, **8**, 174
 6-deoxymodin, **1**, 429
 7,4'-dihydroxyflavone, **1**, 794, **8**, 173
 pterocarp-6a-ene, **1**, 810
 rubiadin, **1**, 130
- C₁₅H₁₀O₅
 apigenin, **1**, 724, **8**, 174
 emodin, **1**, 429, 458
 galangin, **1**, 726, 731
 genistein, **1**, 130, 329, 699, 774, 780, 781, 782, 783, 786, 791, 795, 799, 830.0195, 806, 814, **7**, 610, **8**, 174, 175
 2-hydroxydaidzein, **1**, 793
 2'-hydroxydaidzein, **1**, 796
 2',4',7-trihydroxyisoflavone, **1**, 810
 6,7,4'-trihydroxyisoflavone, **1**, 815
- C₁₅H₁₀O₆
 2'-hydroxygenistein, **1**, 795, 800, 806, 807
 kaempferol, **1**, 726, 728, 731, 733, **8**, 163, 174
 luteolin, **1**, 328, 685, 724, **3**, 644, **8**, 173, 174
- C₁₅H₁₀O₇
 6-hydroxykaempferol, **1**, 733
 morin, **1**, 722
 quercetin, **1**, 726, 731, 733, **8**, 160
- C₁₅H₁₀O₈
 gossypetin, **1**, 733, **8**, 160
 myricetin, **1**, 731
 quercetagenin, **1**, 733, **8**, 159
- C₁₅H₁₂O₅, 2'-hydroxydihydrodaidzein, **1**, 796
- C₁₅H₁₁ClO₅, pelargonidin, **1**, 728, 730, 731, **8**, 158
- C₁₅H₁₁ClO₆
 cyanidin, **1**, 728, 730, 731, **8**, 158, 164
 cyanidin 3-glycoside, **8**, 164
- C₁₅H₁₁ClO₇, delphinidin, **1**, 728, 730, 731, **8**, 158, 164
- C₁₅H₁₁D₉O₄, nonadeutero-ABA, **8**, 91
- C₁₅H₁₁I₄NO₄, thyroxine, **5**, 47
- C₁₅H₁₁N, 2-phenylquinoline, **7**, 468
- C₁₅H₁₁N₃, eudestomin, **8**, 525
- C₁₅H₁₁O
 diphenylacryloyl, **7**, 120
 α-phenylcinnamoyl, **7**, 120, 123
- C₁₅H₁₁O₂
 fluorenylmethoxycarbonyl, **7**, 120, 123
 9-fluorenylmethoxycarbonyl, **6**, 84
- C₁₅H₁₁O₃, benzoyloxymethylbenzoyl, **7**, 120
- C₁₅H₁₁O₄NO₄, thyroxine, **2**, 25
- C₁₅H₁₁O₉S, 3,4-dihydroxystyrene dimer, **8**, 442
- C₁₅H₁₂BrN₃, eudestomin derivative, **8**, 525
- C₁₅H₁₂BrN₃O
 eudestomin derivative, **8**, 525
 eudistomin A, **8**, 527
- C₁₅H₁₂O, chalcone, **1**, 758
- C₁₅H₁₂O₃
 6'-deoxychalcone, **1**, 763, 764
 licodione, **1**, 739, 794
- C₁₅H₁₂O₄
 chalcone, **1**, 764
 dihydrodaidzein, **1**, 810
 3,9-dihydroxypterocarpan, **1**, 797, 802, 804
 emodinanthrone, **1**, 431
 isoliquiritigenin, **1**, 732, 781
 liquiritigenin, **1**, 19, 725, 790, 791, 793, **3**, 778
 pinocembrin, **1**, 724, 725, **8**, 181
 pinocembrin chalcone, **1**, 722
 quinone methide, **3**, 754,
 2',4,4'-trihydroxychalcone, **1**, 790, 793, 799
- C₁₅H₁₂O₅
 butein, **1**, 732
 dihydroemodin, **1**, 430
 2'-hydroxydihydrodaidzein, **1**, 797
 naringenin, **1**, 722, 724, 725, 728, 790, 791, 793, 795, **8**, 174
 naringenin chalcone, **1**, 721, 723, 790, 793, 814
 pinobanksin, **1**, 726, 728
 rubrofusarin, **1**, 4, 419
 2',4,4',6'-tetrahydroxychalcone, **1**, 789
 3,6a,9-trihydroxypterocarpan, **1**, 802, 804
- C₁₅H₁₂O₆
 dihydrokaempferol, **1**, 724, 725, 726, 727, 728
 eriodictyol, **1**, 724, 725, 728, 752, **8**, 173, 174
 2-hydroxyflavanone, **1**, 795
 2-hydroxyisoflavanone, **1**, 792
 2-hydroxynaringenin, **1**, 725
 quinone methide, **3**, 758
- C₁₅H₁₂O₇
 dihydroquercetin, **1**, 685, 725, 727, 728, 740, **3**, 750, 760
 3',4',5,5',7-pentahydroxyflavanone, **1**, 724, 725
 7,8,3',4'-tetrahydroxydihydroflavonol, **3**, 750

- C₁₅H₁₂O₈, dihydromyricetin, **1**, 725, 726, 727, 728
 C₁₅H₁₂O₁₄, 3,4-flavandiol, **3**, 756
 C₁₅H₁₃Cl₆NO₄, hexachloronorbornene, **5**, 429
 C₁₅H₁₃FeNO₄, *N*-hydroxysuccinimide ester of ferrocenecarboxylic acid, **7**, 166
 C₁₅H₁₃FO₂, flurbiprofen, **5**, 247, 248
 C₁₅H₁₃NO, *N*-2-acetylaminofluorene, **3**, 116
 C₁₅H₁₃NO₃, 2-methoxycarbazole-3-methylcarboxylate, **4**, 54
 C₁₅H₁₃N₃, eudestomin derivative, **8**, 525
 C₁₅H₁₃N₃O, eudestomin derivative, **8**, 525
 C₁₅H₁₃N₃O₄S, piroxicam, **5**, 248, 252
 C₁₅H₁₄BrN₄, lissoclinC, **8**, 541
 C₁₅H₁₄ClNO₃, zomepirac, **5**, 252
 C₁₅H₁₄O₃, equol, **1**, 699, 782, 783, 815
 C₁₅H₁₄O₄
 deoxyafzelechin, **1**, 730
 guibourtacin ion, **3**, 754
 lunularic acid, **1**, 765, **8**, 73
 wyerone, **8**, 189
 C₁₅H₁₄O₅
 afzelechin, **1**, 730
 apiforol, **1**, 728
 5-deoxyflavan-3,4-diol, **3**, 753
 5,7-dihydroxyflavan-3,4-diol, **1**, 730
 flavan-3,4-diol, **3**, 753
 3,4-flavandiol, **3**, 755
 guibourtacin, **3**, 754
 leucorobinetinidin carbocation, **3**, 754
 7-methoxyeribofuran, **8**, 187
 mollisacacin analogue, **3**, 754
 C₁₅H₁₄O₆
 aflatoxin B₃, **1**, 444
 catechin, **1**, 717, 729, **3**, 748, 752, 756, 758
 catechin carbocation, **3**, 758
 catechol, **3**, 408
 α -cotonefuran, **8**, 187
 β -cotonefuran, **8**, 187
 δ -cotonefuran, **8**, 187
 ϵ -cotonefuran, **8**, 187
 τ -cotonefuran, **8**, 187
 5-deoxyflavan-3,4-diol, **3**, 753
 2,8-dihydroxy-3,4,7-trimethoxydibenzofuran, **8**, 187
 epicatechin, **1**, 730, **3**, 748, 752
 flanar-3-ol, **3**, 758
 fonsecin, **1**, 419
 leucopelargonidin, **1**, 730, **3**, 753
 leucorobinetinidin carbocation, **3**, 754
 luteoforol, **1**, 728
 mollisacacin, **3**, 754, 755
 parasitol, **1**, 444
 τ -pyrufuran, **8**, 187
 α -pyrufuran, **8**, 187
 β -pyrufuran, **8**, 187
 teracacin, **3**, 753, 755
 C₁₅H₁₄O₇
 catechin-4 α -ol, **3**, 750
 5-deoxyflavan-3,4-diol, **3**, 753
 epigallocatechin, **1**, 730
 flavan-3,4-diol, **3**, 753, 757, 758
 gallocatechin, **1**, 729, **3**, 752
 6-hydroxy- α -pyrufuran, **8**, 187
 leucocyanidin, **1**, 727, 729, 730, **3**, 753, 755, 756, 760
 leucorobinetinidin, **3**, 753, 754
 leucorobinetinidin carbocation, **3**, 754
 melacacin, **3**, 753
 C₁₅H₁₄O₈
 flavan-3,4-diol, **3**, 753
 leucodelphinidin, **1**, 727, 729, 730, **3**, 753
 C₁₅H₁₅ClN₂O₆, 4-*O*-(4-chlorophenyl)uridine, **6**, 94
 C₁₅H₁₅NO, navenone A, **8**, 465
 C₁₅H₁₅NO₂, mefenamic acid, **5**, 248
 C₁₅H₁₅NO₃, ismine, **4**, 44
 C₁₅H₁₆BrN₃O₂S, eudistomidin C, **8**, 527
 C₁₅H₁₆NO₄S, 2-danylethoxycarbonyl, **7**, 127
 C₁₅H₁₆N₂O₆S₂, ticarcillin, **4**, 268
 C₁₅H₁₆N₄O₂, phenazine *N*-oxide, **7**, 533
 C₁₅H₁₆O₂S, α -(2-naphthylmethylsulfido)isobutyric acid, **8**, 36
 C₁₅H₁₆O₃, gerberacoumarin, **1**, 625
 C₁₅H₁₆O₄
 cyperine, **8**, 180
 8-deoxylactucin, **8**, 142
 2'-methoxyaucuparin, **8**, 187
 4'-methoxyaucuparin, **8**, 187
 C₁₅H₁₆O₅
 lactucin, **8**, 142
 pentalenolactone, **2**, 168, 171, 373
 pentalenolactone A, **2**, 172
 pentalenolactone B, **2**, 172
 pentalenolactone P, **2**, 172
 C₁₅H₁₆O₉, sinapoyl malonate, **3**, 642
 C₁₅H₁₇BrN₂, arborescidine A, **8**, 528
 C₁₅H₁₇Br₂ClO₂, obtusallene, **1**, 304
 C₁₅H₁₇F₃O₄, 8',8',8'-trifluoro-ABA, **8**, 91
 C₁₅H₁₇NO₃, norbelladine, **4**, 43
 C₁₅H₁₇NO₇
 4-*O*-(indole-3-acetyl)-glucopyranose, **8**, 26
 6-*O*-(indole-3-acetyl)-glucopyranose, **8**, 26
 2-*O*-(indole-3-acetyl)-*myo*-inositol, **8**, 26
 1-(indole-3-acetyl)-*myo*-inositol, **8**, 26
 C₁₅H₁₇N₃O₆
 FR900482, **7**, 514, 518
 5-pyridylmethyluridine, **6**, 225
 C₁₅H₁₈, 1(14),2,5(15),6-germacratetraene, **8**, 228
 C₁₅H₁₈F₂O₄
 7'-difluoro-ABA, **8**, 79
 8',8'-difluoro-ABA, **8**, 91
 C₁₅H₁₈N₂O₆, *C*-5-(1-propynyl)-2'-*O*-allyluridine, **7**, 317
 C₁₅H₁₈N₂O₉, tri-*O*-acetyluridine, **7**, 117
 C₁₅H₁₈N₄O₄
 cyclopropyl thymine photodimer, **5**, 380
 thymine photodimer, **5**, 380
 C₁₅H₁₈N₄O₅, mitomycin C, **7**, 514, 529
 C₁₅H₁₈O₂, 2,7-dihydroxycadalene, **2**, 186, 188
 C₁₅H₁₈O₂S, 2-(acetoxypheyl)hept-2-ynyl sulfide, **5**, 253
 C₁₅H₁₈O₃
 ABA γ -lactone, **8**, 74
 acetylenic aldehyde, **8**, 77
 8-epixanthatin, **1**, 375
 lacinilene C, **2**, 186, 188
 α -santonin, **8**, 308
 xanthipungolide, **1**, 375
 xerantholide, **8**, 308
 C₁₅H₁₈O₄
 bipolaroxin, **8**, 179
 5' β ,9'-cyclo-ABA, **8**, 81
 grossheimin, **8**, 308
 helenalin, **7**, 503
 parthenin, **8**, 142
 C₁₅H₁₈O₅
 chrysartemin A, **8**, 308
 zinnolide, **8**, 179
 C₁₅H₁₈O₆, rifamycin analogue, **1**, 528
 C₁₅H₁₈O₇
 bilobalide, **8**, 310, 308
 rifamycin analogue, **1**, 528
 C₁₅H₁₈O₈
 p-coumaric acid D-glucose, **3**, 640
 2'-hydroxycinnamic acid 2'-*O*-glucoside, **1**, 627
 C₁₅H₁₉Br₂ClO
 dactylone, **1**, 303
 isodactylone, **1**, 303
 C₁₅H₁₉Br₃O₃, obtusin, **1**, 303
 C₁₅H₁₉FO₃, 1'-deoxy-1'-fluoro-ABA, **8**, 77

- C₁₅H₁₉FO₄
 3'-fluoro-ABA, **8**, 91
 8'-monofluoro-ABA, **8**, 90
- C₁₅H₁₉FO₅
 3'-fluoro-8'-hydroxy-ABA, **8**, 91
 fluorophaseic acid, **8**, 91
- C₁₅H₁₉NO, paliclavine, **4**, 53
- C₁₅H₁₉NO₆, rifamycin B tetraketide intermediate, **1**, 527
- C₁₅H₁₉N₃O₅, C-5-(1-propynyl)-2'-O-allylcytosine, **7**, 322
- C₁₅H₁₉N₃O₆
 FR66969, **7**, 518
 FR66979, **7**, 514
- C₁₅H₁₉N₄O₄
 cyclopropyl thymine photodimer, **5**, 380
 methylcyclopropyl thymine photodimer, **5**, 380
- C₁₅H₁₉N₅O₃, cyclo-(Arg-dehydrotyrosine), **8**, 442
- C₁₅H₂₀
 laurencenyne, **1**, 304
 1-pentadecene, **8**, 216
- C₁₅H₂₀BrClO
 isolaurepinnacin, **1**, 303
 obtuseneyne, **1**, 304
- C₁₅H₂₀BrClO₂
 dactomelyne, **1**, 303
 notoryne, **1**, 312
- C₁₅H₂₀Br₂O₂
 bromo allene, **1**, 314
 bromo oxolane, **1**, 314, 317
 isolaurallene, **1**, 304
 isolaureatin, **1**, 304
 isoprelaurefucin, **1**, 303
 kumausallene, **1**, 303
 laurallene, **1**, 304
 laureatin, **1**, 304
 laureepoxide, **1**, 303
 laureoxanyne, **1**, 303
- C₁₅H₂₀ClN₃O₄, Ro 15-0216, **7**, 609
- C₁₅H₂₀N₂O
 anagryne, **8**, 147, 154, 176
 tambjamineC, **8**, 472
- C₁₅H₂₀N₃O₄, fusarochromanone, **8**, 178
- C₁₅H₂₀N₄O₈S, O-carbamoyl-DAC, **4**, 164, 172
- C₁₅H₂₀O, pheromone of *Periplaneta americana*, **8**, 2
- C₁₅H₂₀O₂
 alantolactone, **8**, 308
 isopreplanone-A, **8**, 40
 periplanone A, **8**, 41, 49, 227
 pinguione, **8**, 312
- C₁₅H₂₀O₃
 ABA-aldehyde, **8**, 72, 86
 ABA 1'-aldehyde, **8**, 77
 cichoralexin, **8**, 189
 cyercene 3, **8**, 462
 cyercene 5, **8**, 462
 1'-deoxy-ABA, **8**, 77, 87
 muzigadial, **8**, 308
 periplanone B, **8**, 227
 quadrone, **2**, 174
 sporogen-AO 1, **2**, 177, **8**, 408
 terrecyclic acid, **2**, 174
- C₁₅H₂₀O₄
 absicic acid, **1**, 126, 133, 781, **2**, 62, 327, **4**, 46, **8**, 21, 22, 72, 119
 coronopilin, **8**, 308
 dehydroalliacolide, **2**, 177
 phomenone, **8**, 179
- C₁₅H₂₀O₅
 7'-hydroxy-ABA, **8**, 90
 8'-hydroxy-ABA, **8**, 89
 phaseic acid, **8**, 73, 89
- C₁₅H₂₀O₆, T-2 toxin, **2**, 203
- C₁₅H₂₀O₇
 p-coumaryl alcohol glucoside, **3**, 676
 nivalenol, **2**, 158
 phyllanthurinolactone, **8**, 37
- C₁₅H₂₀O₈
 2'-acetylsalicin, **8**, 155
 anisatin, **8**, 167
- C₁₅H₂₁BrO₂
 deacetylauricin, **1**, 303
 oxetane, **1**, 316
 oxolane, **1**, 316
 prelaureatin, **1**, 304, 317
- C₁₅H₂₁BrO₃
 laurefucin, **1**, 303
 laureoxolane, **1**, 303
- C₁₅H₂₁NO₃, acetamidobenzylhydroxyhexanone, **5**, 439
- C₁₅H₂₁NO₃S, diketide, **1**, 517
- C₁₅H₂₁NO₆, GalNAc α -benzyl, **3**, 71
- C₁₅H₂₁N₃O, primaquine, **3**, 92
- C₁₅H₂₁N₃O₁₁, TTX-8-O-hemisuccinate, **8**, 484
- C₁₅H₂₁N₄Ni, NiCR, **7**, 89
- C₁₅H₂₁N₄O₁₆P₃, 5-imidazole uridine, **6**, 139
- C₁₅H₂₁N₅O₄, ipA ribotide, **8**, 69
- C₁₅H₂₁N₅O₅, 9-riboxylzeatin, **8**, 61
- C₁₅H₂₁N₅O₇S, cylindrospermopsin, **8**, 611
- C₁₅H₂₁O₃, periplanone-B, **8**, 2
- C₁₅H₂₂
 cuparene, **2**, 163
 neolaurencenyne, **1**, 304
- C₁₅H₂₂N₂O₂, 13 α -hydroxymultiflorine, **4**, 35
- C₁₅H₂₂N₂O₁₆P₂, UDP-4-keto-6-deoxy-D-glucose, **3**, 508
- C₁₅H₂₂N₂O₁₈P₂
 UDP-galacturonic acid, **3**, 512
 UDP-D-galacturonic acid, **3**, 505, 507
 UDP-glucuronic acid, **3**, 468, 479, 507, 508, 518, 608, 610, 612
 UDP-D-glucuronic acid, **3**, 505, 506, 606
- C₁₅H₂₂N₆O₅S
 adenosylmethionine, **5**, 165, 185
 S-adenosylmethionine, **1**, 62, 332, 423, 827, 831, 848, **2**, 359, **3**, 543, 643, **4**, 98, 335, **5**, 207, 217, 316, **8**, 94, 394
 S-adenosyl-L-methionine, **3**, 342
- C₁₅H₂₂N₆O₁₁P, guanidine derivatives, **7**, 419
- C₁₅H₂₂O
 dendrolasin, **8**, 229
 isolavetivone, **2**, 183
 isoperiplanol-A, **8**, 48
 nootkatone, **8**, 165
 periplanone D, **8**, 228
- C₁₅H₂₂O₂
 ancistrofuran, **8**, 229, 234
 bakkenolide A, **8**, 308
 12,13-epoxytrichothec-9-ene, **2**, 164
 EPT, **2**, 164
 α -ionylideneacetic acid, **8**, 33
 laurediol, **1**, 304, 310, 316, 319
 polygodial, **8**, 308, 462, 466
- C₁₅H₂₂O₃
 ABA-alcohol, **8**, 86
 ABA 1'-alcohol, **8**, 77
 9,10;12,13-diepoxytrichothecodiene, **2**, 164
 dihydroterrecyclic acid, **2**, 175
 1',2'-epoxy- β -ionylideneacetic acid, **8**, 86
 gemfibrozil, **2**, 259
 4'-hydroxy- α -ionylideneacetic acid, **8**, 87
 4'-hydroxy- β -ionylideneacetic acid, **8**, 86
 4'-hydroxy- γ -ionylideneacetic acid, **8**, 87
 ipomeamarone, **2**, 191
 pentalenic acid, **2**, 168, 171
 tricyclic sesquiterpene, **2**, 172
 warburganal, **8**, 308
 xanthoxin, **8**, 72
- C₁₅H₂₂O₄
 ABA diol, **8**, 86, 87

- alliacolide, **2**, 176
 apo-9'-fucoxanthinone, **8**, 628
 2',3'-dihydro-ABA, **8**, 79
 1',4'-dihydroxy-γ-ionylideneacetic acid, **8**, 87
 sambucinol, **2**, 203
 xanthoxin acid, **8**, 87
 C₁₅H₂₂O₅
 dihydrophaseic acid, **8**, 74, 89
 ovalicin, **2**, 165
 C₁₅H₂₂O₆, 5'-hydroxydihydrophaseic acid, **8**, 89
 C₁₅H₂₂O₉, aucubin, **8**, 152, 155, 307
 C₁₅H₂₂O₁₀, catalpol, **8**, 155, 162, 307
 C₁₅H₂₃ClO₃S, 2,4,6-triisopropylbenzenesulfonyl chloride, **7**, 107
 C₁₅H₂₃N, polygodial pyrrole derivative, **8**, 466
 C₁₅H₂₃NO₂, acetone, **1**, 310
 C₁₅H₂₃NO₃, castoramin, **8**, 229
 C₁₅H₂₃NO₄, cycloheximide, **1**, 129, **8**, 97
 C₁₅H₂₃N₃O, lysylphenylalanine, **7**, 464
 C₁₅H₂₃N₃O₁₄P₂
 CDP-3,6-dideoxy-D-glycero-D-glycero-4-hexulose, **3**, 336, 341
 CDP-3,6-dideoxy-D-glycero-L-glycero-4-hexulose, **3**, 336
 CDP-4-keto-3,6-dideoxyglucose, **3**, 208, 209
 C₁₅H₂₃N₃O₁₅P₂
 CDP-6-deoxy-L-threo-D-glycero-4-hexulose, **3**, 336, 349
 CDP-4-keto-6-deoxyglucose, **3**, 336
 C₁₅H₂₃N₃O₁₆P₂, CDP-D-glucose, **3**, 336
 C₁₅H₂₃N₃O₄, N₆-isopentenyladenosine, **4**, 361
 C₁₅H₂₃N₃O₄P, 9-riboxyl-ipA 5'-phosphate, **8**, 62
 C₁₅H₂₃N₃O₁₁P₂, 9-riboxylzeatin 5'-phosphate, **8**, 61
 C₁₅H₂₄
 5-*epi*-aristolochene, **2**, 181
 aristolochene, **2**, 5, 177, 194, 196, 202, 205
 bergamotene, **2**, 165
 bisabolene, **2**, 164
 α-bisabolene, **2**, 162, **8**, 228
 β-bisabolene, **2**, 162
 α-bulnesene, **2**, 184
 cadinene, **2**, 177
 δ-cadinene, **2**, 186
 caryophyllene, **2**, 167
 α-cedrene, **2**, 191
 cubenene, **2**, 191
 α-cubebene, **8**, 228
 cuprenene, **2**, 162
 erythrodienene, **8**, 470
 7-ethyl-3,5-dimethyl-2,4,6,8-undecatetraene, **8**, 240
 eudesmane, **2**, 5
 farnesene, **8**, 269
 β-farnesene, **2**, 162, **8**, 144, 227
 germacrene A, **2**, 5, 177, 179, 183, **2**, 186, 180, **8**, 227
 α-guaiene, **2**, 184
 humulene, **2**, 167, 196
 β-humulene, **8**, 144
 isochamigrene, **2**, 162
 τ-murolene, **8**, 144
 patchoulene, **2**, 184
 pentalenene, **2**, 168, 169
 β-selinene, **2**, 185
 terpenoid, **8**, 438
 α-terrecyclene, **2**, 176
 trichodienene, **2**, 158, 193, 202, 212
 zingiberene, **8**, 142
 C₁₅H₂₄N₂O
 lupanine, **8**, 176
 matrine, **4**, 33
 C₁₅H₂₄N₂O₂, 13α-hydroxylupanine, **4**, 35
 C₁₅H₂₄N₂O₄S, penicillinH, **4**, 262
 C₁₅H₂₄N₂O₁₆P₂
 UDP-rhamnose, **3**, 333
 UDP-L-rhamnose, **3**, 505, 508
 C₁₅H₂₄N₂O₁₇P₂
 UDP-galactose, **3**, 174, 203, 288, 468, 478, 510, 515, 521
 UDP-D-galactose, **3**, 505, 508
 UDP-α-galactose, **3**, 109
 UDP-glucose, **3**, 7, 174, 203, 225, 333, 444, 445, 452, 467, 468, 478, 479, 480, 482, 483, 487, 506, 508, 581, 603, 608, 612, 805
 UDP-D-glucose, **3**, 508, **5**, 280
 C₁₅H₂₄N₂O₁₇P₂, UDP-mannose, **3**, 478
 C₁₅H₂₄N₃O₃
 4'-demethylamphikuemin, **8**, 429
 N-demethylamphikuemin, **8**, 429
 C₁₅H₂₄N₃O₁₅P₂, CDP-fucose, **3**, 336
 C₁₅H₂₄N₃O₁₆P₂, CDP-D-glucose, **3**, 337
 C₁₅H₂₄N₆O₁₅P₂, 8-azido-ADPGlc, **3**, 448
 C₁₅H₂₄O
 acanthodoral, **2**, 192
 caryophyllene epoxide, **8**, 142
 caryophyllene α-oxide, **8**, 312
 caryophyllene oxide, **8**, 228, 312
 l-deoxycapsidiol, **2**, 182
 farnesal, **8**, 227, 267
 15-hydroxytrichodienene, **2**, 212, 213
 α-ionylideneethanol, **8**, 87
 isoacanthodoral, **2**, 192
 nanimoal, **2**, 192
 nomadone, **8**, 227
 C₁₅H₂₄O₂
 capsidiol, **2**, 1, 179, 182, 212
 12,13-dihydrolaurediol, **1**, 304
 12,13-epoxy-9,10-trichoene-2-ol, **2**, 164, 181
 sesquiterpene, **8**, 466
 sesquiterpene dialdehyde, **8**, 466
 sesquiterpene peroxide, **8**, 439
 supellapyrone, **8**, 241
 2,4,5-tetradecatrienoate, **8**, 216
 C₁₅H₂₄O₃
 β-alkoxy aldehyde, **1**, 310
 isotrichodiol, **2**, 164
 phomodiol, **1**, 370
 9β-trichodiol, **2**, 164
 tricyclic sesquiterpene, **2**, 172
 C₁₅H₂₄O₄, isotrichotriol, **2**, 164
 C₁₅H₂₅
 eudesmane cation, **2**, 183, 185
 eudesmane intermediate, **2**, 181
 helminthogermacradienyl cation, **2**, 187
 C₁₅H₂₅F₃O₃P₂, trifluoro-FPP, **5**, 332
 C₁₅H₂₅NS, sesquiterpene, **8**, 439
 C₁₅N₂₅NO₃
 echinatine, **4**, 31
 rinderine, **4**, 31
 C₁₅H₂₅N₃O₁₄P₂
 CDP-abequose, **3**, 336
 CDP-D-abequose, **3**, 347
 CDP-ascarylose, **3**, 336
 CDP-L-ascarylose, **3**, 336
 CDP-paratose, **3**, 347
 CDP-tyvelose, **3**, 347
 C₁₅H₂₅N₃O₁₅P₂
 CDP-6-deoxy-D-glucose, **3**, 209
 C₁₅H₂₅N₃O₁₆P₂, CDP-glucose, **3**, 452, 478, 481
 C₁₅H₂₅N₄O₅P, bisphosphoramidite, **7**, 133
 C₁₅H₂₆
 betispiradiene, **2**, 183
 δ-cadinene, **8**, 228
 6,7-dihydrogermacrene, **2**, 180
 2,6,10-trimethyldodecatriene, **2**, 355
 vetispiradiene, **2**, 194
 C₁₅H₂₆F₂O₇P₂, difluoro-FPP, **5**, 332
 C₁₅H₂₆N₂, sparteine, **4**, 33
 C₁₅H₂₆N₄O₈, Ala-Glu-*m*-DAP, **3**, 271

- C₁₅H₂₆O
 α-bisabolene oxide, **8**, 228
 α-bisabolol, **2**, 355
 cadinol, **8**, 228,
 caparrapioxiol, **8**, 229
 caparrapi oxide, **8**, 234
 drimenol, **8**, 308
 epicubenol, **2**, 189
 farnesol, **2**, **8**, 156, 310, 355, **8**, 161, 227, 267
 lubimin, **2**, 179, 183
 nerolidol, **2**, 355, **8**, 227
 patchoulol, **2**, 184
 pheromone of *Matsucoccus feytaudi*, **8**, 47
trichothecene, **2**, 163
 3,7,9-trimethyl-8,10-dodecadien-6-one, **8**, 244
 C₁₅H₂₆O₂, hydroxylubimin, **2**, 183
 C₁₅H₂₆O₃, trichothecolone, **2**, 164
 C₁₅H₂₆O₄, dihydroxyfarnesoic acid, **8**, 274
 C₁₅H₂₆O₆
 isotrichermol, **2**, 164
 tributyrin, **5**, 134
 C₁₅H₂₇BrO₃
 hexahydrolaurefucin, **1**, 312
 laurediol, **1**, 312
 C₁₅H₂₇CoN₅O₄,
 anilinomethylbis(dimethylglyoxime)cobalt, **5**, 266
 C₁₅H₂₇FO₂P₂, fluoro-FPP, **2**, 160, **5**, 332
 C₁₅H₂₇N, farnesylamine, **5**, 333
 C₁₅H₂₇NO₄, viridiflorine, **4**, 31
 C₁₅H₂₇N₂OP, bisphosphoramidite, **7**, 133
 C₁₅H₂₈N₂, *N*-(1-*n*-dodecyl)-imidazole, **2**, 292
 C₁₅H₂₈N₂O₂
 caprolactin A, **8**, 595
 caprolactin B, **8**, 595
 C₁₅H₂₈N₄O₆, Ro 15-0216, **7**, 603
 C₁₅H₂₈N₈O, sperminhypoxanthine, **7**, 326
 C₁₅H₂₈O
 dihydrofarnesol, **2**, 161
 2,3-dihydrofarnesol, **8**, 227, 229
 dihydronerolidol, **2**, 161
 6,9-pentadecadienol, **1**, 101
 C₁₅H₂₈O₂
 7-dodecenyl propanoate, **8**, 207
 1-methyl-9-dodecenyl acetate, **8**, 215
 2-methylethyl dodecenoate, **8**, 215
 moth sex pheromone, **8**, 209
 10-pentadecenoic acid, **8**, 207
 5-tetradecenoate, **8**, 216,
 8-tridecenyl acetate, **8**, 207
 3,7,11-trimethyl-2,10-dodecadien-1,7-diol, **8**, 227
 C₁₅H₂₈O₃, 7-methoxytetradec-4enoic acid, **8**, 607
 C₁₅H₂₈O₇P₂
 farnesyl diphosphate, **2**, **7**, **8**, **9**, 38, 46, 62, 70, 74, 118,
 156, 196, 201, 246, 313, 331, 340, 358, 380, 389, 392,
 3, 262, **5**, 318
 nerolidyl diphosphate, **2**, **8**, 157, 159, 187, 193, **5**, 329
 C₁₅H₂₉BrO₂
 bromo ether, **1**, 308, 310
 oxolane, **1**, 318
 C₁₅H₂₉F₆N₂OP, bisphosphoramidite, **7**, 133
 C₁₅H₂₉N, monomorine III, **8**, 216
 C₁₅H₃₀, 1-pentadecene, **8**, 217
 C₁₅H₃₀F₃N₂O₃P, phosphoramidite, **7**, 154
 C₁₅H₃₀N₆O, *C*-5-methyl-*C*-*N*-4-spermine cytosine, **7**, 322
 C₁₅H₃₀O, 2-pentadecanone, **8**, 216
 C₁₅H₃₀O₂
 1-methyldodecyl acetate, **8**, 215
 10-methyldodecyl acetate, **8**, 246
 2-methylethyl dodecanoate, **8**, 215
 nerolidol derivative, **8**, 227
 pentadecanoic acid, **1**, 48
 9-pentadecene-6,7-diol, **1**, 307, 318
 12-pentadecene-6,7-diol, **1**, 308
 pheromone of *Adoxophyes* sp., **8**, 48
 C₁₅H₃₀O₃
 3-hydroxy-13-methyltetradecanoic acid, **4**, 208
 3,7,11-trimethyl-2-dodecen-1,7,11-triol, **8**, 227
 C₁₅H₃₀O₇P₂
 6,7-dihydrofarnesyl diphosphate, **2**, 160, 180, **5**, 329
 6,7-dihydro-NPP, **2**, 161
 C₁₅H₃₀O₁₀,
 3,6-dideoxy-4-*C*-(1,3-dimethoxy-4,5,6,7-
 tetrahydroxyheptyl)-*D*-xylo-hexose, **3**, 312
 C₁₅H₃₂, pentadecane, **8**, 216
 C₁₅H₃₂N₃OP, bisphosphoramidite, **7**, 133
 C₁₅H₃₂O, 1,2,6-trimethyldodecanol, **8**, 247
 C₁₅H₃₃N₂OP, bisphosphoramidite, **7**, 133
 C₁₅H₃₃N₈O₉PS, phaseolotoxin, **4**, 203
 C₁₅H₃₄BrN, dodecyltrimethylammonium bromide, **2**, 311
 C₁₅H₃₅N₂O₃PS, bisphosphoramidite, **7**, 133
 C₁₅H₄₀O₂, lardolure, **8**, 40, 209
 C₁₅H₂₅NS, sesquiterpene, **8**, 439
 C₁₅O₂₄, trichodiene, **2**, 203
 C₁₆C₂₅N, sesquiterpene, **8**, 439
 C₁₆H₁₀
 biphenyl, **6**, 118
 pyrene, **7**, 49
 C₁₆H₁₀N₂O₂
N-9-acridinylmaleimide, **7**, 167
 indigo, **4**, 211
 C₁₆H₁₀O₅
 9-*O*-methylcoumestrol, **1**, 810
 pseudobaptigenin, **1**, 802
 C₁₆H₁₀O₅, 5-hydroxy-6,7-methylenedioxyflavone, **8**, 175
 C₁₆H₁₀O₆
 DMAC, **1**, 484
 hydroxypseudobaptigenin, **1**, 682
 2'-hydroxypseudobaptigenin, **1**, 665, 796
 5'-hydroxypseudobaptigenin, **1**, 802
 C₁₆H₁₁F₃O, 2,2,2-trifluoro-1-(9-anthryl)ethanol, **8**, 270
 C₁₆H₁₁NO₄, avenalumin, **8**, 189
 C₁₆H₁₂ClNO₃, benoxaprofen, **1**, 294
 C₁₆H₁₂Cl₂O₇, desmethyldihydrogeodin, **1**, 435
 C₁₆H₁₂N₄O
 xestomanzamine A, **8**, 558
 xestomanzamine B, **8**, 558
 C₁₆H₁₂O₄
 (dihydroxyphenyl)dihydroxynaphthalene, **8**, 442
 formononetin, **1**, 774, 780, 782, 786, 795, 799, 802, 808,
 809, 810, 812
 isoformononetin, **1**, 799
 7-methoxy-4'-hydroxyflavone, **8**, 17
 C₁₆H₁₂O₅
 3-aryl coumarin, **1**, 786
 biochanin A, **1**, 780, 783, 791, 795, 799, 808, 813, **8**, 175
 calycosin, **1**, 795, 802
 7,4'-dihydroxy-3'-methoxyflavone, **8**, 173
 7,2'-dihydroxy-4'-methoxyisoflav-3-en-2-one, **1**, 810
 6,7-dihydroxy-4'-methoxyisoflavone, **1**, 809
 glycitein, **1**, 806, 815
 2'-hydroxyformononetin, **1**, 795, 796
 maackiain, **1**, 786, 795, 796, 797, 802, 803, 808, 814, **8**,
 192, 193
 5-*O*-methylgenistein, **1**, 800
 prunetin, **1**, 799, **8**, 175
 questin, **1**, 433
 vestitione, **1**, 795, 796
 vestitone, **1**, 797, 798
 xenognisin B, **8**, 175
 C₁₆H₁₂O₆
 chrysoeriol, **3**, 644
 2'-hydroxybiochanin A, **1**, 795
 6a-hydroxymaackiain, **1**, 786, 800, 803, **8**, 192, 193
 1a-hydroxypteroicarp-1,4-dien-3-one, **1**, 814
 kalafungin, **1**, 478
 pratensin, **1**, 795, 802, 809

- sophorol, **1**, 665, 796, 803
 C₁₆H₁₂O₇, tamarixetin, **1**, 740
 C₁₆H₁₂O₈, patuletin, **1**, 740
 C₁₆H₁₂O₁₂S₂, 3,4-dihydroxystyrene dimer, **8**, 442
 C₁₆H₁₃ClO₆, peonidin, **8**, 158
 C₁₆H₁₃ClO₇, petunidin, **8**, 159, 164
 C₁₆H₁₃F₂NO₃S₂, L-745,337, **5**, 252
 C₁₆H₁₃F₂NO₃S, flosulide, **5**, 252
 C₁₆H₁₃NO₇, 5-(3-carboxypropanamide)xanthotoxin, **3**, 647
 C₁₆H₁₃O₉P, glucose-1-phosphate, **3**, 448
 C₁₆H₁₄ClN₃O₃, dibenzoxazepine derivative, **1**, 192
 C₁₆H₁₄O₄
 7,2'-dihydroxy-4'-methoxyisoflav-3-ene, **1**, 810
 isoflav-3-ene, **1**, 786
 medicarpin, **1**, 774, 777, 780, 786, 795, 796, 797, 798, 799, 802, 807, 808, 809, 812
 C₁₆H₁₄O₅
 2'-hydroxyisoflavan, **1**, 814
 4-methoxychalcone, **1**, 385
 sakuranetin, **1**, 131, **8**, 181, 189
 C₁₆H₁₄O₆
 hesperitin, **8**, 174
 mopanol, **3**, 754
 mutactin, **1**, 484
 peltogynol, **3**, 754
 C₁₆H₁₄O₇
 desmethysulochrin, **1**, 434, 435
 SEK4, **1**, 484, 488
 SEK4b, **1**, 484, 488
 SEK34, **1**, 484
 C₁₆H₁₅BrN₂O, eudistalbin B, **8**, 528
 C₁₆H₁₅ClN₄O₅, 6-*O*-(4-chlorophenyl)inosine, **6**, 94
 C₁₆H₁₅ClO₆, griseofulvin, **1**, 437
 C₁₆H₁₅NO₄, *N*-benzoylphenylisoserine, **2**, 222
 C₁₆H₁₆BrN₃OS
 eudistomidin D, **8**, 527
 eudistomidin F, **8**, 527
 C₁₆H₁₆BrN₃O₂S, eudistomidinE, **8**, 527
 C₁₆H₁₆N₃O₁₁P, uridine 3'-(*p*-nitrophenyl phosphate), **6**, 95
 C₁₆H₁₆N₄O₄S, 5-aminodansyluridine, **7**, 316
 C₁₆H₁₆O₃, isopropylidihydrofuranocoumarin, **1**, 19
 C₁₆H₁₆O₃, xenognisin A, **8**, 175
 C₁₆H₁₆O₄
 anisoin, **3**, 395
 dimethoxybenzoin, **7**, 129
 vestitol, **1**, 774, 786, 812
 C₁₆H₁₆O₅
 7,2'-dihydroxy-4'-methoxyisoflavanol, **1**, 797
 shikonin, **4**, 48
 C₁₆H₁₆O₇, 6-methoxy- α -pyrufuran, **8**, 187
 C₁₆H₁₆O₈, 7-hydroxy-6-methoxy- α -pyrufuran, **8**, 187
 C₁₆H₁₇BrN₂, arborescidine B, **8**, 528
 C₁₆H₁₇KN₂O₄S, penicillin, **1**, 466, **3**, 266, 283
 C₁₆H₁₇NO₃
 crinine, **4**, 43
 norcoclaurine, **4**, 39, 41
 C₁₆H₁₇N₂NaO₄S, penicillin, **4**, 197, 199, 200, 201
 C₁₆H₁₇N₃O₄, anthramycin, **1**, 566, **7**, 497
 C₁₆H₁₇N₃O₄S, cephalixin, **4**, 180
 C₁₆H₁₇N₃O₆, *N*-benzoylcytidine, **6**, 85
 C₁₆H₁₇N₄, lycorine, **4**, 43
 C₁₆H₁₇N₅, DAPI, **7**, 456
 C₁₆H₁₈BrN₃, eudistalbin A, **8**, 528
 C₁₆H₁₈BrN₃O₄S, eudestomin, **8**, 525
 C₁₆H₁₈Cl₃N₃O₇S, 2,3,5-trichloro-6-*S*-glutathionylhydroquinone, **5**, 415
 C₁₆H₁₈FN₃O₃, norfloxacin, **7**, 462
 C₁₆H₁₈N₂, agroclavine, **4**, 51
 C₁₆H₁₈N₂O
 elymoclavine, **4**, 51
 lysergol, **8**, 148
 C₁₆H₁₈N₂O₄S
 benzylpenicillin, **4**, 240, 243, 244
 penicillin G, **3**, 283, **4**, 164, 170, 182
 C₁₆H₁₈N₂O₅S
 penicillin V, **4**, 164, 170, 180
 penicillin X, **4**, 264
 C₁₆H₁₈N₃O₅S, phenoxymethylpenicillin, **4**, 254
 C₁₆H₁₈N₃O₇, 5-pyridylmethylcarboxamidouridine, **6**, 92
 C₁₆H₁₈O₈, 4-methylumbelliferyl β -D-glucoside, **3**, 686
 C₁₆H₁₈O₈, 1-caffeoyl-4-deoxyquinic acid, **8**, 140
 C₁₆H₁₈O₉, chlorogenic acid, **1**, 786, **3**, 633, 805, 807, 820, **8**, 139, 140, 146, 155,
 C₁₆H₁₉BrN₂O
 arborescidine C, **8**, 528
 arborescidine D, **8**, 528
 C₁₆H₁₉Br₂N₃O₄, aerophobin-2, **8**, 468
 C₁₆H₁₉Cl₂N₃O₇S, dichloro-*S*-glutathionylhydroquinone, **5**, 415
 C₁₆H₁₉IN₄O₆
 thymine dimer, **5**, 376
 thymine photodimer, **5**, 376
 C₁₆H₁₉NO₃, β -erythroidine, **4**, 43
 C₁₆H₁₉NO₄, galanthine, **4**, 43
 C₁₆H₁₉N₂O₆S, glucobrassicin, **8**, 155
 C₁₆H₁₉N₃O₄S
 ampicillin, **3**, 285, **7**, 664, 665
 cephradine, **4**, 180
 C₁₆H₁₉N₃O₅S, *p*-nitrophenyl ester of biotin, **7**, 154
 C₁₆H₁₉N₄O₆, thymine dimer, **5**, 376
 C₁₆H₂₀N₂, benzathine, **4**, 240
 C₁₆H₂₀N₂O
 chanoclavine, **4**, 51
 isochrysohermidine, **7**, 503
 C₁₆H₂₀N₂O₂, dimethylallyltryptophan, **4**, 52
 C₁₆H₂₀N₂O₃, 4-[4'-hydroxy-3'-methylbut-2'-enyl]tryptophan, **4**, 52
 C₁₆H₂₀N₂O₄, tomaymicin, **1**, 567
 C₁₆H₂₀N₂O₅S, glucobrassicin, **8**, 26
 C₁₆H₂₀N₂O₈, *p*-nitrophenyl ester of *N,N*-bis(ethoxycarbonylmethyl)glycine, **7**, 164
 C₁₆H₂₀N₂O₈S
 4-hydroxyglucobrassicin, **8**, 26
 5-hydroxyglucobrassicin, **8**, 26
 C₁₆H₂₀N₂O₁₀S₂, 1-sulfoglucobrassicin, **8**, 26
 C₁₆H₂₀N₄O₂, tolypin, **1**, 534
 C₁₆H₂₀O₂, cornexistin, **8**, 181
 C₁₆H₂₀O₃
 ABA analogue, **8**, 77
 acetone, **1**, 310
 C₁₆H₂₀O₅, 14-hydroxycornexistin, **8**, 181
 C₁₆H₂₀O₅
 curvularin, **8**, 601
 shikonin, **2**, 121
 C₁₆H₂₁BrO₃, kumausyne, **1**, 303
 C₁₆H₂₁NO₆, 13-*O*-acetyldicrotaline, **4**, 33
 C₁₆H₂₁N₃O₈S
 cephalosporin, **2**, 208, **4**, 197, 200, 201
 cephalosporin C, **3**, 285, **4**, 160, 171, 172, 179, 240
 C₁₆H₂₁N₄O₁₆P₃, 5-pyridylmethylcarboxamiduridine, **6**, 139
 C₁₆H₂₂N₂O₃S, phenylacetylcysteinyvaline, **4**, 252
 C₁₆H₂₂N₃O₁₅P, CMP-DHA, **3**, 505
 C₁₆H₂₂N₄O₉S, cephamycin C, **4**, 164, 171, 173, 180
 C₁₆H₂₂O
 7-methoxy-1,2-dihydrocadalenene, **2**, 188
 sporochinol A, **8**, 461
 C₁₆H₂₂O₂
 sporochinol B, **8**, 461
 sporochinol C, **8**, 461
 C₁₆H₂₂O₃
 cyercene A, **8**, 462
 versiol, **1**, 370

- C₁₆H₂₂O₄
 ABA methyl ester, **8**, 73
 1'-O-methyl-ABA, **8**, 79
 oncorhyncolide, **8**, 596
- C₁₆H₂₂O₅
 8'-methoxy-ABA, **8**, 89, 91
 phaseic acid methyl ester, **8**, 75
 14,15-secocurvarin, **8**, 601
- C₁₆H₂₂O₈
 coniferin, **3**, 676, 677, 703, 717
 isoconiferin, **3**, 677, 683
- C₁₆H₂₃NO, dehydroprenylhordenine, **1**, 369
- C₁₆H₂₃NO₄, yamataimine, **4**, 33
- C₁₆H₂₃NO₆, monocrotaline, **4**, 32, **7**, 518
- C₁₆H₂₃N₅O₅
 9-β-D-glucopyranosylzeatin, **8**, 62
 O-β-D-glucopyranosylzeatin, **8**, 62
 7-β-D-glucosylzeatin, **8**, 62
- C₁₆H₂₃N₅O₆
 7-glucosylzeatin, **8**, 61
 9-glucosylzeatin, **8**, 61
- C₁₆H₂₃N₅O₁₅P₂
 GDP-4-keto-6-deoxy-L-galactose, **3**, 509
 GDP-4-keto-6-deoxy-D-mannose, **3**, 208, 509
- C₁₆H₂₄, germacrone, **8**, 142
- C₁₆H₂₄N₄O₃S, 5-tris(2-aminoethyl)amino-1-naphthalenesulfonic acid, **7**, 178
- C₁₆H₂₄O₂, hexadeca-4,7,10,13-tetraenoic acid, **1**, 304
- C₁₆H₂₄O₃
 dehydrojuvabione, **8**, 276
 17-deoxysolanapyrone B, **1**, 396
- C₁₆H₂₄O₄
 brefeldin, **1**, 422
 brefeldin A, **1**, 450, **3**, 88, 94, 96
 cyclopentanoid, **1**, 231
- C₁₆H₂₄O₅
 dihydrophaseic acid methyl ester, **8**, 74
 hymenovin, **7**, 503
- C₁₆H₂₄O₉
 7-deoxyloganic acid, **4**, 113
 loganic acid, **2**, 106
- C₁₆H₂₄O₁₀, loganic acid, **4**, 113
- C₁₆H₂₅N
 sesquiterpene, **8**, 439
 sesquiterpene isocyanide, **8**, 439
- C₁₆H₂₅NO, echinacein, **8**, 303
- C₁₆H₂₅NS
 sesquiterpene, **8**, 439
 terpenoid, **8**, 438
- C₁₆H₂₅N₂NaO₄S, penicillin K, **4**, 262, 264
- C₁₆H₂₅N₅O₁₂P₂, 9-glucosylzeatin 6'-phosphate, **8**, 61
- C₁₆H₂₅N₅O₁₄P₂, deoxy-ADP-glucose, **3**, 452
- C₁₆H₂₅N₅O₁₅P₂
 ADP-glucose, **3**, 7, 444, 445, 448, 452, 453, 454, 455, 457, 462, 465, 468, 470, 475, 481, 482
 GDP-fucose, **3**, 207, 208, 333, 335, 516, 517
 GDP-L-fucose, **3**, 505, 509
 GDP-β-fucose, **3**, 114
 GDP-Rha, **3**, 208
- C₁₆H₂₅N₅O₁₆P₂
 ADP-L-glycero-D-manno-heptose, **3**, 222
 GDP-glucose, **3**, 452, 478, 481
 GDP-D-glucose, **3**, 606
 GDP-mannose, **3**, 207, 288, 333, 521, 612
 GDP-D-mannose, **3**, 509, 606
- C₁₆H₂₆
 5,7-diethyl-3-methyl-2,4,6,8-undecatetraene, **8**, 240
 homofarnesene, **8**, 269
 1-methylcyclohexane, **8**, 237
- C₁₆H₂₆K₄O₆P₂, bisphosphonate, **2**, 258
- C₁₆H₂₆N₂O₄S, penicillin K, **4**, 162
- C₁₆H₂₆N₂O₁₅P₂
 dTDP-6-deoxy-L-altrose, **3**, 346
 dTDP-6-deoxy-D-xylo-4-hexulose, **3**, 208
 dTDP-6-deoxy-L-talose, **3**, 335
 dTDP-dihydrostreptose, **3**, 353
 dTDP-rhamnose, **3**, 208, 333, 335, 346
- C₁₆H₂₆N₂O₁₆P₂
 dTDP-glucose, **3**, 208, 333
 TDP-glucose, **3**, 452, 478, 481
- C₁₆H₂₆N₃O₃, amphikuemin, **8**, 429
- C₁₆H₂₆O₂
 apotrichothecene, **2**, 203
 C16:3, **1**, 340
 hexadeca-4,7,10-trienoic acid, **1**, 304
 hexadeca-7,10,13-trienoic acid, **1**, 37, 41, 44
 7,15-hexadecadien-4-olide, **8**, 217
 7,10,13-hexatrienoic acid, **1**, 231
 8,11,14-hexatrienoic acid, **1**, 231
 monoic acid, **1**, 68
- C₁₆H₂₆O₃
 8,11,14-hexatrienoic acid, **1**, 231
 juvabione, **8**, 276,
 juvenile hormone III, **5**, 55, **8**, 43, 268
 methyl 10,11-epoxyfarnesoate, **8**, 267
- C₁₆H₂₆O₄, juvenile hormone III bisepoxide, **8**, 269
- C₁₆H₂₇NO, terpenoid, **8**, 438
- C₁₆H₂₇NO₄, PAI-1, **8**, 398
- C₁₆H₂₈B₁₀N₂O₇, pyrimidine nucleoside, **7**, 221
- C₁₆H₂₈N₂O₁₁
 GlcNAcβ1-4GlcNAc, **3**, 58
 N,N'-diacetylchitobiose, **3**, 143
- C₁₆H₂₈O
 farnesyl methyl ether, **8**, 267
 homofarnesol, **2**, 310
- C₁₆H₂₈O₂
 C16:2, **1**, 340
 geranyl hexanoate, **8**, 223
 hexadeca-7,10-dienoic acid, **1**, 37, 41
 10,12-hexadecadienoic acid, **8**, 205
 hydnocarpic acid, **1**, 68
 isoculmorin, **8**, 601
 9,11-tetradecadienyl acetate, **8**, 205
- C₁₆H₂₈O₃, silphiny-2α-yl mesylate, **2**, 176
- C₁₆H₂₈O₅, cyclopentanoid, **1**, 231
- C₁₆H₂₈O₇P₂, 12-methylidene-FPP, **2**, 181
- C₁₆H₂₉NO, herculin, **8**, 303
- C₁₆H₂₉NO₂Sn, stannoxane, **4**, 33
- C₁₆H₂₉NO₄, erythro-monopivaloate, **8**, 551
- C₁₆H₂₉N₂OP, bisphosphoramidite, **7**, 133
- C₁₆H₂₉N₃O₁₄S₂
 bulgecin, **5**, 297
 bulgecin A, **3**, 270, 285
- C₁₆H₃₀N₇O₁₃P₃, 8-(6-aminoethylamino)adenosine 5'-triphosphate, **7**, 198
- C₁₆H₃₀O
 bombykol, **8**, **3**, 4, 205
 9-hexadecenal, **8**, 205
 11-hexadecenal, **8**, 205
- C₁₆H₃₀O₂
 C16:1, **1**, 340
 ω-cycloheptylnonoate, **1**, 75
 dihydrohydnocarpic acid, **1**, 68
 3-dodecenyl 2-butenate, **8**, 214
 7-dodecenyl butyrate, **8**, 207
 5-hexadecanolide, **8**, 217
 hexadecanolide, **8**, 231
 11-hexadecenoic acid, **8**, 205, 207
 hexadec-3-enoic acid, **1**, 37
 hexadec-6-enoic acid, **1**, 42
 hexadec-7-enoic acid, **1**, 40
 hexadec-9-enoic acid, **1**, 46
 palmitoleic acid, **1**, 49
 4-tetradecenyl acetate, **8**, 207
 9-tetradecenyl acetate, **8**, 199, 207
 11-tetradecenyl acetate, **8**, 205

- C₁₆H₃₀O₅P₂, FPP analogue, **2**, 251, 254
 C₁₆H₃₀O₆, neomenthyl β-D-glucoside, **2**, 114
 C₁₆H₃₀O₆P₂, phosphonophosphate FPP analogue, **2**, 160
 C₁₆H₃₁CoN₆O₄, bis(dimethylglyoximate)isopropyl(2-aminopyridine)Co(III), **5**, 267
 C₁₆H₃₂, 1-hexadecene, **8**, 217
 C₁₆H₃₂O
 9-hexadecenal, **8**, 217
 palmitaldehyde, **3**, 402
 C₁₆H₃₂O₂
 7,11-hexadecadienyl acetate, **8**, 205
 hexadecanoic acid, **1**, 37, **3**, 219
 methyl 2,6,10-trimethyltridecanoate, **8**, 241
 palmitic acid, **1**, 24, 54, 297, 336, 358, **3**, 152, **4**, 13, 15, **8**, 203, 205
 C₁₆H₃₂O₃, 8-hydroxyhexadecanoic acid, **1**, 228
 C₁₆H₃₃ClO₂S, hexadecanesulfonyl chloride, **5**, 128
 C₁₆H₃₄, hexadecane, **8**, 217
 C₁₆H₃₄Cl₃N₂OP, bisphosphoramidite, **7**, 133
 C₁₆H₃₄O₂
 11-hexadecenyl acetate, **8**, 200
 1,2,6-trimethyldecanol propanoate, **8**, 247
 C₁₆H₃₆FN, tetra-*n*-butylammonium fluoride, **7**, 114
 C₁₆H₃₈Br₂N₂, decamethonium, **5**, 116
 C₁₇H₁₀O₆, demethylsterigmatocystin, **1**, 458, 462, 463
 C₁₇H₁₁NO₇, aristolochic acid, **7**, 522, **8**, 152, 155
 C₁₇H₁₂Br FO₂S₂, DuP 697, **5**, 250
 C₁₇H₁₂Cl₂O₇, geodin, **1**, 413, 427, 431, 459
 C₁₇H₁₂O₅, anhydripisatin, **1**, 775
 C₁₇H₁₂O₆
 aflatoxin B₁, **1**, 410, 420, 444, 459, 443, 461, 467, **7**, **2**, 16, 511
 dihydrodemethylsterigmatocystin, **1**, 463
 C₁₇H₁₂O₇
 aflatoxin B₁epoxide, **1**, 443
 aflatoxin 8,9-epoxide, **5**, 65
 aflatoxin G₁, **1**, 444
 aflatoxin M₁, **1**, 444
 C₁₇H₁₄BrN₃OS, didemnoline C, **8**, 542
 C₁₇H₁₄BrN₃S, didemnoline A, **8**, 542
 C₁₇H₁₄Cl₂O₇, dihydrogeodin, **1**, 435
 C₁₇H₁₄F₃N₃O₂S, celecoxib, **5**, 252
 C₁₇H₁₄N₃, ellipticine, **7**, 603, 605
 C₁₇H₁₄N₂O, 9-hydroxyellipticine, **7**, 605
 C₁₇H₁₄N₂O₂, 2-(4-methoxyphenyl)-3,3a-dihydro-8H-pyrazolo[5,1-*a*]isoindole-8-one, **8**, 36
 C₁₇H₁₄N₂O₃, 2-[3-(4-methoxyphenyl)-5-pyrazoyl]benzoic acid, **8**, 36
 C₁₇H₁₄O₄, chrysin dimethyl ether, **8**, 181
 C₁₇H₁₄O₅, afrormosin, **1**, 775
 C₁₇H₁₄O₆
 aflatoxin B₂, **1**, 444
 aflatoxin B_{2a}, **1**, 444
 pisatin, **1**, 665, 775, 779, 786, 796, 797, 800, 802, 803, 813, **8**, 186, 189, 192
 C₁₇H₁₄O₇
 aflatoxin G₂, **1**, 444
 aflatoxin G_{2a}, **1**, 444
 aflatoxin M₂, **1**, 444
 bisdechlorogeodin, **1**, 437
 cicerin, **1**, 808
 dermalactone, **1**, 410
 2-hydroxypisatin, **1**, 775
 ombuin, **1**, 740
 quercetin 7,3'-dimethyl ether, **8**, 181
 tricin, **8**, 169
 C₁₇H₁₅BrN₃OS, didemnoline D, **8**, 542
 C₁₇H₁₅ClO₇, malvidin, **8**, 158, 159, 164
 C₁₇H₁₅NO₃, 2-*N,N*-acetoxyacetylaminofluorene, **7**, 96
 C₁₇H₁₅N₃S, didemnoline B, **8**, 542
 C₁₇H₁₅O₂, kinokiresinol, **1**, 705
 C₁₇H₁₅O₃, oxyhinokiresinol, **1**, 705
 C₁₇H₁₆N₂O₄, mitonafide, **7**, 606
 C₁₇H₁₆O₃, lettucein A, **1**, 130, **8**, 189
 C₁₇H₁₆O₄
 coniferyl benzoate, **8**, 139
 cryptoresinol, **1**, 642, 686
 C₁₇H₁₆O₆, homoferreirin, **1**, 808
 C₁₇H₁₆O₇, sulochrin, **1**, 435
 C₁₇H₁₇ClN₂O₃, chlorodibenzo[1,4]dioxin-1-carboxamide, **7**, 607
 C₁₇H₁₇ClO₆, griseofulvin, **1**, 459, **4**, 198
 C₁₇H₁₇NO₃, *p*-coumaroyl tyramine, **1**, 673
 C₁₇H₁₇NO₄, caffeoyl tyramine, **1**, 673
 C₁₇H₁₇N₃O₅, *N*-benzoyladosine, **6**, 85
 C₁₇H₁₇N₃O₅S, *N*-benzoyl-6-thioguanosine, **6**, 93
 C₁₇H₁₇N₃O₁₆P₃S, 5-[(4-azidophenacyl)thio]uridine 5'-triphosphate, **7**, 216
 C₁₇H₁₈FN₃O₃, ciprofloxacin, **7**, 609
 C₁₇H₁₈N₂O₂, amonafide, **7**, 606
 C₁₇H₁₈N₂O₃, dibenzo[1,4]dioxin-1-carboxamide, **7**, 607
 C₁₇H₁₈N₂O₆S, carboxypenicillin G, **4**, 252
 C₁₇H₁₈N₆O₁₀, triazolo derivative, **7**, 117
 C₁₇H₁₈N₆O₁₅P₃S, 5-[(4-azidophenacyl)thio]cytidine 5'-triphosphate, **7**, 216
 C₁₇H₁₈O₄, sativan, **1**, 774
 C₁₇H₁₈O₅, hydroxysugiresinol, **1**, 642
 C₁₇H₁₈O₆
 5-*O*-(4-coumaroyl)shikimate, **3**, 640
 L-660,631, **1**, 208
 C₁₇H₁₈O₇, 5-*O*-(4-coumaroyl)shikimate caffeic acid derivative, **3**, 640
 C₁₇H₁₉ClN₂OS, chloropromazine-*N*-oxide, **3**, 412
 C₁₇H₁₉NO₃
 coclaurine, **1**, 676
 dihydromorphinone, **4**, 40
 moiramide A, **8**, 594
 morphine, **4**, 26, 35
 piperine, **8**, 304
 C₁₇H₁₉NO₄
 fenoxycarb, **8**, 275
 veprisin, **1**, 383
 C₁₇H₁₉NO₅S, BM-13505, **1**, 189
 C₁₇H₁₉NO₁₂, *N*-succinimidyl 4-*O*-β-D-glucosidogallate, **3**, 805
 C₁₇H₁₉N₂NaO₆S, methicillin, **3**, 274, 285
 C₁₇H₁₉N₃O₅, 9-ribosyl-*N*₆-[*o*-hydroxybenzyl]adenine, **8**, 62
 C₁₇H₁₉N₃O₈, tri-*O*-acetyluridine triazolo derivative, **7**, 118
 C₁₇H₁₉O₃, ceratiolin, **8**, 169
 C₁₇H₂₀ClN₃, acridine orange, **7**, 428
 C₁₇H₂₀N₄O₆, thymine dimer, **5**, 380
 C₁₇H₂₀N₄O₇, thymine dimer, **5**, 376
 C₁₇H₂₀N₄O₁₂P, dUpdU photodimer, **5**, 383
 C₁₇H₂₀O₅, guaiacylglycerol-β-guaiacyl ether, **3**, 725
 C₁₇H₂₀O₆, PR toxin, **2**, 177, 202, 205, 207
 C₁₇H₂₁Br₄N₃O₂, pseudoceratidine, **8**, 440
 C₁₇H₂₁NO₃
 6,7-dehydrohycoscyamine, **4**, 27
 galanthamine, **4**, 43
 C₁₇H₂₁NO₄
 cocaine, **4**, 27
 hyoscine, **4**, 27
 scopolamine, **1**, 876, **4**, 26, 27, 30
 C₁₇H₂₁NO₅
 anisodine, **4**, 26
 1,3-diketone, **5**, 438
 C₁₇H₂₁N₄O₆P, riboflavin-5'-phosphate, **4**, 150
 C₁₇H₂₁O₄, linalyl *p*-nitrobenzoate, **2**, 123
 C₁₇H₂₂BrN₃, woodinine, **8**, 527
 C₁₇H₂₂N₂O₇S, 5-methylglucobrassin, **8**, 26
 C₁₇H₂₂N₂O₈S
 4-methoxyglucobrassin, **8**, 26
 neoglucobrassin, **8**, 26
 C₁₇H₂₂N₄O₆, bispyrimidine, **5**, 380
 C₁₇H₂₂N₄O₇, thymine dimer, **5**, 380

- C₁₇H₂₂O₅
 ligulatin B, **8**, 308
 lipiferolide, **8**, 308
 xanthumin, **8**, 308
 C₁₇H₂₂O₆
 tenulin, **8**, 308
 tetraneurin A, **8**, 308
 tetrodecamycin, **1**, 370
 tulipinolide diepoxide, **8**, 308
 C₁₇H₂₂O₇
 3-acetyldeoxynivalenol, **2**, 164
 3-ADN, **2**, 164
 C₁₇H₂₃O₁₀, 1-*O*-sinapoyl-β-D-glucose, **3**, 807
 C₁₇H₂₃BrO₃, laurencin, **1**, **8**, 303
 C₁₇H₂₃NO, haminol A, **8**, 465
 C₁₇H₂₃NO₃
 hyoscyamine, **4**, 26, 29, 30
 littorine, **4**, 29
 C₁₇H₂₃NO₃
 atropine, **8**, 167
 hyoscyamine, **8**, 162
 C₁₇H₂₃NO₄
 anisodamine, **4**, 26
 6α-hydroxyhyoscyamine, **1**, 878
 6β-hydroxyhyoscyamine, **4**, 27
 C₁₇H₂₃N₂O₂, nitroalkane, **8**, 431
 C₁₇H₂₃N₄O₆P, FMNH₁, **1**, 599
 C₁₇H₂₄O₂, faltarindiol, **8**, 155
 C₁₇H₂₄O₄
 isotrichodermin, **2**, 164
 trichodermin, **2**, 158
 C₁₇H₂₄O₅
 cinnamodial, **8**, 308
 sambucinol, **2**, 164
 C₁₇H₂₄O₉, syringin, **3**, 676
 C₁₇H₂₄O₁₀
 secologanin, **2**, 106, **4**, 110, 113, 114, 118, 121, 122, 126, 127, 129, 133, 136
 verbenalin, **8**, 307
 C₁₇H₂₅NO₅, senecionine, **8**, 147
 C₁₇H₂₅N₃O₄, Ala-MeLeu-MeLeu, **1**, 548
 C₁₇H₂₅N₇O₅, blasticidinS, **3**, 339
 C₁₇H₂₆N₃O₁₅P, CMP-KDO, **3**, 505, 509
 C₁₇H₂₆N₈O₅, blasticidinS, **4**, 200
 C₁₇H₂₆O₂, heptadeca-6,9,12,14-tetraenoic acid, **1**, 39
 C₁₇H₂₆O₃, olepupuan, **8**, 462
 C₁₇H₂₆O₄
 diplodiatoxin, **1**, 388, 389
 [6]-gingerol, **1**, 766
 C₁₇H₂₆O₅
 botrydial, **2**, 173
 sesquiterpene lactone, **2**, 173
 C₁₇H₂₆O₆, pinolidoxin, **8**, 181
 C₁₇H₂₆O₁₀, loganin, **2**, 106, **4**, 110, 113, **8**, 307
 C₁₇H₂₆O₁₁, 10-hydroxyloganin, **4**, 113
 C₁₇H₂₇NO₆, 3-acetylchinate, **4**, 31
 C₁₇H₂₇N₃O₁₆P₂, 3-deoxy-UDP-*N*-acetylglucosamine, **5**, 66
 C₁₇H₂₇N₃O₁₇P₂
 UDP-*N*-acetyl-[3H]glucosamine, **3**, 300
 UDP-*N*-acetylglucosamine, **1**, 331, 593, **3**, 203, 206, 214, 219, 222, 249, 301, **5**, 66
 C₁₇H₂₈
 bishomofarnesene, **8**, 269
 α-bishomofarnesene, **8**, 237
 homofarnesene, **8**, 237
 C₁₇H₂₈NO₅, *N*-methyl-4-(neryloxy)pyridinium methyl sulfate, **2**, 123
 C₁₇H₂₈OS, *S*-farnesylthioacetic acid, **2**, 359
 C₁₇H₂₈O₂
 homofarnesylcarboxylate, **2**, 310
 Pl-201, **1**, 370
 C₁₇H₂₈O₃
 HHT, 153.018
 12-hydroxy-5,8,10-heptadecatrienoic acid, **1**, 262
 juvenile hormone I, **8**, 4
 sesquiterpene, **8**, 466
 C₁₇H₂₈O₄, shirimodiol 8-acetate, **8**, 312
 C₁₇H₂₈O₅
 chrysartemin B, **8**, 308
 dihydrobotrydial, **2**, 173
 C₁₇H₃₀O
 civetone, **8**, 231
 faranal, **2**, 78
 homofarnesyl methyl ether, **2**, 310
 4,6,10,12-tetramethyl-2,4-tridecadien-7-one, **8**, 245
 C₁₇H₃₀O₂
 acetate, **8**, 235
 hydroprene, **8**, 275
 8,10-pentadecadienyl acetate, **8**, 207
 ZR-512, **8**, 436
 C₁₇H₃₀O₃
 colneleic acid, **1**, 235
 12-hydroxy-8,10-heptadecadienoic acid, **1**, 261
 C₁₇H₃₁F₃N₃O₃P, phosphoramidite, **7**, 154
 C₁₇H₃₂, 6,9-heptadecadiene, **8**, 217
 C₁₇H₃₂B₁₀N₂O₇, pyrimidine nucleoside, **7**, 221
 C₁₇H₃₂O
 10-heptadecen-2-one, **8**, 217
 14-methyl-8-hexadecenal, **8**, 247
 oxylipin epoxide, **1**, 217
 C₁₇H₃₂O₂
 ω-cycloheptyldecanoate, **1**, 75, 80
 ω-cyclohexylundecanoic acid, **1**, 71
 heptadec-9-enoic acid, **1**, 38
 heptadec-10-enoic acid, **1**, 46
 9,10-methylenehexadecanoic acid, **1**, 62
 1-methylethyl tetradecanoate, **8**, 216
 9-pentadecenyl acetate, **8**, 207
 10-pentadecenyl acetate, **8**, 207
 C₁₇H₃₂O₃, 1,2,4-trihydroxyheptadec-16-yne, **8**, 181, 183
 C₁₇H₃₂O₆P₂
 FPP analogue, **2**, 251, 254, 258
 FPP ether analogue, **2**, 160
 C₁₇H₃₂O₇P₂
 bishomofarnesyl diphosphate, **2**, 78
 4,8-dimethylfarnesyl diphosphate, **2**, 78
 C₁₇H₃₃N₂O₃PS, mercaptoalkylated phosphoramidite, **7**, 167
 C₁₇H₃₃N₂O₅PS, mercaptoalkylated phosphoramidite, **7**, 167
 C₁₇H₃₃O₆P, dioctanoyl phosphatidylmethanol, **5**, 109
 C₁₇H₃₄, 1-heptadecene, **8**, 217
 C₁₇H₃₄N₄O₁₀, ribostamycin, **4**, 200, **6**, 194
 C₁₇H₃₄O, 6,12-dimethyl-2-pentadecanone, **8**, 244
 C₁₇H₃₄O₂
 heptadecanoic acid, **1**, 39
 1-methylethyl tetradecanoate, **8**, 216
 methyl palmitate, **8**, 217
 1-methyltetradecyl acetate, **8**, 216
 12-methyltetradecyl acetate, **8**, 247
 tetradecyl propanoate, **8**, 209, 216
 C₁₇H₃₅N₅O₆, fortimicin A, **1**, 871
 C₁₇H₃₆
 5,9-dimethylpentadecane, **8**, 247
 heptadecane, **8**, 217
 C₁₇H₃₆N₃OP, bisphosphoramidite, **7**, 133
 C₁₇H₃₆O, 6,10,13-trimethyltetradecan-1-ol, **8**, 241
 C₁₇H₃₉NO₄P, dodecylphosphocholine, **5**, 110
 C₁₈H₁₀N₄O, cystodamine, **8**, 539
 C₁₈H₁₀O₆
 6-deoxyversicolorin A, **1**, 458
 saintopin, **7**, 600
 C₁₈H₁₀O₇
 saintopin, **7**, 607
 versicolorin, **7**, 511
 versicolorin A, **1**, 447, 454, 457, 462

- C₁₈H₁₀O₉, spirodienone, **1**, 459
 C₁₈H₁₀O₉S, UCE1022, **7**, 600
 C₁₈H₁₂
 benzanthracene, **7**, 436
 benzo[*c*]phenanthrene, **7**, 470
 C₁₈H₁₂O₃, β -lapachone, **7**, 596
 C₁₈H₁₂O₅, 2',4,4',6'-tetrahydroxycalcone, **1**, 786
 C₁₈H₁₂O₆, sterigmatocystin, **1**, 1, 421, 444, 445, 458, 461, 462, 467
 C₁₈H₁₂O₇, versicolorin B, **1**, 457
 C₁₈H₁₂O₈, versicolorin A hemiacetal, **1**, 457
 C₁₈H₁₄BrN₃O₂S
 discorhabdin A, **7**, 501
 makaluvamine F, **7**, 501
 C₁₈H₁₄N₄O₅S, sulfasalazine, **1**, 294
 C₁₈H₁₄O₃, blechnic acid, **1**, 677
 C₁₈H₁₄O₆
 dihydrosterigmatocystin, **1**, 463
 7-epiblechnic acid, **1**, 678
 sterigmatocystin, **7**, 511
 C₁₈H₁₄O₇, megacerotonic acid, **1**, 645, 686
 C₁₈H₁₄O₈
 aryldihydronaphthalene, **1**, 673
 blechnic acid, **1**, 647
 versiconal, **1**, 457
 C₁₈H₁₄O₉, phloroglucinol oligomer, **8**, 460
 C₁₈H₁₅O, *o*-anisyl-1-naphthylmethyl, **7**, 126
 C₁₈H₁₆O₄, formononetin 7-ethyl ether, **1**, 795
 C₁₈H₁₆O₆
 dihydroxytruxillic acid, **1**, 647
 fijiensin, **8**, 179
 nanaomycin, **1**, 478
 C₁₈H₁₆O₈
 1'-hydroxyversicolorone, **1**, 454, 456, 457
 rosmarinic acid, **1**, 686
 C₁₈H₁₇ClO₆, monorden, **1**, 534
 C₁₈H₁₇F₄N₇O₁₄, phosphoramidite, **7**, 218
 C₁₈H₁₇NO₅S₃, calicheamicinone, **7**, 569
 C₁₈H₁₇N₂O, 9-hydroxy-2-methylellipticinium ion, **7**, 605
 C₁₈H₁₈FN₅O₇, 2-fluoro-6-*O*-(4-nitrophenethyl)inosine, **6**, 94
 C₁₈H₁₈N₂O₆, tetramethoxyazo-*p*-methylene quinone, **3**, 712
 C₁₈H₁₈N₄O, furamidine, **7**, 457
 C₁₈H₁₈N₄O₆S₄, 2,2'-azinobis-(3-ethylbenzothiazoline-6-sulfonate), **3**, 709
 C₁₈H₁₈O₂
 anolignan B, **1**, 672, 704
 equilenin, **5**, 40
 magnolol, **1**, 691, 692, 693, **8**, 139, 140
 C₁₈H₁₈O₃, lignan, **1**, 693
 C₁₈H₁₈O₄
 enterolactone, **1**, 698
 ligballinol, **1**, 672
 C₁₈H₁₈O₆
 3,3'-demethylarctigenin, **1**, 703
 samaderin A, **8**, 322
 C₁₈H₁₈O₇, frenolicin, **1**, 14, 475, 478, **4**, 206
 C₁₈H₁₈O₈, clerodane derivative, **2**, 226
 C₁₈H₁₉NO₃
 codeinone, **4**, 37
 erysodienone, **4**, 43
 neopinone, **4**, 37
 C₁₈H₁₉NO₄, feruloyl tyramine, **1**, 673, 685
 C₁₈H₁₉NO₄S₃, calicheamicins, **3**, 313
 C₁₈H₂₀BrN₃O₄, epinaridin D, **7**, 501
 C₁₈H₂₀N₂O, furamine, **7**, 458
 C₁₈H₂₀N₂O₃, erymelanthine, **4**, 43
 C₁₈H₂₀N₂O₅, duocarmycin analogue, **7**, 505
 C₁₈H₂₀N₂O₆, syringaldazine, **3**, 712, 713
 C₁₈H₂₀N₃O₇P, phosphoramidate, **5**, 436
 C₁₈H₂₀N₆O₈S, 2'-*O*-tosyl-6'-nitrohomoadenosine, **5**, 194
 C₁₈H₂₀O₂
 17 β -dihydroequilenin, **5**, 40
 dihydroequilenin, **5**, 25
 C₁₈H₂₀O₄
 ABA analogue, **8**, 77
 trimethoxyflavan, **3**, 752
 C₁₈H₂₀O₅
 sorgolactone, **8**, 175
 4',5,7-trimethoxy-2,4-flavan-4-ol, **3**, 756
 C₁₈H₂₀O₆
 lignan, **3**, 677
 nagilactone D, **8**, 313
 C₁₈H₂₁F₃N₂O₃, *N*-acetylleucylphenylalanyl trifluoromethyl ketone, **5**, 19
 C₁₈H₂₁NO₃
 codeine, **4**, 35
 dihydrocodeinone, **4**, 40
 N-methylcoclaurine, **1**, 676
 C₁₈H₂₁NO₄
 norprotosinomenine, **4**, 43
 norreticuline, **4**, 42
 C₁₈H₂₂N₂, tubifoline, **4**, 51
 C₁₈H₂₂N₂O₄, quinocarcin, **7**, 499, 500, 541
 C₁₈H₂₂N₂O₄S₄, lissoclinotoxin D, **8**, 541
 C₁₈H₂₂N₂O₈S, 1-acetylglucobrassin, **8**, 26
 C₁₈H₂₂N₄O, phenylbenzimidazole, **7**, 607
 C₁₈H₂₂N₄O₁₀S, uridylyl-(3'→5')-(5'-thiouridine), **7**, 298
 C₁₈H₂₂N₆O₁₂P₂
 adenosine diphosphopyridoxal, **3**, 453
 ADP-pyridoxal, **3**, 455
 C₁₈H₂₂O₂
 4,6-estradiene-3,17-one, **5**, 34
 4,7-estradiene-3,17-one, **5**, 33
 5,7-estradiene-3,17-one, **5**, 33
 estrogen, **7**, 532
 3-hydroxy-3,5,7-estratrien-17-one, **5**, 32, 33
 C₁₈H₂₂O₃, 1,5-octadien-3-ol, **1**, 211
 C₁₈H₂₂O₄
 enterodiol, **1**, 698
 nordihydroguaiaretic acid, **1**, 95, 123, 221, 243, 291, 690, 692, 695, **8**, 169
 prosolanapyrone III, **1**, 399
 solanapyrone A, **1**, 368, 388, 395
 solanapyrone D, **1**, 395
 C₁₈H₂₃NO₆, dehydroretrosine, **7**, 519
 C₁₈H₂₃N₃O₇S, *S*-phenylacetylglutathione, **4**, 264
 C₁₈H₂₃N₃O₈S, *S*-phenoxycetylglutathione, **4**, 264, 265
 C₁₈H₂₃N₄O₉S, thymine dimer, **5**, 380
 C₁₈H₂₃N₄O₁₃PS, uridylyl-(3'→5')-(5'-thiouridine), **6**, 91
 C₁₈H₂₄N₂, tubifolidine, **4**, 50
 C₁₈H₂₄N₂O₄, isoxaben, **3**, 610
 C₁₈H₂₄N₂O₁₇, 2,4-dinitrophenyl β -cellobioside, **5**, 301
 C₁₈H₂₄N₄O₉S, thymine dimer, **5**, 380
 C₁₈H₂₄N₅O₈P, dibutyl-*c*-AMP, **3**, 118
 C₁₈H₂₄O₂
 estradiol, **1**, 699
 17 β -estradiol, **1**, 782, **5**, 40
 oleic acid, **8**, 215
 C₁₈H₂₄O₃, dicranenone A, **1**, 228
 C₁₈H₂₄O₄
 prosolanapyrone II, **1**, 397
 solanapyrone B, **1**, 395
 solanapyrone E, **1**, 395
 C₁₈H₂₅NO
 3-amino-1,3,5(10)-estratrien-17 β -ol, **5**, 40
 anacyclin, **8**, 303
 C₁₈H₂₅NO₄, coronatine, **1**, 122, 135
 C₁₈H₂₅NO₅
 coronatine, **1**, 129
 intergerrimine, **4**, 33
 senecionine, **4**, 33, **8**, 176
 C₁₈H₂₅NO₆
 retrosine, **4**, 32, **7**, 518

- usaramine, **4**, 33
- C₁₈H₂₅NO₁₅, *p*-nitrophenyl- β -D-cellobioside, **5**, 291
- C₁₈H₂₅N₃O₉P, 5-deazaFMNH₂, **1**, 600
- C₁₈H₂₆Cl₄N₂O₅, mirabimideE, **8**, 611
- C₁₈H₂₆N₂OS₂, PD164387, **5**, 252
- C₁₈H₂₆N₂O₁₂, 5-methylcarboxymethyluridine-2'-*O*-methylribose, **4**, 360
- C₁₈H₂₆N₁₀O₃, netropsin, **7**, 35, 452, 486, 505, 567
- C₁₈H₂₆O₂, 19-nortestosterone, **5**, 40
- C₁₈H₂₆O₃
- ecklonialactone A, **1**, 216
- egregiachloride olefin analogue, **1**, 216
- hydroxyoctadecanoic acid, **1**, 228
- C₁₈H₂₆O₄, trisporic acid, **8**, 408
- C₁₈H₂₆O₁₀, secologanin, **4**, 46
- C₁₈H₂₇ClO₃, egregiachloride, **1**, 216
- C₁₈H₂₇NO₅
- neoplatyphylline, **4**, 33
- platyphylline, **4**, 33
- C₁₈H₂₇NO₆
- axillaridine, **4**, 33
- rosmarinine, **4**, 32
- C₁₈H₂₇N₂O₃PS, phosphoramidite, **7**, 171
- C₁₈H₂₈Br₂O₂Si
- oxolane, **1**, 316
- prelaureatin derivative, **1**, 317
- C₁₈H₂₈O₂
- C18:4, **1**, 340
- kinoprene, **8**, 275
- octadeca-6,9,12,15-tetraenoic acid, **1**, 39, 42
- 6,8,10,12-octadecatetraenoic acid, **1**, 224
- C₁₈H₂₈O₃
- allene epoxide, **1**, 8
- auxin b lactone, **8**, 24
- colnelenic acid, **1**, 235
- 12,13-EOD, **1**, 120
- 12,13-epoxylinolenic acid, **1**, 119
- 13-HPOT allene oxide, **1**, 231
- hydroxyoctadecadienoic acid, **1**, 220
- 12-oxo-10,15-phytodienoic acid, **1**, 119
- 12-oxophytodienoic acid, **1**, 123, 229, 231, 234, 241
- phytodienoic acid, **1**, 132, 240
- C₁₈H₂₈O₄
- 12,13-epoxylinolenic acid, **8**, 115
- 12,13-epoxy-9-oxo-10,15-octadecadienoic acid, **1**, 214
- hydroxyformylheptadecatrienoic acid, **1**, 214
- hydroxyoxooctadecatrienoic acid, **1**, 214
- C₁₈H₂₈O₆, botryaloic acid methyl ester, **2**, 173
- C₁₈H₂₈O₈
- 12-hydroxyjasmonic acid glucoside, **1**, 127
- tuberonic acid β -D-glucoside, **1**, 125
- C₁₈H₂₈O₉
- 11-hydroxyjasmonic acid β -D-glucoside, **1**, 125
- tuberonic acid glucoside, **8**, 108, 117
- C₁₈H₂₉BrO₂Si
- laurencin derivative, **1**, 310
- oxetane, **1**, 312
- prelaureatin derivative, **1**, 317
- C₁₈H₂₉N, piclavine, **8**, 546
- C₁₈H₂₉NO, crucigasterin 275, **8**, 545
- C₁₈H₂₉NO₄, *N*-jasmonoylisoleucine, **1**, 128, 135
- C₁₈H₂₉NO₇, 7-acetylurpine, **4**, 31
- C₁₈H₂₉N₂O₂, AMO1618, **2**, 293
- C₁₈H₂₉N₂O₃P, phosphoramidite, **7**, 185
- C₁₈H₃₀, trishomofarnesene, **8**, 269
- C₁₈H₃₀O, 9,12,15-octadecatrienal, **8**, 207
- C₁₈H₃₀OS, *S*-farnesylthiopropionic acid, **2**, 359
- C₁₈H₃₀O₂
- C18:3, **1**, 339, 340, 341
- 11-deutero-6,9,12-octadecatrienoic acid, **1**, 221
- gorlic acid, **1**, 68
- 10,12,14-hexadecatrienyl acetate, **8**, 207
- 13-hexadecen-11-yn-1-yl acetate, **8**, 207
- linolenic acid, **1**, 54, 123, 132, 134, 264, **8**, 2, 7, 115, 119, 204, 207, 215, 217
- α -linolenic acid, **1**, 84, 87, 119, 128, 214
- γ -linolenic acid, **1**, 215
- 9,11-octadecadien-13-olide, **8**, 218
- octadeca-6,9,12-trienoic acid, **1**, 42
- octadeca-9,12,15-trienoic acid, **1**, 35, 37, 40, 41, 44, 46
- phytodienoic acid, **1**, 232
- propanoate, **8**, 234
- C₁₈H₃₀O₂Si
- laurencin derivative, **1**, 310
- trienynediol, **1**, 316
- C₁₈H₃₀O₃
- 9-HOT ω 6, **1**, 224
- 13-HOT ω 6, **1**, 224
- 9- α -HOTE, **1**, 242
- 13-hydroxylinolenic acid, **1**, 124
- 9-hydroxy-10,12,15-octadecatrienoic acid, **1**, 209
- 11-hydroxy-6,9,12-octadecatrienoic acid, **1**, 224
- 10-hydroxyoctadecenyonic acid, **1**, 228
- insect juveline hormone, **8**, 265
- JK I, **8**, 236
- juvenile hormone I, **8**, 436
- ketodienoic acid, **1**, 220
- 11-keto-9,12-octadecadienoic acid, **1**, 223
- 9-KOTE, **1**, 243
- methyl 10,11-epoxy-3,11-dimethyl-7-ethyl-2,6-tridecadienoate, **8**, 267
- 3-oxo-2-(2'-pentenyl)cyclopentanoctanoic acid, **1**, 120, **8**, 115
- C₁₈H₃₀O₄
- auxin b, **8**, 24
- auxin a lactone, **8**, 24
- 10,11-diHOT, **1**, 221
- 9,16-dihydroxy-10,12,14-octadecatrienoic acid, **1**, 236
- epoxyhydroxyoctadecadienoic acid, **1**, 214
- 12,13-epoxy-9-hydroxy-10,15-octadecadienoic acid, **1**, 209
- 13-HPLA, **1**, 123,
- 9- α -HPOTE, **1**, 242
- 13-hydroperoxylinolenic acid, **1**, 119, 124, 132, **4**, 46, **8**, 115, 119
- hydroperoxyoctatrienoic acid, **1**, 99
- 13-hydroperoxyoctadecatrienoic acid, **1**, 230
- 13-hydroperoxy-6,9,11-octadecatrienoic acid, **1**, 102
- 13-hydroperoxy-9,11,15-octadecatrienoic acid, **1**, 95, 209
- 13-hydroperoxyoctadeca-9,12,15-trienoic acid, **1**, 232
- 12-ketohydroxylinoic acid, **1**, 102
- α -ketol, **1**, 232
- γ -ketol, **1**, 232
- 12-oxo-13-hydroxy-9,15-octadecadienoic acid, **8**, 115
- C₁₈H₃₀O₉
- 9,10-dihydro-11-hydroxyjasmonic acid glucopyranoside, **8**, 116
- 9,10-dihydro-11-hydroxyjasmonic acid β -D-glucopyranoside, **1**, 124
- C₁₈H₃₁FO₁₅, 4-deoxymaltotriosyl α -fluoride, **5**, 299
- C₁₈H₃₁N, piclavine, **8**, 546
- C₁₈H₃₁NO, crucigasterin, **8**, 545
- C₁₈H₃₁NO₄
- N*-(3-hydroxy-7-tetradecenyl)-homoserine lactone, **8**, 400
- N*-(7-isocurubinyl)isoleucine, **1**, 128
- C₁₈H₃₁N₃O₇S, *S*-octanoylglutathione, **4**, 264
- C₁₈H₃₁N₃O₉, Ala-Glu-*m*-DAP-Ala, **3**, 271
- C₁₈H₃₂N₂O₂, β -farnesyl amilanine, **5**, 333
- C₁₈H₃₂O
- faranal, **8**, 237
- 9,12-octadecadienal, **8**, 207
- C₁₈H₃₂O₂
- C18:2, **1**, 340, 341
- chaulmoogric acid, **1**, 68

- geranyl octanoate, **8**, 223
 linoleic acid, **1**, 7, 34, 54, 84, 87, 98, 264, **8**, 119, 211, 215, 217
 malvalic acid, **1**, 62
 octadecadienoic acid, **1**, 98
 octadeca-9,12-dienoic acid, **1**, 35, 37, 40, 45, 46, 98
 octadecenolide, **8**, 218
 propylure, **8**, 47
 C₁₈H₃₂O₃
 13-HOD, **1**, 234
 13-hydroperoxy- α -linolenic acid, **1**, 102
 8-hydroxylinoleic acid, **1**, 211, 212, **8**, 183
 13-hydroxylinoleic acid, **1**, 102, **3**, 182, **8**, 181
 15-hydroxylinoleic acid, **1**, 230
 9-hydroxy-10,12-octadecadienoic acid, **1**, 209
 13-hydroxyoctadecadienoic acid, **1**, 214
 13-hydroxy-9,11-octadecadienoic acid, **1**, 111
 laetisarinic acid, **1**, 212
 C₁₈H₃₂O₄
 6-acetoxy-5-hexadecanolide, **8**, 217
 7,8-dihydroxylinoleic acid, **1**, 211, 212
 9-HPOD, **1**, 214, 233, 235
 13-HPOD, **1**, 209, 214, 230, 233, 234
 9-hydroperoxyoctadecadienoic acid, **1**, 235, 266
 9-hydroperoxy-10,12-octadecadienoic acid, **1**, 95
 10-hydroperoxyoctadeca-8,12-dienoic acid, **1**, 211
 13-hydroperoxy-9,11-octadecadienoic acid, **1**, 95, 98, 102, 103, 105
 hydroperoxyoctadecadienoic acid, **1**, 99
 12-keto-13-hydroxy-9-octadecenoic acid, **1**, 119
 plant growth hormone, **8**, 5
 C₁₈H₃₂O₅
 auxin a, **8**, 24
 macrolide, **1**, 508
 9,12,13-trihydroxy-10,15-octadecadienoic acid, **1**, 209
 C₁₈H₃₂O₁₅, 2'-fucosyllactose, **3**, 55
 C₁₈H₃₂O₁₆
 cellotriose, **3**, 571, **5**, 301
 maltotriose, **3**, 457, 481
 raffinose, **8**, 162
 C₁₈H₃₃N
 piclavine, **8**, 546
 tridecadienylpyridine, **8**, 549
 C₁₈H₃₄NO₁₈P
 Man1GlcN-PI, **3**, 305
 Manz1-4GlcN1-6-inositol-phosphate, **3**, 295
 C₁₈H₃₄N₂O
 pseudodistomin A, **8**, 547
 pseudodistomin B, **8**, 547
 C₁₈H₃₄O
 linoleyl alcohol, **1**, 98
 3,13-octadecadien-1-ol, **8**, 207
 1,5-octadien-3-ol, **1**, 211
 C₁₈H₃₄O₂
 C18:1, **1**, 340
 ω -cycloheptylundecanoate, **1**, 75, 80
 dihydrochaulmoogric acid, **1**, 68
 dihydromalvalic acid, **1**, 62
 octadecanolide, **8**, 218
 octadec-6-enoic acid, **1**, 42
 octadec-9-enoic acid, **1**, 37, 40, 46
 oleic acid, **1**, 7, 25, 49, 64, 210, **4**, 14, **8**, 217
 vaccenic acid, **1**, 64, 2, 50
 C₁₈H₃₄O₃
 ω -cycloheptyl- α -hydroxyundecanoate, **1**, 75, 80
 9,10-epoxystearic acid, **1**, 210
 gyptol, **8**, 45
 13-hydroperoxyoctadecadienol, **1**, 106
 ZR-515, **8**, 436
 C₁₈H₃₄O₄
 9-hydroperoxylinoleic acid, **1**, 109
 13-hydroperoxylinoleic acid, **1**, 84, 106
 linoleic acid 13-hydroperoxide, **1**, 95, 102
 C₁₈H₃₆N₄O₁₁, kanamycin, **4**, 200, **6**, 194
 C₁₈H₃₆O
 7,8-epoxyoctadecane, **8**, 208
 hexahydrofarnesylacetone, **8**, 234
 6,10,14-trimethyl-5,9,13-pentadecan-2-one, **8**, 232
 C₁₈H₃₆O₂
 myristyl 2-methylpropanoate, **8**, 210
 octadecanoic acid, **1**, 35, 37
 stearic acid, **1**, 25, 297, **3**, 101, 304, **4**, 14, **8**, 181, 183, 203, 205, 213, 217
 C₁₈H₃₆O₃, 9-HOD, **1**, 243
 C₁₈H₃₆O₆, 9,10-dihydroxystearic acid, **1**, 210
 C₁₈H₃₇NO₂
 3-dehydrosphinganine, **3**, 89
 sphingosine, **3**, 3, 88, 90, 99, 101
 C₁₈H₃₈
 9-methylgermacrene-B, **8**, 237
 2-methylheptadecane, **8**, 249
 7-methylheptadecane, **8**, 248
 C₁₈H₃₈NO₅P
 sphingosine phosphate, **3**, 99
 sphingosine-1-phosphate, **3**, 88
 C₁₈H₃₈O₂, hexadecyl acetate, **8**, 218
 C₁₈H₃₉NO₂, sphinganine, **3**, 89, 90, 100
 C₁₈H₄₀NO₅P, 1-desoxysphinganine-1-phosphonate, **3**, 403
 C₁₈H₄₀NO₅P, sphinganine-1-phosphate, **3**, 403
 C₁₈H₄₀NO₆P, 4-D-hydroxysphinganine-1-phosphate, **3**, 403
 C₁₈H₄₂O₂, 2-butyl 7-tetradecenoate, **8**, 209
 C₁₉H₁₁NO₂, *N*-(3-pyrenyl)maleimide, **7**, 168
 C₁₉H₁₂O₂, anigorufone, **1**, 767
 C₁₉H₁₂O₃, hydroxyanigorufone, **1**, 767
 C₁₉H₁₂O₄, tetrangulol, **1**, 482
 C₁₉H₁₂O₇, prostalidinC, **1**, 705
 C₁₉H₁₃BrN₂O
 eudistominR, **8**, 527
 eudistominS, **8**, 527
 C₁₉H₁₃ClO₆, austocystin, **7**, 511
 C₁₉H₁₃F₂NO₄, CP-115,953, **7**, 603, 609
 C₁₉H₁₃N₃, eudistominU, **8**, 528
 C₁₉H₁₃N₃O, *N*-2-(anthracen-9-ylmethyl)guanine, **7**, 327
 C₁₉H₁₃O, 9-phenylxanthen-9-yl, **6**, 83
 C₁₉H₁₄N₂, 9-anilinoacridine, **7**, 606
 C₁₉H₁₄N₂O, eudistomin T, **8**, 527
 C₁₉H₁₄N₄, bilin, **1**, 274
 C₁₉H₁₄O₆, *O*-methylsterigmatocystin, **1**, 445, 458, 459, 462, 467
 C₁₉H₁₄O₇, 10-hydroxy-*O*-methylsterigmatocystin, **1**, 459
 C₁₉H₁₅, trityl, **7**, 126
 C₁₉H₁₅N₃, iso-eudistominU, **8**, 528
 C₁₉H₁₅N₃O₂, cystodytin J, **8**, 540
 C₁₉H₁₅S, tritylthio, **7**, 119
 C₁₉H₁₆BrNO₄, iodindomethacin, **5**, 248
 C₁₉H₁₆ClNO₄, indomethacin, **1**, 243, **5**, 10, 193, 243, 248, 252
 C₁₉H₁₆O₆
 dihydro-*O*-methylsterigmatocystin, **1**, 463
 psorospermin, **7**, 511
 C₁₉H₁₆O₇, urdamycin, **1**, 482
 C₁₉H₁₇Br₂NO₄
 botryllamide A, **8**, 539
 botryllamideC, **8**, 539
 C₁₉H₁₇F₃N₄O₁₃P₃, 2',3'-dideoxy-5-[4-(3-trifluoromethyl-3*H*-diazirin-3-yl)s tyryl]UTP, **7**, 217
 C₁₉H₁₇F₄N₇O₁₄, phosphoramidite, **7**, 218
 C₁₉H₁₇NO₃, rutacridone, **1**, 130
 C₁₉H₁₈BrNO₄
 botryllamide B, **8**, 539
 botryllamide D, **8**, 539
 C₁₉H₁₈O₃
 formylphenylpentenylbenzoic acid, **5**, 426
 1,5-hexadiene, **5**, 426
 C₁₉H₁₈O₄, anolignan A, **1**, 704

- C₁₉H₁₈O₅, coniferyl *p*-coumarate, **3**, 699
 C₁₉H₁₈O₇, vernodalinal, **8**, 308
 C₁₉H₁₉N₃O₆
 naphthalimide, **7**, 407
 p-nitroanilide, **5**, 436
 C₁₉H₁₉N₃O₇, cyclohexene, **5**, 428, 429
 C₁₉H₁₉N₇O₆, folate, **3**, 375, 401
 C₁₉H₂₀N₂O
 norfluorocurarine, **4**, 50
 tambjamine F, **8**, 472
 C₁₉H₂₀N₂O₂, vincanidine, **4**, 121
 C₁₉H₂₀O₂, lignan, **1**, 693
 C₁₉H₂₀O₃
 cryptotanshinone, **2**, 228
 termilignan, **1**, 672, 691, **3**, 677
 C₁₉H₂₀O₄, moracinC, **8**, 155
 C₁₉H₂₀O₅
 GA₁₀₅, **8**, 56
 12-*epi*-teuvin, **8**, 318
 teuvin, **8**, 318
 C₁₉H₂₀O₆, demethyldehydroconiferyl alcohol, **1**, 683
 C₁₉H₂₀O₇, GA₅₉, **8**, 40
 C₁₉H₂₁NO, quinuclidine derivative, **2**, 258
 C₁₉H₂₁NO₃, thebaine, **4**, 35
 C₁₉H₂₁NO₄
 naloxone, **4**, 40
 protoberberine, **4**, 40
 scoulerine, **4**, 41
 C₁₉H₂₁NO₅, sinapoyl tyramine, **1**, 673
 C₁₉H₂₂ClNS, SDZ 87-469, **2**, 276
 C₁₉H₂₂N₂O₂, sarpagine, **4**, 118
 C₁₉H₂₂O₃
 brombin II, **1**, 380
 brombin III, **1**, 380
 C₁₉H₂₂O₄
 alnusdiol, **1**, 686
 12,15-cyclo-GA, **2**, 237
 ent-9,15-cyclo-20-norgibberell-16-ene, **8**, 56
 2,3-dehydro GA₉, **8**, 53
 9,11-dehydro-GA, **2**, 237
 diarylheptamoid, **1**, 686
 GA₇₃, **8**, 56, 57
 GA₁₀₃, **8**, 56, 57
 C₁₉H₂₂O₅
 columbin, **8**, 167
 12,15-cyclo-GA, **2**, 237
 GA₅, **2**, 236, **8**, 43, 52, 53
 GA₇, **2**, 236, **8**, 45, 53
 GA₁₁, **8**, 37
 GA₃₁, **8**, 38
 GA₆₂, **8**, 40
 3-*epi*-GA₈₈, **8**, 56
 GA₉₅, **8**, 42
 GA₁₀₄, **8**, 56
 GA₁₀₆, **8**, 56
 GA₁₀₇, **8**, 56
 GA₁₀₈, **8**, 56
 GA₁₀₉, **8**, 56
 gibberellin A₅, **2**, 221
 3 α -hydroxy-9,15-cyclo-GA₉, **8**, 56
 1 β -hydroxy-9,15-cyclo-GA₉, **8**, 56
 thannilignan, **1**, 672, 691
 C₁₉H₂₂O₆
 alectrol, **8**, 175
 antheridic acid, **2**, 237, **8**, 56
 cedrusin, **1**, 684, **3**, 677
 GA₃, **2**, 236, **8**, 45, 46, 50, 51, 54
 GA₆, **2**, 236, **8**, 43, 52, 53
 GA₂₂, **8**, 37
 GA₃₀, **8**, 38
 GA₆₈, **8**, 40
 GA₈₀, **8**, 41
 GA₉₂, **8**, 42
 GA₉₄, **8**, 42
 gibberellin A₃, **2**, 221, **8**, 42
 20-noranthrid-8(14),16-diene, **8**, 56
 strigol, **8**, 175
 C₁₉H₂₂O₇
 GA₂₁, **8**, 38
 GA₂₆, **8**, 38
 GA₃₂, **8**, 44
 GA₃₃, **8**, 38
 GA₈₇, **8**, 41
 GA₉₃, **8**, 42
 C₁₉H₂₃NO₄
 cocculine, **4**, 43
 orientaline, **4**, 40
 reticuline, **4**, 35, 41
 C₁₉H₂₃NO₁₀,
 4-methylumbelliferyl- α -D-neuraminic acid, **5**, 295
 C₁₉H₂₃N₆O₈P, phenylalanyl-AMP, **6**, 127
 C₁₉H₂₃N₆O₁₂P, 3'-(thioinosyl)-3',5'-uridine, **6**, 159
 C₁₉H₂₃N₇O₆, tetrahydrofolic acid, **1**, 612, **2**, 386, **3**, 398,
 401, **8**, 209
 C₁₉H₂₄N₄O₈, thymine dimer, **5**, 378
 C₁₉H₂₄O₃, centrolobol, **8**, 139
 C₁₉H₂₄O₄
 GA₉, **2**, 234, **8**, 44, 45, 51, 52, 53, 55, 57
 gibberellin A₉, **8**, 57
 3'-*O*-methylnordihydroguaiaretic acid, **1**, 703
 ent-20-norgibberell-16-ene, **8**, 56
 C₁₉H₂₄O₅
 GA₄, **2**, 236, **8**, 41, 45, 47, 52, 53
 GA₂₀, **2**, 234, **8**, 51, 52, 53, 54
 GA₄₀, **8**, 39
 GA₄₅, **8**, 39
 GA₅₁, **8**, 39
 GA₆₁, **8**, 40
 GA₆₉, **8**, 40
 GA₈₄, **8**, 41
 gibberellin A₄, **8**, 43
 montanin B, **8**, 319
 trichothecene, **1**, 466
 trichothecin, **2**, 1, 158
 C₁₉H₂₄O₆
 C₂₉, **8**, 53
 GA₁, **2**, 236, **8**, 43, 45, 47, 52, 53, 54
 GA₂₉, **8**, 44, 45
 GA₃₄, **2**, 236, **8**, 45
 GA₃₅, **8**, 38
 GA₄₇, **8**, 38
 GA₅₄, **8**, 38
 GA₅₈, **8**, 39
 GA₆₀, **8**, 53
 3-*epi*-GA₆₃, **8**, 56
 GA₆₇, **8**, 39
 GA₇₁, **8**, 39
 GA₇₇, **8**, 39
 GA₈₁, **8**, 40
 GA₉₀, **8**, 40
 gibberellin A₁, **8**, 21, 40
 hydroxy-GA₃, **2**, 236
 onopordopicrin, **8**, 308
 C₁₉H₂₄O₇
 C₇₆, **8**, 56
 GA₈, **2**, 236, **8**, 43, 45, 51
 GA₁₆, **8**, 37
 GA₄₈, **8**, 38
 GA₄₉, **8**, 38
 GA₅₀, **8**, 38
 GA₅₅, **8**, 39
 GA₅₆, **8**, 39
 GA₅₇, **8**, 39
 GA₇₂, **8**, 39
 GA₇₈, **8**, 40

- GA₇₉, **8**, 40
 GA₈₅, **8**, 40
 GA₉₁, **8**, 41
 lignan, **3**, 677
 C₁₉H₂₄O₈
 GA₇₅, **8**, 40
 GA₈₆, **8**, 40
 GA₈₉, **8**, 40
 C₁₉H₂₅NO, haminol B, **8**, 465
 C₁₉H₂₅NO₄
 cocculidine, **4**, 43
 isococculidine, **4**, 43
 solanapyroneC, **1**, 395
 tetrahydroprotoberberine, **4**, 42
 C₁₉H₂₅N₄O₉P, Ala-Ala analogue, **3**, 278
 C₁₉H₂₆N₂O, geissoschizoline, **4**, 50
 C₁₉H₂₆N₂O₃S, PD138387, **5**, 252
 C₁₉H₂₆O₂
 4-androstene-3,17-dione, **5**, 33, 39, **8**, 230
 5-androstene-3,17-dione, **5**, 33, 39
 1,2-dehydrotestosterone, **8**, 230
 3-hydroxy-3,5-androstadiene-17-one, **5**, 33
 C₁₉H₂₆O₄, laurediol acetate, **1**, 304
 C₁₉H₂₆O₅, rubrosterone, **8**, 288, 292, 293
 C₁₉H₂₆O₆
 CAL, **2**, 164
 calonecetrin, **2**, 164
 GA₁₀, **8**, 36
 GA₈₂, **8**, 40
 C₁₉H₂₆O₇, GA₂, **8**, 37
 C₁₉H₂₇Co IN₄O₂, benzylcobalamin iodide, **5**, 266
 C₁₉H₂₇NO₆, emiline, **4**, 33
 C₁₉H₂₇N₃O₄, Phe-Pro-Val, **4**, 345
 C₁₉H₂₈O, 5 α -androst-16-en-3-one, **8**, 230
 C₁₉H₂₈O₂, testosterone, **1**, 699, **3**, 410, **8**, 230
 C₁₉H₂₈O₄, VB A dibenzoate, **1**, 141
 C₁₉H₂₈O₅, olepupane, **8**, 462
 C₁₉H₃₀F₃N₄O₆P, deoxyribonucleoside phosphoramidite, **7**, 233
 C₁₉H₃₀N₂O₂, nitroalkane, **8**, 431
 C₁₉H₃₀N₃O₄, pyridooxazole derivative, **8**, 549
 C₁₉H₃₀N₅O₆P, phosphoramidite, **7**, 175
 C₁₉H₃₀O, 5 α -androst-16-en-3-ol, **8**, 230
 C₁₉H₃₀O₂
 helifulvanic acid, **2**, 238
 nonadeca-6,9,12,16-tetraenoic acid, **1**, 39
 sterculynic acid, **1**, 62
 C₁₉H₃₀O₃, 11 α -hydroxyhelifulvanic acid, **2**, 238
 C₁₉H₃₀O₅, shirimodiol diacetate, **8**, 312
 C₁₉H₃₁ClN₂O₂
 AMO 1618, **2**, 305
 AMO 1619, **2**, 311
 C₁₉H₃₂
 1,3,6,9-nonadecatetraene, **8**, 207
 3,6,9,18-nonadecatetraene, **1**, 218
 C₁₉H₃₂ClNO
 cylindricine A, **8**, 546
 cylindricine B, **8**, 546
 C₁₉H₃₂N₂O₆, pseudodistomin B tetraacetate, **8**, 549
 C₁₉H₃₂O₂
 5-alkylresorcinol, **7**, 535
 methyl linolenate, **8**, 217
 C₁₉H₃₂O₃
 JH 0, **8**, 236
 juvenile hormone 0, **8**, 269
 4-methyl-JH I, **2**, 78, **8**, 236, 237, 269
 C₁₉H₃₂O₅, octalactin B, **8**, 590
 C₁₉H₃₂O₆, octalactin A, **8**, 590
 C₁₉H₃₃Cl₂N₂OP, bisphosphoramidite, **7**, 133
 C₁₉H₃₃NO₂S, S-farnesylcysteine methyl ester, **2**, 353
 C₁₉H₃₄
 1,3,6,9-nonadecatriene, **8**, 207
 3,6,9-nonadecatriene, **8**, 207, 208
 6,9,18-nonadecatriene, **1**, 218
 C₁₉H₃₄ClN₂OP, bisphosphoramidite, **7**, 133
 C₁₉H₃₄N₃O₃P, bisphosphoramidite, **7**, 133
 C₁₉H₃₄O
 9,10-epoxy-3,6-nonadecadiene, **8**, 207
 6,7-epoxy-3,9-nonadecadiene, **8**, 207
 3,4-epoxy-6,9-nonadecadiene, **8**, 207
 6,9-nonadecadien-3-one, **8**, 208
 pheromone of *Colotois pennaria*, **8**, 45
 C₁₉H₃₄O₂
 hateramine, **8**, 431
 methyl linoleate, **1**, 98, **8**, 217
 oxylinpin diepoxide, **1**, 217
 sterculic acid, **1**, 62
 C₁₉H₃₄O₃
 2-hydroxysterculic acid, **1**, 62
 methoprene, **8**, 275
 rosaprostol, **1**, 196
 C₁₉H₃₅N, diethylfarnesylamine, **8**, 267
 C₁₉H₃₅NO, lepadiformine, **8**, 547
 C₁₉H₃₆O
 10-nonadecenal, **8**, 219
 7-nonadecen-11-one, **8**, 208
 C₁₉H₃₆O₂
 ω -cyclohexyltridecanoic acid, **1**, 71
 dihydrosterculic acid, **1**, 62
 lactobacillic acid, **1**, 62
 1-methylethyl 9-hexadecenoate, **8**, 217
 methyl oleate, **8**, 217
 nonadec-9-enoic acid, **1**, 38
 oxylinpin vicinal diol, **1**, 217
 C₁₉H₃₆O₃, methyl 3-hydroxy-2-pentylcyclopentane-1-octanoate, **1**, 121
 C₁₉H₃₆O₅, betaenone B, **1**, 388
 C₁₉H₃₆O₆, betaenone D, **1**, 388
 C₁₉H₃₇NaO₁₀S, MTX derivative, **8**, 507
 C₁₉H₃₈
 14-methyl-1-octadecene, **8**, 247
 2-methyl-7-octadecene, **8**, 242
 C₁₉H₃₈O
 disparture, **8**, 2, 41, 48, 208
 7,8-epoxy-2-methyloctadecane, **8**, 242
 C₁₉H₃₈O₂
 diprionyl acetate, **8**, 247
 1-methylethyl 9-hexadecanoate, **8**, 217
 17-methyloctadecanoic acid, **8**, 240
 methyl stearate, **8**, 217
 nonadecanoic acid, **1**, 39
 pheromone of *Neodiprion pinetum*, **8**, 43
 C₁₉H₄₀
 2,5-dimethylheptadecane, **8**, 248
 3,13-dimethylheptadecane, **8**, 248
 5,9-dimethylheptadecane, **8**, 247
 5,11-dimethylheptadecane, **8**, 248
 7,11-dimethylheptadecane, **8**, 248
 nonadecane, **8**, 217, 218
 C₁₉H₄₁NO₄P, myristoyl-ACP, **5**, 130
 C₁₉H₄₄O₇, 2-acetyl-14 α -hydroxy-22-*epi*-pinnasterol, **8**, 280
 C₁₉H₄₁NO, 2,3-dihydro-2-azasqualene N-oxide, **2**, 311
 C₂₀H₂Cl₄I₄K₂O₅, Rose Bengal, **3**, 378
 C₂₀H₄Br₄Na₂O₁₀S₂, sulfobromophthalein, **1**, 283
 C₂₀H₁₀O₅, bulgarein, **7**, 600
 C₂₀H₁₁N₃O₄, BE-13793C, **7**, 600
 C₂₀H₁₂, benzo[a]pyrene, **5**, 58, **7**, 4, 470
 C₂₀H₁₂O, benzo[a]pyrene-7,8-oxide, **5**, 58
 C₂₀H₁₂O₅, fluorescein, **6**, 76, 229, **7**, 116
 C₂₀H₁₂O₇, taiwaninE, **1**, 704
 C₂₀H₁₄NO₄, sanguinarine, **1**, 131, **4**, 43
 C₂₀H₁₄N₂O₃, rhodamine, **7**, 116
 C₂₀H₁₄O₂, dihydrobenzo[a]pyrenediol, **5**, 58
 C₂₀H₁₄O₃
 benzo[a]pyrenediol epoxide, **5**, 58
 benzo[a]pyrene-7,8-diol-9,10-epoxide, **5**, 58

- 7,8-dihydroxy-9,10-oxy-7,8,9,10-tetrahydrobenzo[a]pyrene, **5**, 64
 C₂₀H₁₄O₇, tetracenomycin F1, **1**, 486
 C₂₀H₁₄O₈
 prostalidin A, **1**, 705
 SEK15b, **1**, 486, 489
 C₂₀H₁₅O₂
 9-*p*-methoxyphenylxanthen-9-yl, **6**, 83
 xanthenyl, **7**, 126
 C₂₀H₁₆, 7,12-dimethylbenz[a]anthracene, **1**, 783
 C₂₀H₁₆FN₃O₄, A62176, **7**, 462
 C₂₀H₁₆NO₂
 fagaridine, **7**, 601
 isofagaridine, **7**, 601
 C₂₀H₁₆N₂O₄
 camptothecin, **4**, 117, **7**, 544, 599
 C₂₀H₁₆N₄OS, kuanoniamine D, **8**, 540
 C₂₀H₁₆O₇
 averufin, **1**, 16, 447, 450, 453, 454, 457, 467
 PD116740, **1**, 482
 C₂₀H₁₆O₈
 nidurufin, **1**, 455
 pseudonidurufin, **1**, 455
 RM80, **1**, 486
 SEK15, **1**, 486, 489
 C₂₀H₁₆O₉, versiconal acetate, **1**, 447, 454, 456, 457, 467
 C₂₀H₁₇, monomethyltrityl, **7**, 126
 C₂₀H₁₇ClO, monomethoxytrityl chloride, **6**, 86
 C₂₀H₁₇FN₄O₄, A-85226, **7**, 462
 C₂₀H₁₇FO₂S₂, sulindac sulfide, **5**, 248
 C₂₀H₁₇N₃O₂, aequorin derivative, **8**, 449
 C₂₀H₁₇N₃O₂S, diplamine, **8**, 540
 C₂₀H₁₇N₃O₄, 9-aminocamptothecin, **7**, 600
 C₂₀H₁₈NO₄, berberine, **4**, 40, **41**
 C₂₀H₁₈O₄, phaseollin, **1**, 775, 777, 785, 804, 812, 814
 C₂₀H₁₈O₅
 glyceollin, **1**, 807
 glyceollin I, **1**, 775, 777, 779, 781, 802, 813, **8**, 189
 glyceollin II, **1**, 775, 777, 802
 glyceollin III, **1**, 775, 777, 802
 8-prenylgenistein, **1**, 800
 wighteone, **8**, 183
 C₂₀H₁₈O₆
 averythrin, **1**, 453
 episesamin, **1**, 694
 kievitone, **1**, 722
 luteone, **1**, 815, **8**, 181, 183
 8-prenyl-2'-hydroxygenistein, **1**, 800
 sesamin, **1**, 658, 690, 694, 695, 698, **8**, 277
 C₂₀H₁₈O₇
 averufanin, **1**, 453
 norsolorinic acid, **1**, 2, 420, 425, 447, 450, 454, 462, 467
 sesamolin, **1**, 658, 690, 694, **3**, 677, **8**, 277
 C₂₀H₁₉NO₃, pyriproxyfen, **8**, 275
 C₂₀H₁₉NO₅, protopine, **3**, 643
 C₂₀H₁₉O₂, dimethoxytrityl, **6**, 83
 C₂₀H₂₀O₄
 3,9-dihydroxy-10-dimethylallylpterocarpan, **1**, 804
 isobavachalcone, **1**, 130
 licarin B, **1**, 693
 phaseollidin, **1**, 814
 C₂₀H₂₀O₅, 6-isopentenylnaringenin, **8**, 181
 C₂₀H₂₀O₆
 α-conidendrin, **1**, 668, 691, 697
 conidendrin, **1**, 656
 keivitone, **1**, 814
 piperitol, **1**, 658
 sinapyl *p*-coumarate, **3**, 699
 C₂₀H₂₀O₆, kievitone, **8**, 189
 C₂₀H₂₀O₇
 averantin, **1**, 16, 447, 450, 452, 457, 462
 divanillyl tetrahydrofuran, **3**, 725, 731
 monoepoxylicnanolide, **1**, 695
 pungiolide A, **1**, 375
 sesamolinol, **1**, 690
 C₂₀H₂₀O₈
 6,8-di-*O*-methylhydroxyversicolorone, **1**, 455
 5'-hydroxyaverantin, **1**, 453
 C₂₀H₂₀O₁₁, dihydroquercetin xyloside, **3**, 750
 C₂₀H₂₀O₁₂, 1,6-diprotocatechuoylglucose, **3**, 809
 C₂₀H₂₀O₁₄
 1,6-digalloylglucose, **3**, 809
 1,6-di-*O*-galloyl-β-D-glucose, **3**, 806, 822
 digalloylglucose, **3**, 807
 C₂₀H₂₁ClO₄, fenofibrate, **2**, 259
 C₂₀H₂₁NO₄
 canadine, **4**, 41
 papaverine, **4**, 35
 C₂₀H₂₁N₃O₄, Trp-Tyr, **5**, 184
 C₂₀H₂₁N₄, 7*H*-benzo[*e*]pyrido[4,3-*b*]indole, **7**, 608
 C₂₀H₂₁N₄O, intoplicine, **7**, 607
 C₂₀H₂₂N₂O₂
 akuammicine, **4**, 50
 benzoxazole derivative, **2**, 258
 gelsemine, **4**, 118
 C₂₀H₂₂N₂O₃, cathenamine, **4**, 114
 C₂₀H₂₂N₃O₈, tri-*O*-acetyluridine pyridinium derivative, **7**, 118
 C₂₀H₂₂O₄
 dehydrodiisoeugenol, **1**, 693, **3**, 703
 dehydroguaiaietic acid, **3**, 703
 licarin A, **1**, 645, 678, 680, 693
 C₂₀H₂₂O₅
 dehydrodiconiferyl alcohol, **3**, 651
 8'-hydroxy-3,3'-dimethoxy-7-oxo-8-*O*-4'-lignan, **1**, 692
 C₂₀H₂₂O₆
 dehydrodiconiferyl alcohol, **1**, 641, 651, 652, 678, 680, 682, **3**, 677, 704
 dihydrodehydrodiconiferyl alcohol, **3**, 731
o,o-dihydroxybiphenyl, **3**, 725
 dilignol, **3**, 705
 matairesinol, **1**, 647, 652, 661, 688, 691, 694, 698, 705
 pinioresinol, **1**, 640, 651, 652, 682, 705, **3**, 704, 708, 723
 syringaresinol, **3**, 717
 C₂₀H₂₂O₇
 7'-hydroxymatairesinol, **1**, 668, 688, 691, 697
 nortrachelogenin, **1**, 642
 C₂₀H₂₂O₈, picropodophyllone, **1**, 691
 C₂₀H₂₂O₉
 astringin, **8**, 169
 dehydroginkgolide A, **2**, 395
 1-dehydroginkgolide A, **2**, 390, 394
 photodehydroginkgolide A, **2**, 390, 394, 395
 plicatic acid, **3**, 677
 C₂₀H₂₂O₁₀, plicatic acid, **1**, 656, 668, 697, **3**, 651
 C₂₀H₂₃Br₄N₃O₆, psammaphysin A, **8**, 440
 C₂₀H₂₃Cl₃N₂O₂S, barbamamide, **8**, 608
 C₂₀H₂₃NO₄
 cularine, **4**, 40
 naltrexone, **4**, 40
 tetrahydrocolumbamine, **4**, 41
 C₂₀H₂₃N₃O₅, bioxalomycin α2, **7**, 500
 C₂₀H₂₃N₇O₆
 5,10-methylene-tetrahydrofolate, **8**, 209
 methylenetetrahydrofolate, **3**, 397
 C₂₀H₂₃N₇O₇, 10-formyltetrahydrofolate, **8**, 209
 C₂₀H₂₄N₂O₂
 19,20-dihydroakuammicine, **4**, 51
 tubotaiwine, **4**, 50
 C₂₀H₂₄N₂O₃
 3β-akuammigine, **4**, 118
 geissoschizine, **4**, 113
 11-hydroxypleiocarpamine, **4**, 121
 C₂₀H₂₄O₂
 5,8,11,14-eicosatetraynoic acid, **1**, 221
 eicosatetraynoic acid, **1**, 243

- C₂₀H₂₄O₄
 GA₇₃-Me, **8**, 57
 GA₇₃methyl ester, **8**, 56
 guaiaretic acid, **1**, 640, 676, **3**, 677
 ent-20-norgibberell-9(11),16-diene, **8**, 56
 C₂₀H₂₄O₅
 GA₈₈-Me, **8**, 56, 57
 3-*epi*-GA₈₈-Me, **8**, 56, 57
 GA₉₆-Me, **8**, 56, 57
 myrocinC, **7**, 506
 C₂₀H₂₄O₆
 dihydrodehydrodiconiferyl alcohol, **1**, 679, 680, 682, 683, 688, **3**, 677
 lariciresinol, **1**, 662, 682
 C₂₀H₂₄O₇
 1,7-dihydroxyisoginkgolide, **2**, 398
 dilignol, **3**, 705, 705
 ergochrome AA, **1**, 429
 guaiacylglycerol coniferyl alcohol ether, **3**, 704, 708
 guaiacylglycerol 8-*O*-4'-coniferyl alcohol ether, **1**, 652, 641, 678, 680
 lignan, **3**, 677
 olivil, **1**, 688
 C₂₀H₂₄O₈, vernodalol, **8**, 312
 C₂₀H₂₄O₈S, podolactoneC, **8**, 313
 C₂₀H₂₄O₉, ginkgolide A, **2**, 368, 377, 382, **8**, 313
 C₂₀H₂₄O₁₀
 ginkgolide B, **2**, 368, 377, **8**, 313
 ginkgolide J, **2**, 368
 ginkgolide M, **2**, 368
 salicortin, **8**, 139
 C₂₀H₂₄O₁₁, ginkgolideC, **2**, 368, **8**, 313
 C₂₀H₂₄O₁₂, feruloylarabinofuranosylarabinose, **3**, 697
 C₂₀H₂₅NO₄, norlaudanosoline, **4**, 37
 C₂₀H₂₅NO₁₁, 5-*O*-arabinopyranosyl-2-*O*-(indole-3-acetyl)-*myo* D-inositol, **8**, 26
 C₂₀H₂₅N₇O₆, methyltetrahydrofolate, **5**, 275
 C₂₀H₂₆BrNO₄S, PGH₂analogue, **1**, 189
 C₂₀H₂₆N₂O₂, ajmaline, **4**, 46, 110, 118, 122, 128
 C₂₀H₂₆N₂O₈S₃, sirodesmin, **7**, 527
 C₂₀H₂₆N₁₀O₁₂P, cyclic diguanylic acid, **3**, 581
 C₂₀H₂₆O, juvocimene-1, **8**, 277
 C₂₀H₂₆O₂, juvocimene-2, **8**, 277
 C₂₀H₂₆O₃, halimedatrial, **8**, 462
 C₂₀H₂₆O₄
 dibenzylbutane, **1**, 677
 GA₉-Me, **8**, 56
 GA₁₅, **8**, 51, 52
 momilactone, **1**, 131, **8**, 189
 C₂₀H₂₆O₅
 GA₂₀-Me, **8**, 56, 57
 GA₂₄, **2**, 234
 GA₃₇, **8**, 52
 GA₄₄, **8**, 51
 GA₆₄, **8**, 39
 GA₇₀-Me, **8**, 56, 57
 C₂₀H₂₆O₆
 eupatoriopicin, **8**, 308
 GA₁₃, **8**, 45
 GA₁₉, **2**, 234, **8**, 43, 51, 54
 GA₂₄, **8**, 51
 GA₂₅, **2**, 234
 GA₂₇, **8**, 37
 GA₃₆, **8**, 37
 GA₃₈, **8**, 38
 GA₆₅, **8**, 40
 GA₉₈, **8**, 40
 GA₁₀₁, **8**, 40
 phenols, **1**, 679
 secoisolariciresinol, **1**, 651, 662, 688, 698
 shikodonin, **8**, 313
 C₂₀H₂₆O₇
 cnicin, **8**, 169
 GA₁₇, **2**, 234, **8**, 45, 51
 GA₂₃, **8**, 37
 GA₂₅, **8**, 44, 45, 51
 GA₄₆, **8**, 38
 GA₅₂, **8**, 38
 GA₆₆, **8**, 39
 GA₉₉, **8**, 41
 GA₁₀₂, **8**, 41
 guaiacylglycerol -8-*P*-4'-dihydroconiferyl alcohol ether, **1**, 682
 lignan, **3**, 677
 C₂₀H₂₆O₈
 GA₂₈, **8**, 37
 GA₃₉, **8**, 38
 GA₄₃, **8**, 38
 C₂₀H₂₇NO₁, amygdalin, **8**, 167
 C₂₀H₂₇NO₃, *N*-jasmonoyltyramine, **1**, 128
 C₂₀H₂₇NO₄S, PGH₂analogue, **1**, 189
 C₂₀H₂₇N₄O₁₂P, Dewar pyrimidinone, **5**, 389
 C₂₀H₂₈O, retinal, **1**, 274, **2**, 327
 C₂₀H₂₈O₂
 ferruginol orthoquinone, **2**, 397
 retinoic acid, **1**, 274, **2**, 327, **3**, 79, 118
 trachylobanoic acid, **8**, 142
 C₂₀H₂₈O₃
 bacillariolide I, **1**, 227
 bacillariolide II, **1**, 227
 didemnilactone A, **8**, 543
 didemnilactone B, **8**, 543
 GA₁₂-aldehyde, **8**, 47, 50
 gibberellin A₁₂aldehyde, **2**, 232, 233
 hybridalactone, **1**, 219
 momilactone, **2**, 230
 phomactin B₂, **8**, 599
 phomactin C, **8**, 599
 phomactin D, **8**, 599
 phomactin E, **8**, 599
 phytocassane, **8**, 189
 pisiferic acid, **8**, 181
 C₂₀H₂₈O₄
 agardhilactone, **1**, 221
 GA₁₂, **2**, 234, **8**, 44, 47, 51
 GA₅₃-aldehyde, **8**, 51
 PGA₂-1,15-lactone, **1**, 246
 PGA₃-1,15-lactone, **1**, 246
 PGE₃-1,15-lactone 11-acetate, **8**, 464
 PGE₃-1,15-lactone, **1**, 245
 prostaglandin A, **1**, 232
 ptilodene, **1**, 224
 sordaricin, **1**, 378
 transversial, **2**, 222
 C₂₀H₂₈O₅
 cohumulone, **1**, 760
 GA₁₄, **2**, 236, **8**, 38
 GA₁₅, **2**, 234
 GA₅₃, **2**, 234, **8**, 47, 51, 54
 GA₁₁₀, **8**, 42
 GA₁₁₁, **8**, 42
 GA₁₁₂, **8**, 42
 C₂₀H₂₈O₆
 C₇₄, **8**, 40
 GA₁₈, **8**, 36
 GA₄₄, **2**, 234
 GA₉₇, **8**, 41
 GA₁₀₀, **8**, 41
 C₂₀H₂₈O₈, GA₄₁, **8**, 38
 C₂₀H₂₈O₁₁, 2-*O*-[5-*O*-(*trans*-feruloyl)- β -L-arabinofuranosyl]-D-xylopyranose, **3**, 697
 C₂₀H₂₉NO₅S, latrunculin B, **8**, 466
 C₂₀H₂₉N₃O₁₉P₂,
 3-enolpyruvyl-1-UDP-*N*-acetylglucosamine, **3**, 251
 C₂₀H₂₉N₃O₂₀P₂,
 UDP-*N*-acetylenolpyruvylglucosamine, **1**, 593

- C₂₀H₃₀Co IN₄O₂, benzylcobalamin iodide, **5**, 266
 C₂₀H₃₀N₂O₃, 3β-hydroxy-13α-tigloyloxylupanine, **4**, 35
 C₂₀H₃₀N₄O₆S, biotinamidocaproic acid *N*-hydroxysuccinimide, **7**, 155
 C₂₀H₃₀O
 annonene, **8**, 317
 ferruginol, **2**, 228, 379, 396
 ent-kaurenal, **8**, 50
 spatane-type diterpene, **8**, 459
 C₂₀H₃₀O₂
 abietic acid, **2**, 228
 neo-abietic acid, **2**, 228
 16-deoxysarcophine, **8**, 617
 eicosanoid, **8**, 423
 5,7,9,14,17-eicosapentaenoic acid, **1**, 224
 5,8,10,12,14-eicosapentaenoic acid, **1**, 223
 eicosa-5,8,11,14,17-pentaenoic acid, **1**, 40
 eicosapentaenoic acid, **1**, 38, 161, 212
 ferruginol paraquinol, **2**, 397
 heteroscyphic acid A, **2**, 226
 9-hydroperoxyeicosa-(5,7,11,14,17-pentaenoic acid, **8**, 423
 isopimaric acid, **2**, 228
 kaurenoic acid, **8**, 142
 ent-kaur-16-en-19-oic acid, **2**, 232, 238
 ent-kaurenoic acid, **8**, 50
 laevopimaric acid, **2**, 228
 oryzalexin, **2**, 230, **8**, 189
 rosenonolactone, **2**, 228
 C₂₀H₃₀O₃
 ascidiatrienolide, **1**, 243
 8-HEPE, **1**, 246, 247
 11-HEPE, **1**, 248
 12-HEPE, **1**, 219, 237
 11-HETE, **1**, 243
 12-HETE, **1**, 237
 12-HPETE, **1**, 220
 13-hydroxyeicosapentaenoic acid, **1**, 222
 12-hydroxyeicosatetraenoic acid, **1**, 219
 ent-7α-hydroxykaur-16-en-19-oic acid, **2**, 232
 5,6-leukotriene A₄, **1**, 236
 leukotriene A₄, **1**, 263, 267, 279, 280, **5**, 52, 53, 54, 59, 62, 65, 156, 168
 LTA₄ methyl ester, **1**, 185
 neodidemnilactone, **8**, 543
 phomactin G, **8**, 599
 polyneuric acid, **1**, 221
 preclavulone-A, **1**, 241
 C₂₀H₃₀O₄
 dihydroxyeicosadienoic acid, **1**, 220
 5,6-epoxy-15-hydroxyeicosa-7,9,11,13-tetraenoic acid, **1**, 239
 halicholactone, **1**, 243
 9-hydroperoxyeicosapentaenoic acid, **1**, 216
 8-hydroxy-13-keto-5,9,11,14-eicosatetraenoate, **1**, 222
 LTB₄, **1**, 237, 238
 neohalicholactone, **1**, 243
 15-PGA₂, **1**, 239, 240
 15-PGB₂, **1**, 240, 240
 PGE₂-1,15-lactone, **8**, 464
 PGJ₂, **1**, 163
 phomactin A, **8**, 599
 phomactin B, **8**, 599
 phomactin B₁, **8**, 599
 phomactin F, **8**, 599
 schizostatin, **2**, 257
 C₂₀H₃₀O₅, PGE₃, **1**, 245, **8**, 464
 C₂₀H₃₀O₆
 GA₄₂, **8**, 38
 GA₈₃, **8**, 40
 teumassilin, **8**, 319
 C₂₀H₃₀O₈, ptaquiloside, **7**, 507
 C₂₀H₃₁F₃NO, TBTFa, **5**, 122
 C₂₀H₃₁NO₃, *p*-nitrophenyl myristate, **5**, 130
 C₂₀H₃₁NO₇, heliosupine, **4**, 31
 C₂₀H₃₁N₃O₁₉P₂, UDP-*N*-acetylmuramic acid, **3**, 251
 C₂₀H₃₁N₄O₁₆P
 CMP-*N*-acetylneuraminic acid, **5**, 280
 cytidine 5'-monophosphate *N*-acetylneuraminic acid, **3**, 228
 C₂₀H₃₁O₇S, hymatoxin A, **8**, 179
 C₂₀H₃₂
 abieta-7,13-diene, **2**, 218, 228, 230, 238
 8,12-abietadiene, **2**, 382, 383
 abietadiene, **2**, 381
 ent-atisir-15-ene, **2**, 230
 ent-atisir-16-ene, **2**, 230, 238
 ent-beyerene, **2**, 230
 casbene, **2**, 218, 219, 221
 cembrene, **8**, 222, 230
 1-cembrene, **2**, 220
 cembrene A, **2**, 220,
 cycloaraneosene, **1**, 378
 kaurene, **2**, 385
 kaur-16-ene, **2**, 218, 230, 231, 238, **8**, 7
 ent-kaurene, **8**, 47, 50
 levopimaradiene, **2**, 383
 neocembrene, **8**, 230
 phylloladene, **2**, 237
 9β-pimara-7,15-diene, **2**, 229, 230
 pimara-8(14),15-diene, **2**, 228
 pimara-8,15-diene, **2**, 228
 pimaradiene, **2**, 228, 383
 ent-sandaracopimaradiene, **2**, 229
 sandaracopimaradiene, **2**, 226, 228
 ent-sclarene, **2**, 225
 sclarene, **2**, 225
 springene, **8**, 230
 stemar-16-ene, **2**, 238
 taxa-4,11-diene, **2**, 218, 220
 terpenoid, **8**, 438
 ent-trachylobane, **2**, 230
 transversadiene, **2**, 223
 1-verticillene, **2**, 221
 virescene, **2**, 226
 C₂₀H₃₂N₂O₃, PGH₂ analogue, **1**, 189
 C₂₀H₃₂N₆O₁₂S₂, glutathione disulfide, **2**, 33, **5**, 417
 C₂₀H₃₂O
 geranyl citronellal, **8**, 229
 geranylgeranial, **8**, 229
 oryzalexin S, **2**, 238
 spatane diterpene, **8**, 434
 spatane-type diterpene, **8**, 459
 taxa-4,11-dien-5-ol, **2**, 221
 C₂₀H₃₂O₂
 arachidonic acid, **1**, 2, 10, 34, 98, 134, 209, 212, 255, 273, 277, 291, 340, **5**, 105, 160, 226, 227, 233
 C20:4, **1**, 339
 cladocroic acid, **1**, 63
 eicosa-5,8,11,14-tetraenoic acid, **1**, 36, 40
 eicosa-8,11,14,17-tetraenoic acid, **1**, 40
 epofenonane, **8**, 275
 geranyl geranoate, **8**, 223
 2-ketoepimanol, **8**, 181, 181
 palustric acid, **2**, 228
 rosenonolactone, **2**, 228
 spatane-type diterpene, **8**, 459
 stemodinone, **2**, 238
 virescenol B, **2**, 228
 C₂₀H₃₂O₃
 epoxyeicosatrienoic acid, **1**, 170
 5-HETE, **1**, 168, 176, 222, 230, 244, 245, 249
 8-HETE, **1**, 242, 246, 247
 9-HETE, **1**, 221, 246, 247
 11-HETE, **1**, 222, 223, 242, 248
 12-HETE, **1**, 176, 222, 230, 237, 238, 244, 245, 247, 248, 249, 265

- 15-HETE, **1**, 222, 223, 230, 238, 247
 13-hydroxyarachidonic acid, **1**, 222
 15-hydroxyeicosatetraenoic acid, **5**, 249
 5-hydroxyeicosatetraenoic acid, **1**, 291
 5-hydroxy-7,9,11,14-eicosatetraenoic acid, **1**, 168
 9-hydroxy-10,12-octadecadienoic acid, **1**, 223
 13-hydroxy-9,11-octadecadienoic acid, **1**, 223
 11-hydroxy-9,12-octadecadienoic acid, **1**, 223
 12-KETE, **1**, 245
 $C_{20}H_{32}O_3S_2$, PGH₂analogue, **1**, 189
 $C_{20}H_{32}O_4$
 constanolactone, **1**, 243
 constanolactone A, **1**, 219
 8,15-diHETE, **1**, 237
 5,12-dihydroxy-6,8,10,14-eicosatetraenoic acid, **1**, 249, **5**, 60, 61
 8,9-epoxy-7-hydroxy-5,11,14-eicosatrienoic acid, **1**, 221
 13,14-epoxy-15-hydroxy-5,8,11-eicosatrienoic acid, **1**, 213
 11,12-epoxy-15-hydroxy-5,8,13-eicosatrienoic acid, **1**, 212
 hepoxilin A₃, **1**, 245, 267
 hepoxilin B₃, **1**, 267
 5-HPETE, **1**, 184
 8-HPETE, **1**, 240, 242, 247, 265
 11-HPETE, **1**, 235
 12-HPETE, **1**, 245, 264
 15-HPETE, **1**, 264, 265, **5**, 239, 246
 12-hydroperoxy-5,8,10,14-eicosatetraenoic acid, **1**, 263
 15-hydroperoxy-5,8,11,13-eicosatetraenoic acid, **1**, 213, 263
 8-hydroperoxy-5,9,11,14-eicosatetraenoic acid, **1**, 263
 5-hydroperoxyeicosatetraenoic acid, **1**, 291
 5-hydroperoxy-6,8,11,14-eicosatetraenoic acid, **1**, 263
 8-hydroperoxyeicosatetraenoic acid, **1**, 241
 leukotriene B₄, **1**, 176, 184, 185, 237, 238, 249, 267, 279, 281, 291, **5**, 54, 59, 61, 168
 $C_{20}H_{32}O_4S$, PGI₂, **1**, 189
 $C_{20}H_{32}O_5$
 hydroxyketo acid, **1**, 229
 15-keto-PGF_{2α}, **1**, 242
 levuglandin D₂, **1**, 165
 levuglandin E₂, **1**, 165
 lipoxin A₄, **1**, 170, 236, 237, 267, 281
 lipoxin B₄, **1**, 267
 LXA₄, **1**, 238
 11-LXA₄, **1**, 237, 238
 PGD₂, **1**, 163, 174, 193, 237, 242, 249, 260, 274, 276, 281
 PGE, **1**, 281
 PGE₂, **1**, 172, 236, 237, 242, 244, 245, 246, 249, 260, **8**, 163, 464
 PGH₂, **1**, 242, 257, **5**, 163, 182, 226, 234, 274, 276
 PGI₂, **1**, 166
 PGI₂, **1**, 249, 261, 277
 prostacyclin, **1**, 10, **3**, 183
 prostaglandin E₂, **1**, 283, **5**, 156, 226
 PXA₃008., **1**, 261
 thromboxane, **3**, 182
 thromboxane A₂, **5**, 10, 176, 226
 thromboxin A₂, **1**, 156, 281
 10,11,12-trihydroxy-5,8,14,17-eicosatetraenoic acid, **1**, 247
 8,11,12-trihydroxy-5,9,14,17-eicosatetraenoic acid, **1**, 237
 trioxillin A₄, **1**, 247
 TXA₂, **1**, 167, 183
 TXB₂007, **1**, 246
 $C_{20}H_{32}O_6$
 8,15-dihydroperoxy-6,8,11,13-eicosatetraenoic acid, **1**, 234
 6-keto-PGE₁, **1**, 167
 6-keto-PGF_{1α}, **1**, 237
 PGG₂, **1**, 242, **5**, 163, 182, 226, 234
 PGG₆, **1**, 257
 platenolide, **1**, 526
 rhodojaponin III, **8**, 313
 $C_{20}H_{33}NO_2$, picatamine, **8**, 546
 $C_{20}H_{33}NO_3$, lepadin A, **8**, 546
 $C_{20}H_{33}NO_3S$, *N*-acetyl-S-farnesyl-cysteine, **2**, 359, 361
 $C_{20}H_{33}NO_4$, Aza-PGI₂, **1**, 189
 $C_{20}H_{34}$, dehydroabietane, **2**, 384, 395
 $C_{20}H_{34}N_4O_6S_2$, 1-mercaptodethiobiotin disulfide, **1**, 830
 $C_{20}H_{34}O$
 abienol, **2**, 225
 aphidicolin, **2**, 239
 cembren-4-ol, **2**, 220
 geranyl citronellol, **8**, 229
 geranylgeraniol, **8**, 229
 geranyl linalool, **8**, 229
 kolavenol, **8**, 317
 stemodin, **2**, 238
 $C_{20}H_{34}O_2$
 C20:3, **1**, 340
 2,7,11-cembratriene-4,6-diol, **8**, 235
 cembrene-4,6-diol, **2**, 220
 cembrenediol, **2**, 220
 C_{20} diunsaturated cyclopropanoid fatty acid, **1**, 63
 dihomog- γ -linolenic acid, **1**, 161
 α -4,8,13-duxatriene-1,3-diol, **8**, 181
 11,14,17-eicosatrienoic acid, **1**, 218
 eicosa-8,11,14-trienoic acid, **1**, 36, 40
 stemarin, **2**, 238
 $C_{20}H_{34}O_3$
 12-oxo-10,15-phytodienoic acid, **8**, 115
 12-oxophytodienoic acid, **8**, 119
 thysiflorin, **2**, 239, 241
 $C_{20}H_{34}O_4$
 aphidicolin, **1**, 127, **2**, 239, **7**, 597, **8**, 179
 betaenone E, **1**, 388
 constanolactone, **1**, 244
 5,12-diHETE, **1**, 236
 PGA₂, **1**, 244
 $C_{20}H_{34}O_5$
 15-keto PGF_{2α}, **1**, 237
 PGE₁, **1**, 160, 283
 PGF, **1**, 281
 PGF₂, **1**, 236, 237, 242, 245, 246, 249
 PGF_{2α}, **1**, 163, 172, 261, 276, 283
 11-*epi*-PGF_{2α}, **1**, 261, 276
 PGI₁, **1**, 281
 trioxilin, **1**, 170
 $C_{20}H_{34}O_6$
 13,14-dihydro-15-keto-PGF_{2α}, **1**, 196
 6-keto-PGF_{1α}, **1**, 261, 261, 167
 TXB₂, **1**, 176, 261
 $C_{20}H_{35}BrO_2$, aplysin-20, **2**, 225
 $C_{20}H_{35}NO$, clavopictin B, **8**, 546
 $C_{20}H_{36}$, trimeritane, **8**, 230
 $C_{20}H_{36}N_2OP$, bisphosphoramidite, **7**, 133
 $C_{20}H_{36}N_2O_2$
 pseudodistomin A acetate, **8**, 547
 pseudodistomin B acetate, **8**, 547
 $C_{20}H_{36}N_3O_3P$, bisphosphoramidite, **7**, 133
 $C_{20}H_{36}O$
 episclareol, **8**, 181
 sclareol, **8**, 181
 $C_{20}H_{36}O_2$
 11,14-eicosadienoic acid, **1**, 218
 geranyl decanoate, **8**, 223
 labdenediol, **2**, 225
 sclareol, **2**, 225
 $C_{20}H_{36}O_3$
 dihydro-PGE, **1**, 162
 13,14-dihydro-PGE₁, **1**, 162
 $C_{20}H_{36}O_7P_2$
 copalyl diphosphate, **2**, **5**, **7**, **8**, 211, 218, 223, 226, 383, **8**, 47

- geranylgeranyl diphosphate, **2**, **5**, **7**, **10**, **121**, **201**, **217**, **331**, **339**, **340**, **358**, **381**, **5**, **336**, **8**, **47**
 labdadienyl diphosphate, **2**, **383**
 C₂₀H₃₈, 5,9-dimethyloctadecane, **8**, **248**
 C₂₀H₃₈N₂O₄, bicyclo[3.3.0]octane, **8**, **588**
 C₂₀H₃₈N₆O, stelletadine A, **8**, **443**
 C₂₀H₃₈O, 7-icosen-11-one, **8**, **208**
 C₂₀H₃₈O₂
 ω-cycloheptyltridecanoate, **1**, **75**
 icosanolate, **8**, **218**
 11-octadecenyl acetate, **8**, **218**
 C₂₀H₃₈O₃, ω-cycloheptyl-α-hydroxytridecanoate, **1**, **75**
 C₂₀H₃₈O₁₁, octyl-β-D-maltoside, **3**, **481**
 C₂₀H₄₀, 10,14-dimethyl-1-octadecene, **8**, **247**
 C₂₀H₄₀O
 11-icosen-1-ol, **8**, **218**
 phytol, **2**, **61**, **63**, **8**, **230**, **234**
 C₂₀H₄₀O₂
 arachidonic acid, **8**, **423**
 hexyl myristate, **8**, **210**
 9-octadecenyl acetate, **8**, **218**
 pheromone of *Diprion similis*, **8**, **44**
 C₂₀H₄₁N₂O₂P, phosphoramidite, **7**, **187**
 C₂₀H₄₂NO₄P, phosphoramidite, **7**, **170**
 C₂₀H₄₂NO₆P, 2-dodecanoylamino-1-hexanol phosphoglycol, **5**, **112**
 C₂₀H₄₂N₇O₁₉P₃S, coffeoyl-CoA, **3**, **639**
 C₂₀H₄₂O₂, octadecyl acetate, **8**, **218**
 C₂₀H₄₄NO₈P, 1-(*O*-octyl-2-(heptylphosphonyl))-glycero-3-phosphoethano lamine, **5**, **105**
 C₂₀H₅₀O, lanosterol, **2**, **12**
 C₁₇H₂₆BrN₃, ethidium bromide, **7**, **428**
 C₂₁G₃₉N₇O₁₂, streptomycin, **8**, **379**
 C₂₁H₁₂O₇, 5-carboxyfluorescein, **6**, **76**
 C₂₁H₁₄O₇
 neojusticin A, **1**, **704**
 taiwaninE methyl ether, **1**, **704**
 C₂₁H₁₄O₁₅
 nonahydroxytriphenic acid, **3**, **801**
 sanguisorbic acid, **3**, **801**
 valoneic acid, **3**, **801**
 C₂₁H₁₆O₆
 justicidin B, **1**, **694**, **704**
 retrojusticidin, **1**, **703**
 C₂₁H₁₆O₈
 aklanonic acid, **1**, **487**
 4'-*O*-demethyldehydrodopodophyllotoxin, **1**, **691**
 prostalidin B, **1**, **705**
 C₂₁H₁₆O₁₀, theaflavic acid, **3**, **782**
 C₂₁H₁₈NO₄
 chelerythrine, **7**, **601**
 nitidine, **7**, **601**
 C₂₁H₁₈N₄O₂
 fumiquinazoline D, **8**, **603**
 fumiquinazolineE, **8**, **603**
 C₂₁H₁₈N₄O₂S, shermilamine B, **8**, **540**
 C₂₁H₁₈O₅, 5-*O*-methylderrone, **1**, **800**
 C₂₁H₁₈O₇
 3,4-arylflavan-3-ol, **3**, **755**
 4-arylflavan-3-ol, **3**, **755**
 flavan-3,4-diol, **3**, **755**
 C₂₁H₁₈O₈
 3,4-arylflavan-3-ol, **3**, **755**
 4-arylflavan-3-ol, **3**, **755**, **756**
 flavan-3,4-diol, **3**, **755**
 C₂₁H₁₈O₉
 3,4-arylflavan-3-ol, **3**, **755**
 4-arylflavan-3-ol, **3**, **756**
 flavan-3,4-diol, **3**, **755**
 C₂₁H₁₉, dimethyltrityl, **7**, **121**, **126**
 C₂₁H₁₉N₃O₃S, amsacrine, **7**, **603**, **606**
 C₂₁H₂₀BrN₃, ethidium bromide, **7**, **84**, **432**, **435**, **446**, **658**
 C₂₁H₂₀N₂O₃, serpentine, **4**, **46**, **110**, **135**
 C₂₁H₂₀O₆
 curcumin, **1**, **766**
 7-methyluteone, **1**, **815**
 wailupemycin B, **8**, **597**
 C₂₁H₂₀O₇, wailupemycinC, **8**, **597**
 C₂₁H₂₀O₈, α-peltatin, **1**, **702**
 C₂₁H₂₀O₁₀
 apigenin 7-glucoside, **8**, **173**, **174**
 apigenin 7-*O*-β-glucoside, **1**, **809**
 galangin 3-*O*-glucoside, **1**, **731**
 genistin, **1**, **781**
 sulphurein, **8**, **159**
 C₂₁H₂₀O₁₁
 kaempferol 3-*O*-glucoside, **1**, **731**
 luteolin 7-glucoside, **8**, **156**
 C₂₁H₂₀O₁₂, quercetin 3-*O*-glucoside, **1**, **731**
 C₂₁H₂₀O₁₃
 gossypetin 7-*O*-glucoside, **1**, **733**
 myricetin 3-*O*-glucoside, **1**, **731**
 quercetin glucoside, **8**, **159**
 C₂₁H₂₁ClN₂O, welwitindolinone A isonitrile, **8**, **611**
 C₂₁H₂₁ClO₅, 1-chloro-2-deoxy-3,5-di-*O*-toluoyl-α-D-erythro-pentofuranose, **7**, **261**
 α-chloro-2-deoxyribose, **7**, **262**
 C₂₁H₂₁ClO₁₀, pelargonidin 3-*O*-glucoside, **1**, **731**
 C₂₁H₂₁ClO₁₁, cyanidin 3-*O*-glucoside, **1**, **731**
 C₂₁H₂₁ClO₁₂, delphinidin 3-*O*-glucoside, **1**, **731**
 C₂₁H₂₁FN₂O₄S, PGH₂analogue, **1**, **189**
 C₂₁H₂₁N, naftifine, **2**, **276**
 C₂₁H₂₂NO₄, coralyne, **7**, **467**
 C₂₁H₂₁NO₆, β-hydrastine, **4**, **42**
 C₂₁H₂₁N₃O₇, bicyclo[2.2.2]octene, **5**, **428**
 C₂₁H₂₁O₅, glycoside oxonium ion, **7**, **261**
 C₂₁H₂₁O₁₁, cyanidin 3-glucoside, **8**, **141**
 C₂₁H₂₂NO₄, coralyne, **7**, **601**
 C₂₁H₂₂N₂O₂, strychnine, **4**, **50**, **110**
 C₂₁H₂₂N₂O₇, phenazine alkaloid esters, **8**, **592**
 C₂₁H₂₂O₂
 endiandric acid A, **1**, **368**
 endiandric acid C, **1**, **368**
 C₂₁H₂₂O₆
 bursehernin, **1**, **694**
 fargesin, **1**, **695**, **704**
 kobusin, **1**, **661**
 C₂₁H₂₂O₈
 plicatin, **1**, **697**
 wailupemycin A, **8**, **597**
 C₂₁H₂₂O₉, 2',4,4'-trihydroxychalcone 4-*O*-glucoside, **1**, **791**
 C₂₁H₂₂O₁₀
 coreopsin, **8**, **159**
 isosalipurposide, **1**, **722**, **723**, **8**, **159**
 naringenin 7-*O*-glucoside, **1**, **725**
 C₂₁H₂₂O₁₁, marein, **8**, **159**
 C₂₁H₂₂O₁₂, 2,3-dihydroquercetin 3-*O*-β-D-glucopyranoside, **3**, **750**
 C₂₁H₂₃Br₄N₃O₇, ceratinamide A, **8**, **440**
 C₂₁H₂₃NO₉, azicemicin B, **7**, **514**
 C₂₁H₂₃N₃O₃
 brevianamide A, **1**, **386**
 brevianamide B, **1**, **386**
 C₂₁H₂₄BrN₃, eudistomidin B, **8**, **527**
 C₂₁H₂₄NO₄, 5,6-dihydrocoralyne, **7**, **601**
 C₂₁H₂₄N₂O₂
 catharanthine, **4**, **46**, **48**
 tabersonine, **4**, **46**
 C₂₁H₂₄N₂O₃
 ajmalicine, **4**, **46**, **110**, **113**, **116**, **125**, **135**
 diaboline, **4**, **50**
 19-epiajmalicine, **4**, **114**, **125**
 geissoschizine, **4**, **49**
 11-hydroxytabersonine, **4**, **121**
 tetrahydroalstonine, **4**, **114**, **125**

- C₂₁H₂₄N₆O₄S₂, dendroamide A, **8**, 610
 C₂₁H₂₄O₅
 denudatin B, **1**, 677
 kadsurenone, **1**, 704
 lignan, **1**, 693
 5'-methoxydehydrodiisoeugenol, **1**, 693
 C₂₁H₂₄O₆
 arctigenin, **1**, 645, 661, 703
 isoarctigenin, **1**, 667
 phylligenin, **1**, 662
 pinoresinol monomethyl ether, **1**, 661, 692
 C₂₁H₂₄O₇
 medioresinol, **1**, 673, 688
 trachelogenin, **1**, 642, 690, 703
 C₂₁H₂₄O₉
 isorhapontin, **8**, 169
 melampodin A, **8**, 308
 C₂₁H₂₅N
 naftifine, **2**, 247
 terbinafine, **2**, 247, 270, 276
 C₂₁H₂₅N₃O₂, deoxybrevianamideE, **1**, 386
 C₂₁H₂₅N₃O₅, bioxalomycin β₂, **7**, 500
 C₂₁H₂₆N₂O₃
 preakuammicine, **4**, 49
 stemmadenine, **4**, 50
 β-yohimbine, **4**, 46
 yohimbine, **4**, 46, 110
 C₂₁H₂₆O₂, probetaenone I, **1**, 389
 C₂₁H₂₆O₃Si, 1,2-unsaturated sugar derivative, **7**, 263
 C₂₁H₂₆O₃, *p*-coumaroyl-tetraketide lactone, **1**, 19
 C₂₁H₂₆O₆, kobusinol A, **1**, 661
 C₂₁H₂₆O₇, 5-methoxydihydrodehydrodiconiferyl alcohol, **1**, 688
 C₂₁H₂₆O₁₂, plumieride, **8**, 307
 C₂₁H₂₇NO, pulo'upone, **1**, 374
 C₂₁H₂₇NO₅, *N*-jasmonoyltyrosine, **1**, 128
 C₂₁H₂₇NO₁₂, 5-*O*-galactosyl-2-*O*-(indole-3-acetyl)-*myo*-inositol, **8**, 26
 C₂₁H₂₇N₃O₆, naphthyridinomycin, **7**, 499
 C₂₁H₂₇N₇O, oxyluciferin, **8**, 444
 C₂₁H₂₇N₇O₁₄P₂, NAD, **2**, 28, 341, 342
 C₂₁H₂₈N₇O₁₇P₃, NADP, **2**, 30, 341, 342
 C₂₁H₂₈O₂
 isozonarone, **8**, 460
 zonarone, **8**, 460
 C₂₁H₂₈O₃
 cybisterone, **8**, 230
 undecenylene, **1**, 310
 C₂₁H₂₈O₃S₂
 polyketide triene, **1**, 396
 solanapyrone derivative, **1**, 396
 C₂₁H₂₈O₆
 amphidinolideO, **8**, 622
 nigakilactone I, **8**, 322
 picrasin B, **8**, 322
 similikalactone B, **8**, 322
 C₂₁H₂₈O₉, ABA ester with β-hydroxy-β-methylglutaric acid, **8**, 90
 C₂₁H₂₉BrO₄, bromovulone, **1**, 241
 C₂₁H₂₉ClO₄, chlorovulone I, **1**, 241
 C₂₁H₂₉IO₄, iodovulone, **1**, 241
 C₂₁H₂₉NO₄, equisetin, **1**, 370
 C₂₁H₂₉N₇O₁₄P₂
 acetyl-3-dephospho-CoA, **2**, 19
 NADH, **3**, 393
 C₂₁H₃₀N₇O₁₇P₃, NADPH, **1**, 591, 831, **2**, 16, 30, 32, 254, 268, **3**, 393, 414, 469, 474, 476, **5**, 336
 C₂₁H₃₀O₂
 catechol derivative, **3**, 711
 chromazonarol, **8**, 460
 isozonarol, **8**, 460
 progesterone, **3**, 410
 zonarol, **8**, 460
 C₂₁H₃₀O₃
 cortexone, **8**, 230
 17-hydroxyprogesterone, **3**, 637
 C₂₁H₃₀O₄
 cortexolone, **3**, 637
 rapiculine, **1**, 370
 C₂₁H₃₀O₅
 chlorovulone I epoxide, **1**, 241
 humulone, **1**, 760
 poststerone, **8**, 292, 293
 C₂₁H₃₀O₉
 ABA glucoside, **8**, 90
 ABA glucosyl ester, **8**, 74, 90
 C₂₁H₃₀O₁₀, phaseic acid glucoside, **8**, 90
 C₂₁H₃₁F₃N₅O₆P, 5'-aminated deoxyribonucleoside phosphoramidite, **7**, 234
 C₂₁H₃₁NO₁₀, 3-deoxyGalβ1-3GalNAcα-benzyl, **3**, 79
 C₂₁H₃₁N₃O₁₉P₂, enolbutyryl-UDP-*N*-acetylglucosamine, **3**, 254
 C₂₁H₃₁O₅, 2α,3α-dihydroxy-B-homo-7-oxa-5-128a-pregnane-6,20-dione, **8**, 107
 C₂₁H₃₂N₄O₆, HC-toxin, **4**, 226, 230, 235
 C₂₁H₃₂O₂
 catechol derivative, **3**, 711
 pregnenolone, **1**, 630, 632
 C₂₁H₃₂O₃
 17α,20β-dihydroxy-4-pregnen-3-one, **8**, 230
 17,20-dihydroxy-4-pregnen-3-one, **8**, 426
 C₂₁H₃₂O₄ 2α,3α-dihydroxy-5α-pregnan e-6,10-dione, **8**, 107
 17,20,21-trihydroxy-4-pregnen-3-one, **8**, 230
 C₂₁H₃₂O₆, isodomedin, **8**, 313
 C₂₁H₃₂O₁₀, dihydrophaseic acid glucoside, **8**, 90
 C₂₁H₃₃N₂
 arylalkylamine carbocation, **2**, 258
 geranyl derivative, **2**, 254
 C₂₁H₃₃N₂O₃P, phenolic phosphoramidite, **7**, 177
 C₂₁H₃₃N₄O₂P, phosphoramidite, **7**, 185
 C₂₁H₃₃N₅O₁₀, *O*-glucosyl-9-riboxyldihydrozeatin, **8**, 61
 C₂₁H₃₄N₂O₂, 10-formamidokalihiene, **8**, 437
 C₂₁H₃₄N₃O₆P, phosphoramidite, **7**, 175
 C₂₁H₃₄O₂, catechol derivative, **3**, 711
 C₂₁H₃₄O₂Si, trimethylsilylpentadecatrienyndiol acetone, **1**, 310
 C₂₁H₃₄O₃S, STA₂, **1**, 189
 C₂₁H₃₄O₃S₂, U-46619 disulfide analogue, **1**, 188
 C₂₁H₃₄O₄
 amphidinolide, **8**, 622
 carbacyclin, **1**, 190
 15-hydroperoxy-5,8,11,13-eicosatetraenoic acid, **1**, 102
 iloprost, **1**, 190
 isocarbacyclin, **1**, 190
 isocarbacyclin isomer, **1**, 190
 PGA₁, **1**, 162, 172
 PGB₁, **1**, 162, 172
 PGH₂analogue, **1**, 188, 189
 PGI₂, **1**, 175, **1**, 181 2α,3α,6β-trihydroxy-5α-pregnan-20-one, **8**, 107
 U-46619, **1**, 188
 C₂₁H₃₄O₄S, PGH₂analogue, **1**, 189
 C₂₁H₃₄O₅
 betaenone A, **1**, 388
 betaenoneC, **1**, 388
 PGH₂methyl ester, **1**, 182
 stemphyloxin I, **1**, 388
 C₂₁H₃₄O₆
 9,11-epoxymethano-PGF_{1α}, **1**, 261
 9,11-epoxymethano-PGF_{2α}, **1**, 261, 262
 ornoprostil, **1**, 196
 C₂₁H₃₄O₇, 10-methylplatenolide I, **1**, 526
 C₂₁H₃₅NO₃, PGH₂analogue, **1**, 189
 C₂₁H₃₅NO₅, PGH₂analogue, **1**, 189
 C₂₁H₃₅N₇O₁₀P₃, Co-A thioanion, **2**, 34

- C₂₁H₃₆, 1,3,6,9-henicosatetraene, **8**, 207
 C₂₁H₃₆N₇O₁₀P₃, desthio-CoA, **2**, 34
 C₂₁H₃₆N₇O₁₆P₃S, coenzyme A, **2**, 32, 34, **3**, 306, 409, **4**, 15, 222, **5**, 25, 185, 217
 C₂₁H₃₆O
 9,10-epoxy-1,3,6-henicosatriene, **8**, 207
 9,10-epoxy-3,6-henicosatriene, **8**, 207
 C₂₁H₃₆O₂
 catechol derivative, **3**, 711
 farnesyl hexanoate, **8**, 227
 5-pentadecylresorcinol, **8**, 181, 183
 C₂₁H₃₆O₃, PGE₁, **1**, 172
 C₂₁H₃₆O₆, 6-deoxyerythronolide B 5-keto analogue, **1**, 504
 C₂₁H₃₇N₂O₂P, adamantylethyl phosphoramidite, **7**, 187
 C₂₁H₃₈, 3,6,9-henicosatriene, **8**, 207
 C₂₁H₃₈N₂O₂, cyclic amino alcohol, **2**, 257
 C₂₁H₃₈N₄O₅P₂S, phosphoramidite, **7**, 168
 C₂₁H₃₈O, 6,8-henicosadien-11-one, **8**, 208
 C₂₁H₃₈O₂, 6,7-9,10-diepoxyhenicosadiene, **8**, 208
 C₂₁H₃₈O₅
 5,6-dehydro-PGF_{2α} methyl ester, **1**, 182
 PGF_{1α}, **1**, 160
 PGF_{1β}, **1**, 162
 C₂₁H₃₈O₆, 6-deoxyerythronolide B, **1**, 497, 507, 515
 C₂₁H₃₈O₇, erythronolide B, **1**, 498
 C₂₁H₃₉N₇O₁₂, streptomycin, **1**, 140, **3**, 6, 350, 353, **4**, 200, **6**, 199, **7**, 433
 C₂₁H₄₀O, 6-henicosen-11-one, **8**, 208
 C₂₁H₄₀O₂, 1-methylethyl oleate, **8**, 218
 C₂₁H₄₂
 7-henicosene, **8**, 218
 9-henicosene, **8**, 218
 C₂₁H₄₂O₂, 10,14-dimethylpentadecyl 2-methylpropanoate, **8**, 241
 C₂₁H₄₃N₅O₇, gentamycin, **6**, 194
 C₂₁H₄₄
 3,7-dimethylnonadecane, **8**, 249
 henicosane, **8**, 217, 218
 C₂₂H₁₄INO₆, 5-iodoacetamidofluorescein, **6**, 91
 C₂₂H₁₈O₆, γ-indomycinone, **8**, 598
 C₂₂H₁₈O₇, justicidin A, **1**, 694
 C₂₂H₁₈O₁₁
 tetracenomycin, **1**, 432, 486, 490
 tetracenomycinC, **1**, 479
 C₂₂H₁₉N₃O₃, cystodytin B, **1**, 381
 C₂₂H₂₀N₃O₅, 7-ethyl-10-hydroxycamptothecin, **7**, 599
 C₂₂H₂₀N₃O₂, cystodytin A, **8**, 540
 C₂₂H₂₀O₆, phyllamycin B, **1**, 703
 C₂₂H₂₀O₆S
 4α-benzyl thioether, **3**, 758
 4β-benzyl thioether, **3**, 758
 flanan-3-ol benzyl thioether, **3**, 760
 flavan-3-ol thioether, **3**, 758
 C₂₂H₂₀O₇, 6,8-di-O-methylaverufin, **1**, 455
 C₂₂H₂₀O₈, akilavone, **1**, 14, 432, 482
 C₂₂H₂₀O₉
 enterocin, **8**, 597
 enterocin derivative, **8**, 543
 3-pi-5-deoxyenterocin, **8**, 597
 C₂₂H₂₀O₁₀
 5-deoxyenterocin, **8**, 597
 enterocin, **8**, 543
 granaticin, **1**, 478, **3**, 354, **4**, 206
 griseusin, **1**, 479
 tetracenomycin, **1**, 11
 C₂₂H₂₁NO, Ro-43-6300, **2**, 292
 C₂₂H₂₂IN₃, propidium iodide, **7**, 85
 C₂₂H₂₂N₄O, furimidazoline, **7**, 460
 C₂₂H₂₂N₈, bisanthrene, **7**, 440, 437, 606
 C₂₂H₂₂O₆, ethyl pinosresinol, **1**, 692
 C₂₂H₂₂O₈, podophyllotoxin, **1**, 671, 701, 702, **3**, 677, **7**, 609
 C₂₂H₂₂O₁₃, patuletin 7-glucoside, **8**, 159
 C₂₂H₂₃ClN₂O₈, aureomycin, **4**, 200
 C₂₂H₂₃NO₇, narcotine, **4**, 35
 C₂₂H₂₄Br₂N₁₀O₂
 bromopyrrole, **1**, 381
 dimeric bromopyrrole, **8**, 437
 C₂₂H₂₄Br₂N₁₀O₃, dimeric bromopyrrole, **8**, 437
 C₂₂H₂₄N₂O₃, icajine, **4**, 50
 C₂₂H₂₄N₂O₈, tetracycline, **1**, 2, 446, **4**, 196, 200
 C₂₂H₂₄N₂O₉, oxytetracycline, **1**, 11, 475, 481, 482, **4**, 206
 C₂₂H₂₄N₆O₂S₂, polycarpine, **8**, 542
 C₂₂H₂₄O₇, yatein, **1**, 694
 C₂₂H₂₅ClO₈, tafricanin A, **8**, 316
 C₂₂H₂₅F₃N₇O₈, (diazirino)trifluoroethylbenzoyl TTX, **8**, 488
 C₂₂H₂₅NO₄, 7-demethyltylopharine, **8**, 155
 C₂₂H₂₅NO₆, colchicine, **1**, 127, **4**, 26
 C₂₂H₂₅NO₉, azecemicin A, **7**, 514
 C₂₂H₂₅N₆O₂, coelenteramine benzofuran analogue, **8**, 457
 C₂₂H₂₆Br₂O₆, bromogomisin J, **1**, 703
 C₂₂H₂₆IN₄O₁₄P, thymine photodimer, **5**, 384
 C₂₂H₂₆N₂O₃, 11-methoxytabersonine, **4**, 121
 C₂₂H₂₆N₂O₄
 isoreserpiline, **4**, 118
 tetraphylline, **4**, 121
 C₂₂H₂₆N₂O₅, horhammerinine, **4**, 121
 C₂₂H₂₆N₂O₅S₃, S-deoxyleinamycin, **7**, 523
 C₂₂H₂₆N₂O₆, dichotine, **4**, 50
 C₂₂H₂₆N₂O₆S₃, leinamycin, **7**, 522
 C₂₂H₂₆N₄O₅, cyanocycline A, **7**, 499
 C₂₂H₂₆O₄
 denudatin B, **3**, 677
 lignan, **1**, 694
 machilusin, **1**, 693
 seratrodast, **1**, 198
 C₂₂H₂₆O₅, calanolide A, **1**, 624
 C₂₂H₂₆O₆
 burseran, **1**, 701
 epieudesmin, **1**, 694
 eudesmin, **1**, 661, 667, 692, 694, 695, 704
 C₂₂H₂₆O₈
 lirioresinol A, **1**, 647
 lirioresinol B, **1**, 647
 syringaresinol, **1**, 649, 651, 673
 C₂₂H₂₆O₁₂, catalposide, **8**, 307
 C₂₂H₂₇N₇O
 luciferin, **8**, 444
 urochordamine A, **8**, 440
 urochordamine A', **8**, 441
 urochordamine B, **8**, 440
 urochordamine B', **8**, 441
 C₂₂H₂₇N₇O₂, luciferinol, **8**, 444
 C₂₂H₂₇N₉O₄, distamycin, **7**, 253, 486, 567, 505
 C₂₂H₂₈Br₂Co₂O₆Si, enyne, **1**, 316
 C₂₂H₂₈Br₂N₁₀O₂, sceptrin, **1**, 381
 C₂₂H₂₈N₂O₄, vincine, **4**, 121
 C₂₂H₂₈N₂O₁₁, terramycin, **4**, 200
 C₂₂H₂₈N₄O₆, mitoxanthrone, **7**, 603, 606
 C₂₂H₂₈O₅
 galbelgin, **1**, 692
 galgravin, **1**, 692
 veraguensin, **1**, 692
 C₂₂H₂₈O₆
 gomisin J, **1**, 703
 pachypostaudin A, **1**, 642
 piperone, **1**, 694
 quassin, **8**, 322
 C₂₂H₂₈O₇
 cornutin B, **8**, 317
 kobusinol B, **1**, 661
 C₂₂H₂₈O₈
 eucannabinolide, **8**, 308
 teumarin, **8**, 319

- $C_{22}H_{28}O_{14}$, feruloylgalactopyranosylgalactose, **3**, 697
 $C_{22}H_{29}ClO_9$, bisdeacetylsolenolide D, **8**, 431
 $C_{22}H_{29}FO_5$
 dexamethasone, **1**, 248, **5**, 229
 $C_{22}H_{29}NO_3$, piperidine, **8**, 304
 $C_{22}H_{29}N_7O_5$, puromycin, **3**, 353, **4**, 200, 204
 $C_{22}H_{30}N_2O_8$
 urauchimycin A, **8**, 589
 urauchimycin B, **8**, 589
 $C_{22}H_{30}O_2$
 6,7-dehydroferruginol acetate, **2**, 397
 penostatin C, **8**, 603
 $C_{22}H_{30}O_3$, spatane-type diterpene, **8**, 459
 $C_{22}H_{30}O_5$
 amphidinolide P, **8**, 622
 PGE₃-1,15-lactone, **8**, 464
 PGE₃-1,15-lactone-11-acetate, **1**, 246
 $C_{22}H_{30}O_6$
 laserolide, **8**, 308
 megaphone, **1**, 641, 677, **3**, 677
 neoquassin, **8**, 322
 picasin D, **8**, 322
 $C_{22}H_{30}O_7$
 isomontanolide, **8**, 308
 picasinE, **8**, 322
 $C_{22}H_{30}O_8$, picasin F, **8**, 322
 $C_{22}H_{31}NO_4S$, PGH₂analogue, **1**, 189
 $C_{22}H_{31}NO_5S$, latrunculin A, **8**, 466
 $C_{22}H_{32}O_{21}$, docosaheptaenoic acid, **1**, 291
 $C_{22}H_{32}O_3$
 13-hydroxydocosaheptaenoic acid, **1**, 237
 penostatin A, **8**, 603
 penostatin B, **8**, 603
 $C_{22}H_{32}O_4$, iloprost, **1**, 196
 $C_{22}H_{32}O_5$
 ajugarin V, **8**, 315
 methyl 15-acetoxy-PGA₂, **1**, 239
 PGE₂-1,15-lactone 11-acetate, **8**, 464
 prostaglandin-1,15-lactone, **8**, 464
 $C_{22}H_{32}O_6$, ajugarin II, **8**, 315
 $C_{22}H_{33}BrO_4$, bromo diterpene, **8**, 461
 $C_{22}H_{33}BrO_5$, bromo diterpene, **8**, 461
 $C_{22}H_{33}NO_2$, himagravin, **1**, 371
 $C_{22}H_{33}NO_3$, ajaconine, **8**, 167
 $C_{22}H_{33}NO_5$, PGH₂analogue, **1**, 189
 $C_{22}H_{34}N$
 arylalkylamine carbocation, **2**, 258
 FPP ammonium ion analogue, **2**, 253 *N*-[5,9,13-trimethyl-4,8,12-tetradecatrien-1-yl]pyridinium cation, **2**, 291
 $C_{22}H_{34}N_3O_2P$, phosphoramidite, **7**, 185
 $C_{22}H_{34}N_5O_{15}P_3$, deoxycytidine triphosphate, **7**, 220
 $C_{22}H_{34}O_3$
 dictyosphaerin, **1**, 215
 penostatin D, **8**, 603
 o-pentadecenylsalicylic acid, **8**, 139
 PGH₂analogue, **1**, 189
 pleuromutillin, **2**, 228
 spatane-type diterpene, **8**, 459
 $C_{22}H_{34}O_5$
 prostaglandin-1,15-lactone, **8**, 464
 10,13,14-trihydroxy-4,7,11,16,19-docosapentaenoic acid, **1**, 237
 $C_{22}H_{34}O_7$, forskolin, **3**, 53
 $C_{22}H_{35}N_2O_3PS$, mercaptoalkylated phosphoramidite, **7**, 167
 $C_{22}H_{36}ClNO$
 kalihinene X, **8**, 437
 kalihinene Y, **8**, 437
 kalihinene Z, **8**, 437
 $C_{22}H_{36}O_{21}$, geranylgeranyl acetate, **8**, 229
 $C_{22}H_{36}O_3$
 CTA₂, **1**, 189
 PGH₂analogue, **1**, 189
 $C_{22}H_{36}O_5$, limaprost, **1**, 196
 $C_{22}H_{37}NaO_{15}S$, MTX derivative, **8**, 506
 $C_{22}H_{37}NO_2$
 anadamide, **1**, 281
 clavicipitin A, **8**, 546
 $C_{22}H_{37}NO_9$, theopederinE, **8**, 581
 $C_{22}H_{38}N_2O$, pseudodistominC, **8**, 550
 $C_{22}H_{38}O_4$
 amphidinin A, **8**, 622
 SQ29,535, **5**, 248
 $C_{22}H_{38}O_5$
 carboprost, **1**, 194
 misoprostol, **1**, 196
 $C_{22}H_{40}NO_2P$, didecanoyl phosphatidylethanolamine, **5**, 107
 $C_{22}H_{40}O_2$
 docosenolide, **8**, 218
 dodec-13-enoic acid, **1**, 38
 $C_{22}H_{42}N_4O_5$, decanoyl-Lys-Ala-Ala, **3**, 283
 $C_{22}H_{42}O_2$
 docosanolide, **8**, 218
 dodec-7-enoic acid, **1**, 42
 11-icosenyl acetate, **8**, 218
 16-methyl-9-heptadecenyl 2-methylpropanoate, **8**, 241
 $C_{22}H_{44}O_2$
 docosanoic acid, **1**, 48
 hexyl palmitate, **8**, 210
 $C_{22}H_{46}O_3$, icosyl acetate, **8**, 218
 $C_{23}H_{18}ClNO_5S$, SC58092, **5**, 252
 $C_{23}H_{18}ClNO_5S_2$, SC58076, **5**, 252
 $C_{23}H_{19}N_3O_3$
 isosegoline A, **1**, 381
 segoline A, **1**, 381
 segoline B, **1**, 381
 $C_{23}H_{20}N_2O_8$, *N*-hydroxysuccinimide estere of 4'-[(3-carboxypropionamide)methyl]-4, 5', 8-trimethylpsoralen, **7**, 161
 $C_{23}H_{20}O_{11}$, elloramycin, **1**, 479, 480
 $C_{23}H_{21}N_3O_2S$, lissoclin B, **8**, 541
 $C_{23}H_{21}N_4NaO_5$, NC-190, **7**, 606
 $C_{23}H_{21}N_4OS$, dehydrokuanoniamine B, **8**, 540
 $C_{23}H_{22}O_6$
 deguelin, **1**, 806, 812
 rotenone, **1**, 810
 $C_{23}H_{22}O_7$
 amorphigenin, **1**, 810
 α-toxicarol, **1**, 812
 $C_{23}H_{22}O_9$, rhinacanthinE, **1**, 702
 $C_{23}H_{22}O_{11}$, betavulgarin 2'-glucoside, **8**, 191
 $C_{23}H_{23}N_3O_2S$
 benzo-1,3-oxathiazoline, **8**, 541
 lissoclin A, **8**, 541
 $C_{23}H_{23}N_3O_5$
 SKF 104864, **7**, 599
 topotecan, **7**, 599
 $C_{23}H_{24}N_4O_9$, nocardicin A, **4**, 188
 $C_{23}H_{24}O_6$
 dipropyl pinoresinol, **1**, 692
 rot-2'-enoic acid, **1**, 805, 812
 $C_{23}H_{24}O_7$
 steganacin, **3**, 677
 sumatrolac acid, **1**, 812
 $C_{23}H_{24}O_8$
 5-methoxypodophyllotoxin, **1**, 671, 696
 podophyllotoxin, **1**, 696
 $C_{23}H_{24}O_9$, rhinacanthin F, **1**, 702
 $C_{23}H_{25}N_3$, naphthylquinoline, **7**, 468
 $C_{23}H_{25}N_3O_2$, coelenteramide, **8**, 456
 $C_{23}H_{25}N_3O_3$, coelenterazine amide, **8**, 452
 $C_{23}H_{26}N_4O_{17}PS$, thymine photodimer, **5**, 384
 $C_{23}H_{27}N$, butenafine, **2**, 276
 $C_{23}H_{27}NO_4$, isocotylecrebine, **8**, 155

- C₂₃H₂₇NO₈, narceine, **4**, 35
 C₂₃H₂₈Cl₃N₃O, quinacrine mustard, **7**, 428, 470
 C₂₃H₂₈N₂O₄, *N*-jasmonoyltryptophan, **1**, 128
 C₂₃H₂₈N₂O₅, reserpiline, **4**, 118
 C₂₃H₂₈N₄O, 8-propionate porphyrinogen, **4**, 97
 C₂₃H₂₈O₆
 enprostil, **1**, 196
 gomisinN, **1**, 703
 magnolin, **1**, 661, 692
 C₂₃H₂₈O₇
 epimagnolin A, **1**, 692, 693
 gomisin A, **1**, 676, 702, 703, **3**, 677
 C₂₃H₂₈O₁₀, glaucolide A, **8**, 308
 C₂₃H₂₈O₁₁, bruceine B, **8**, 322
 C₂₃H₂₉ClN₂O, BIBX 79, **2**, 293
 C₂₃H₂₉ClO₄, ascochlorine, **1**, 534
 C₂₃H₂₉NO₄, *N*-methylcorydaline, **4**, 40
 C₂₃H₂₉NO₅, *N*-(acetyl)jasmonylphenylalanine, **1**, 118
 C₂₃H₂₉NO₁₂, hygromycin, **1**, 541
 C₂₃H₂₉N₄O, manzamine C, **8**, 553
 C₂₃H₂₉N₅O₁₀, 6-benzylamino-9[*O*-glucopyranosyl-(1→3)-ribofuranosyl]purine, **8**, 71
 C₂₃H₃₀ClN₃O, quinacrine, **1**, 123, **7**, 428, 467
 C₂₃H₃₀N₂O₃, cyclohexanol, **5**, 426
 C₂₃H₃₀N₂O₄
 N-cucurbinoyltryptophan, **1**, 128
 geissovelline, **4**, 50
 C₂₃H₃₁NO₃S, sulproston, **1**, 194
 C₂₃H₃₂N₂O₃, vincaminoridine, **4**, 121
 C₂₃H₃₂N₆O₁₄, polyoxin A, **3**, 286
 C₂₃H₃₂O₃, polhovalide, **8**, 308
 C₂₃H₃₃N₃, keramamineC, **8**, 554
 C₂₃H₃₄O₄, spatane-type diterpene, **8**, 459
 C₂₃H₃₄O₅
 compactin, **1**, 422, **2**, 378, 257, 353, 355, 363
 digoxigenin, **6**, 229
 mevastatin, **2**, 25
 C₂₃H₃₄O₆, ajugarin IV, **8**, 315
 C₂₃H₃₄O₇, picrasinC, **8**, 322
 C₂₃H₃₅ClN₂O
 kalihinol A, **8**, 437
 terpenoid, **8**, 438
 C₂₃H₃₅ClO₆, chloriolinC, **8**, 601
 C₂₃H₃₅ClO₇, chloriolin B, **8**, 601
 C₂₃H₃₅NaO₇, pravastatin, **1**, 422
 C₂₃H₃₅NOS
 curacin A, **8**, 606, 608
 curacin B, **8**, 606
 curacinC, **8**, 606
 C₂₃H₃₆N₄O₅, Ala-MeLeu-MeLeu-MeVal, **1**, 548
 C₂₃H₃₆N₆O₄, Lys-Trp-Lys, **7**, 380
 C₂₃H₃₆O₂₁, 5-alkylresorcinol, **7**, 535
 C₂₃H₃₆O₇
 acetylandromedol, **8**, 162
 pravastatin, **2**, 246
 pravastin, **1**, 2
 C₂₃H₃₇ClN₂O₂, terpenoid, **8**, 438
 C₂₃H₃₇ClN₂O₂S, terpenoid, **8**, 438
 C₂₃H₃₇ClN₂O₃, terpenoid, **8**, 438
 C₂₃H₃₇NO₄, TX analogue, **1**, 189
 C₂₃H₃₇N₄O₆PS, mercaptoalkylated phosphoramidite, **7**, 167
 C₂₃H₃₈N₃O₁₉P₃, UDPMurNAc analogue, **3**, 278
 C₂₃H₃₈N₄O₁₄
 allosamidin derivative, **1**, 149
 didemethylallosamidin, **1**, 151
 C₂₃H₃₈N₇O₁₇P₃S, acetyl-CoA, **1**, 3, 25, 292, 294, 346, 718, **2**, 3, 12, 15, 46, 50, 51, 53, 376, **3**, 384, 393, 410, 649, **4**, 65, 227, 264, 543, **5**, 25, 185, 318, **8**, 203, 209
 C₂₃H₃₈N₇O₁₈P₃S, *S*-carboxymethyl CoA, **5**, 26
 C₂₃H₃₈O₄, arachidonylglycerol, **1**, 281
 C₂₃H₃₈O₅
 gemeprost, **1**, 194
 tylactone, **1**, 525
 C₂₃H₃₈O₆, betaenone F, **1**, 388
 C₂₃H₃₉ClN₂O₃, 1-phenyl-2-decanoylamino-3-morpholino-1-propanol.HCl, **3**, 114
 C₂₃H₃₉CoN₅O₈, anilino(2,2-dipropionatopropyl)bis(dimethylglyoximate)cobalt, **5**, 266
 C₂₃H₄₀N₂O₁₆, GlcNAcβ1-6[GlcNAcβ1-2]Manα1-methyl, **3**, 55
 C₂₃H₄₀N₄O₁₅, allosamidin derivative, **1**, 151
 C₂₃H₄₁AlO, diisobutylaluminum-2,6-di-*t*-butyl-4-methylphenoxide, **1**, 177
 C₂₃H₄₄O, 14-tricosen-10-one, **8**, 219
 C₂₃H₄₄O₂
 octadecenyl isovalerate, **8**, 221
 octadecenyl 2-methylbutanoate, **8**, 221
 C₂₃H₄₅NO₃,
 N-(1-oxododecyl)-4α,10-dimethyl-8-azadecal-3β-ol, **2**, 291
 C₂₃H₄₅N₃O₁₄, paromomycin, **6**, 193
 C₂₃H₄₆
 5-tricosene, **8**, 219
 7-tricosene, **8**, 218, 219
 9-tricosene, **8**, 200, 219
 C₂₃H₄₆N₆O₁₃, neomycin, **6**, 194
 C₂₃H₄₆O, 9,10-epoxytricosane, **8**, 219
 C₂₃H₄₈NO₆P, 1-octyl-2-(*N*-dodecanoylamino)-2-deoxyglycero-3-phosphoglycol, **5**, 110
 C₂₄H₁₂N₄, eilatin, **8**, 540
 C₂₄H₁₅Br₄NO₅, polycitricin A, **8**, 539
 C₂₄H₁₆CuN₄
 bis(1,10-phenanthroline)Cu, **7**, 253
 copper bis-phenanthroline complex, **7**, 373, 377, 380, 385, 397
 1,10-phenanthroline-cuprous ion complex, **7**, 86
 C₂₄H₁₆O₉, sapurimycin, **7**, 510
 C₂₄H₁₆O₁₂, phloroglucinol oligomer, **8**, 460
 C₂₄H₁₇N₃O, trisindoline, **8**, 588
 C₂₄H₁₈O₈, sinaiticin, **1**, 685, 687
 C₂₄H₁₈O₁₃
 luteolin 7-(6"-malonylglucoside), **8**, 156
 luteolin 7-malonylglucoside, **8**, 155
 C₂₄H₁₉O, *p*-anisyl-1-naphthylphenylmethyl, **7**, 126
 C₂₄H₂₀N₂O₁₀, kinamycin, **7**, 541
 C₂₄H₂₀O₇, UCE6, **7**, 600
 C₂₄H₂₁N₅O₄
 fumiquinazoline F, **8**, 603
 fumiquinazoline G, **8**, 603
 C₂₄H₂₂EuN₄O₈S, europium chelate of oligonucleotide, **7**, 201
 C₂₄H₂₂N₅O₈, di-*O*-(indole-3-acetyl)-*myo*-inositol, **8**, 26
 C₂₄H₂₃ClO₁₄, delphinidin 3-malonylglucoside, **8**, 159
 C₂₄H₂₃N₃O₇, duocarmycinSA, **7**, 505
 C₂₄H₂₃N₃O₈, duocarmycin A, **7**, 505
 C₂₄H₂₃N₄O₂S, shermilamineC, **8**, 540
 C₂₄H₂₃N₅O₄
 fumiquinazoline A, **8**, 603
 fumiquinazoline B, **8**, 603
 C₂₄H₂₄N₄O₄S, Cl-921, **7**, 606
 C₂₄H₂₄O₉, steganacin, **1**, 676, 701
 C₂₄H₂₅N₃O₄
 coelenteramide 1,2-dioxetanone, **8**, 456
 coelenterazine 5-hydroxyperoxide, **8**, 452
 C₂₄H₂₅O₂Si, *t*-butyldiphenylsilyloxymethylbenzoyl, **7**, 120
 C₂₄H₂₆FNO₄, fluvastatin, **2**, 246, 259
 C₂₄H₂₆O₆
 dibutyl pinosresinol, **1**, 692
 egonol-2-methylbutanoate, **1**, 645
 C₂₄H₂₆O₇, dihydroclerodin, **8**, 315
 C₂₄H₂₇N₃O₆S, 9-(*S*-glutathionyl)-10-hydroxy-9,10-dihydrophenanthrene, **5**, 63

- C₂₄H₂₇N₄O₄S, *N*-hydroxysuccinimide ester of 3-*N*-(4-carboxybutyl)methylamino-7-diimethylaminophenazathionium chloride, **7**, 159
- C₂₄H₂₈F₃N₃O₈S₂, galactosidase inhibitor, **5**, 438
- C₂₄H₂₈O₈, steganoate B, **1**, 701
- C₂₄H₂₈O₉, erubin A, **3**, 756
- C₂₄H₂₈O₁₁
 globularicisin, **8**, 307
 globularin, **8**, 307
- C₂₄H₂₉ClO₉, tafricanin B, **8**, 316
- C₂₄H₃₀O₅
 beraprost, **1**, 191, 196
t-butylphenoxycetic anhydride, **7**, 124
- C₂₄H₃₀O₆
 diethyl pinoresinol, **1**, 692
 magnoshinin, **1**, 705
 yangambin, **1**, 661, 692
 yangambin A, **1**, 704
- C₂₄H₃₀O₆S, compound 1737, **1**, 703
- C₂₄H₃₀O₇, hypophyllanthin, **1**, 701
- C₂₄H₃₀O₈
 cornutin A, **8**, 317
 margaspidin, **1**, 450
- C₂₄H₃₂O₅, macrolactinE, **8**, 590
- C₂₄H₃₂O₆
 acoradin, **1**, 647
 deoxyschizandrin, **1**, 703
 magnosalin, **1**, 705
- C₂₄H₃₂O₇
 claculone I, **1**, 241
 inflexin, **8**, 313
- C₂₄H₃₂O₈
 asatone, **1**, 379
 jodrellin A, **8**, 315
- C₂₄H₃₂O₁₁, lignan, **3**, 677
- C₂₄H₃₃ClN₃O₃P, acridinyl phosphoramidite, **7**, 181
- C₂₄H₃₃NO₃, guineensine, **8**, 304
- C₂₄H₃₄O₄, ferruginol ring-B-seco diacetate, **2**, 398
- C₂₄H₃₄O₅
 beraprost analogue, **1**, 191
 macrolactin A, **8**, 590
 macrolactin F, **8**, 590
- C₂₄H₃₄O₆
 okilactomycin, **1**, 370
 phyllanthin, **1**, 701
- C₂₄H₃₄O₇
 ajugarin, **8**, 319
 ajugarin I, **8**, 315, 317
 clerodane, **8**, 314
 clerodin, **8**, 314, 315
- C₂₄H₃₄O₈, 16,19-diacetylteumassilin, **8**, 319
- C₂₄H₃₄O₉
 deoxynivalenol, **2**, 203
 simalikilactone D, **8**, 322
- C₂₄H₃₄O₁₀, T-2 toxin, **2**, 164
- C₂₄H₃₅BrO₅, bromo diterpene, **8**, 461
- C₂₄H₃₅BrO₆, bromo diterpene, **8**, 461
- C₂₄H₃₆O₅
 latanoprost, **1**, 196
 lovastatin, **1**, 410, **2**, 25, 246, 259, 261
 mevinolin, **1**, 384, **2**, 3, 60, 64, 355, 378
- C₂₄H₃₆O₆, macrolactinic acid, **8**, 590
- C₂₄H₃₆O₈, ajugarin III, **8**, 315
- C₂₄H₃₇N₅O₅, Phe-Pro-Val-Orn, **4**, 326, 345
- C₂₄H₃₈N₇O₁₉P₃S, malonyl-CoA, **1**, 25, 62, 147, 346, 716, 718, 732, 750, 759, 784, 789, **8**, 3, 203, 543
- C₂₄H₃₈O₂, hexanorsqualene dialdehyde, **2**, 275
- C₂₄H₃₈O₄
 amphidinoketide I, **8**, 633
 amphidinoketide II, **8**, 633
 amphidinolide J, **8**, 622
 LTB₄analogue, **1**, 192
- C₂₄H₃₈O₇, trichoharzin, **8**, 600
- C₂₄H₄₀N₂, conessine, **4**, 26
- C₂₄H₄₀N₂O₂, pseudodistomin C acetate, **8**, 550
- C₂₄H₄₀N₄O₁₄
 allosamidin derivative, **1**, 149
 demethylallosamidin, **1**, 149, 151
- C₂₄H₄₀N₇O₁₇P₃S
 propanoyl-CoA, **8**, 203, 204, 209
 propionyl-CoA, **1**, 14, 356
- C₂₄H₄₀O₃, PTA₂, **1**, 189
- C₂₄H₄₁NO₂S, *S*-geranylgeranyl-cysteine α -carboxymethyl ester, **2**, 358
- C₂₄H₄₁NO₄, mirabilene isonitrile A, **8**, 611
- C₂₄H₄₁NO₁₀, mycalamide A, **8**, 581
- C₂₄H₄₁N₃O₁₆, tri-*N*-acetylchitotriose, **3**, 30
- C₂₄H₄₂N₄O₁₅, allosamidin derivative, **1**, 151
- C₂₄H₄₂O₆, macrolide, **1**, 517
- C₂₄H₄₂O₂₁, cellotetraose, **3**, 571, **5**, 301
- C₂₄H₄₄NO₂₀, Manz1-6Manz1-4GlcN α 1-*6*inositol, **4**, 313
- C₂₄H₄₄NO₂₃P, Man2-GlcN-PI, **3**, 304
- C₂₄H₄₄N₂O₄, pseudodistomin B tetrahydroacetate, **8**, 548
- C₂₄H₄₄O₂, neryl myristate, **8**, 222
- C₂₄H₄₆N₂O₂₂P, Man*N*-Man-GlcN-PI, **3**, 303
- C₂₄H₄₆O₂
 tetracosanolide, **8**, 218
 tetracos-19-enoic acid, **1**, 42
- C₂₄H₄₆O₁₁, dodecyl- β -D-maltoside, **3**, 481
- C₂₄H₄₈NO, 8-azadecaline, **2**, 304
- C₂₄H₄₈O₂
 hexyl stearate, **8**, 210
 tetracosanoic acid, **1**, 49
- C₂₄H₄₉NO₂,
N-(1,5,9)-trimethyldecyl-4 α ,10-diimethyl-8-azadecal-3 β -ol, **2**, 291
- C₂₄H₅₀NO, *N*-alkylhydroxypiperidine, **2**, 304
- C₂₄H₅₂N₂O₅P
 2-[*N*-palmitoylamino]propylphosphocholine, **1**, 293
 3-[*N*-palmitoylamino]propylphosphocholine, **1**, 293
- C₂₄H₅₄OSn₂, bis(*n*-tributyltin)-oxide, **8**, 431
- C₂₅H₁₉N₃O₂, aequorin derivative, **8**, 449
- C₂₅H₁₉N₅ORu, oxoruthenium complex, **7**, 374
- C₂₅H₂₁NO₄, PGE₂agonist, **1**, 192
- C₂₅H₂₁N₃O₉S₂, luciferin, **8**, 454
- C₂₅H₂₂N₄O₈, streptonigrin, **7**, 529, 536
- C₂₅H₂₂O₁₂, brainic acid, **1**, 647
- C₂₅H₂₃ClN₂O₅, 5-carboxytetramethylrhodamine, **6**, 76
- C₂₅H₂₃NO₅, jadomycin, **1**, 482
- C₂₅H₂₄BrN₃O₈
 duocarmycin B₁, **7**, 505
 duocarmycin C₁, **7**, 505
- C₂₅H₂₄ClN₃O₈
 duocarmycin B₂, **7**, 505
 duocarmycin C₂, **7**, 505
- C₂₅H₂₄N₂O₇
 α -2'-deoxynucleoside, **7**, 261
 β -2'-deoxynucleoside, **7**, 261
- C₂₅H₂₄O₈, maackoline, **1**, 685
- C₂₅H₂₄O₁₂, formononetin 7-*O*-glucoside-6"-*O*-malonate, **1**, 780, 807
- C₂₅H₂₄O₁₃, biochanin A 7-*O*-glucoside-6"-*O*-malonate, **1**, 809
- C₂₅H₂₅N₃O₂, coelenterazine analogue, **8**, 448
- C₂₅H₂₅N₃O₈, sibiromycin, **7**, 497
- C₂₅H₂₅N₄O₈, streptonigrin, **7**, 528
- C₂₅H₂₅N₅O₅, fumiquinazolineC, **8**, 603
- C₂₅H₂₅N₆O, Hoechst dye 33258, **7**, 84, 252, 419, 595
- C₂₅H₂₆BrN₅O₁₁, prosurugatoxin, **8**, 515
- C₂₅H₂₆BrN₅O₁₃, surugatoxin, **8**, 515
- C₂₅H₂₆N₄O₅S₃, leptosin, **7**, 527
- C₂₅H₂₆O₅, shamixanthone, **1**, 434
- C₂₅H₂₆O₆
 2'-hydroxylupalbigenin, **1**, 779
 tajixanthone, **1**, 434

- C₂₅H₂₆O₁₂, medicarpin malonyl glucoside, **1**, 808
 C₂₅H₂₈O₆, fumagillin, **2**, 165
 C₂₅H₂₉NO, PDA-I, **2**, 279
 C₂₅H₃₀O₅
 heliocideH₁, **1**, 377
 heliocideH₄, **1**, 377
 C₂₅H₃₀O₆, andibenin B, **1**, 378
 C₂₅H₃₀O₁₁, lignan, **3**, 677
 C₂₅H₃₀O₁₂, melampodin, **8**, 308
 C₂₅H₃₁N₃O₅, moiramide B, **8**, 594
 C₂₅H₃₁O₉, renillafulin A, **8**, 437
 C₂₅H₃₂N₂O₆, vindoline, **4**, 46, 48, 121
 C₂₅H₃₃NO₁₁
 deacetylpecoside, **4**, 123
 deacetylisopecoside, **4**, 123
 C₂₅H₃₂O₉
 platyphylloside, **8**, 139
 6*z*-seneciolyloxychaparrinone, **8**, 322
 C₂₅H₃₂O₁₀, lignan, **3**, 677
 C₂₅H₃₂O₁₁, clemastanin A, **3**, 677
 C₂₅H₃₄N₃O₃P, K-26, **1**, 865
 C₂₅H₃₄N₆O₃S₄, tantazole B, **8**, 611
 C₂₅H₃₄O₇, gradolide, **8**, 308
 C₂₅H₃₄O₉, schkuhrin II, **8**, 308
 C₂₅H₃₄O₁₂, lignan, **3**, 677
 C₂₅H₃₅O₇P₂, geranylgeranyl diphosphate, **5**, 325
 C₂₅H₃₆F₂O, 29-difluoromethylidenehexanor-2,3-oxidosqualene, **2**, 287
 C₂₅H₃₆N₂O₂, ircinal A, **1**, 381
 C₂₅H₃₆O₃
 manoalide, **8**, 521
 spatane-type diterpene, **8**, 459
 C₂₅H₃₆O₇P₂, geranylgeranyl diphosphate, **2**, 63
 C₂₅H₃₇NO₉, 9,21-didehydroryanodine, **8**, 320
 C₂₅H₃₈F₃N₈O₃P, 5'-aminated deoxyribonucleoside phosphoramidite, **7**, 234
 C₂₅H₃₈N₂O₂, ircinal B, **1**, 381
 C₂₅H₃₈N₃O₃P, phosphoramidite, **7**, 154
 C₂₅H₃₈O₂, 12-deacetoxy scleradiol, **8**, 467
 C₂₅H₃₈O₄
 dysidiolide, **8**, 585
 fusarielin A, **1**, 370
 lintonolide C, **8**, 467
 C₂₅H₃₈O₅
 isomacrolactinic acid, **8**, 590
 lintonolide D, **8**, 467
 lintonolide E, **8**, 467
 simvastatin, **2**, 25, 246
 C₂₅H₄₀N₂O₂, ircinol A, **1**, 381
 C₂₅H₄₀N₂O₃S, LTD₄
 C₂₅H₄₀N₂O₆S, LTD₄, **1**, 168, 176, 249, 268
 C₂₅H₄₀N₇O₁₇P₃S
 crotonoyl-CoA, **1**, 356, 544
 vinylacetyl-CoA, **1**, 74
 C₂₅H₄₀N₇O₁₈P₃S, acetoacetyl-CoA, **1**, 356, **2**, 3, 16, 18, 19, 22, 46, **4**, 65, **8**, 209, 544
 C₂₅H₄₀N₇O₁₉P₃S
 methylmalonyl-CoA, **1**, 14, 361
 succinyl CoA, **1**, 827
 C₂₅H₄₀N₇O₂₀P₃S, succinyl CoA, **4**, 140
 C₂₅H₄₁NO₂, U18666A, **2**, 292
 C₂₅H₄₂NO₃S, *N*-acetyl-*S*-geranylgeranyl-cysteine, **2**, 359
 C₂₅H₄₂N₂
 haliclonadamine, **8**, 564
 pauamine, **8**, 564
 C₂₅H₄₂N₄O₁₄
 allosamidin, **1**, 139, 149, 151, **5**, 297
 allosamidin derivative, **1**, 149
 C₂₅H₄₂N₇O₁₇P₃S
 butyryl-CoA, **1**, 356, 544
 isobutyryl-CoA, **1**, 356, 761
 C₂₅H₄₂N₇O₁₈P₃S
 3-hydroxybutanoyl-CoA, **8**, 209
 β-hydroxybutyryl-CoA, **1**, 356
 C₂₅H₄₂O₂, 7,13,16,19-docosatetraenyl 2-methylpropanoate, **8**, 207
 C₂₅H₄₃NO₇, methymycin, **1**, 500
 C₂₅H₄₃NO₁₀, mycalamide B, **8**, 581
 C₂₅H₄₃NO₁₈, acarbose, **5**, 299, 302, 303
 C₂₅H₄₃N₈O₁₈P₃S, succinyl-CoA, **4**, 62, 65
 C₂₅H₄₄N₄O₁₅, allosamidin derivative, **1**, 151
 C₂₅H₄₄O₅, unoprostone, **1**, 196
 C₂₅H₄₄O₇P₂, geranylgeranyl diphosphate, **2**, 86
 C₂₅H₄₄O₁₁, MTX derivative, **8**, 506
 C₂₅H₄₅NO₁₈, dihydroacarbose, **5**, 302
 C₂₅H₄₇NO₃P, didecanoyl phosphatidylcholine, **5**, 107
 C₂₅H₄₈N₆O₈, desferrioxamine B, **7**, 540
 C₂₅H₄₈O₉, 1-*O*-palmitoyl-3-*O*-β-D-galacto pyranosylglycerol, **8**, 610
 C₂₅H₅₀
 9-pentacosene, **8**, 219
 11-pentacosene, **8**, 219
 C₂₆H₁₆N₂, bisacridine, **7**, 467
 C₂₆H₁₉N₃O₃, dehydrocoelenterazine, **8**, 455
 C₂₆H₂₁N₃O₂, aequorin derivative, **8**, 449
 C₂₆H₂₁N₃O₃
 coelenteramide, **8**, 446
 coelenterazine, **8**, 446
 C₂₆H₂₁N₃O₄, hydroxyaequorin, **8**, 450
 C₂₆H₂₁N₃O₉S₂, oxyluciferin, **8**, 454
 C₂₆H₂₂N₄O₂, coelenterazine analogue, **8**, 448
 C₂₆H₂₂O₇, glycoside oxonium ion, **7**, 261
 C₂₆H₂₃N₃O₃
 N-methyl coelenteramide, **8**, 452
 O-methyl coelenteramide, **8**, 452
 C₂₆H₂₄N₂O₄, PGE₂ agonist, **1**, 192
 C₂₆H₂₄O₁₁, tuberculatol, **1**, 705
 C₂₆H₂₅Br₄N₃O₈, psammaphysin E, **8**, 440
 C₂₆H₂₆FN₃O₂, coelenterazine analogue, **8**, 449
 C₂₆H₂₆N₂, yuehchukene, **1**, 369
 C₂₆H₂₇NO₉, idarubicin, **4**, 200, **7**, 605
 C₂₆H₂₇N₃O₇, 6-aminothymine glycoside, **7**, 261
 C₂₆H₂₈Cl₂N₄O₄, ketoconazole, **1**, 720
 C₂₆H₂₈NO₁₀PS₂, bis(methylsulfonylphenyl) glutamidobenzylphosphonate, **5**, 438
 C₂₆H₂₈O₉, dihydrodehydrodiconiferyl alcohol triacetate, **3**, 677
 C₂₆H₂₉F₂N₇, almitrine, **4**, 110
 C₂₆H₂₉NO, tamoxifen, **1**, 783
 C₂₆H₂₉NOS₂, NB-598, **2**, 277
 C₂₆H₃₀N₂O₈
 strictosidine lactam, **4**, 116, 117
 vincoside lactam, **4**, 116
 C₂₆H₃₀O₈
 FPL-55712, **1**, 191
 limonin, **8**, 321
 C₂₆H₃₀O₁₁, 8-prenyldihydrokaempferol 7-glucoside, **8**, 156
 C₂₆H₃₁ClO₁₀
 erythrolide A, **8**, 470
 erythrolide B, **8**, 470
 C₂₆H₃₁ClO₁₁, erythrolide D, **8**, 470
 C₂₆H₃₂O₉, harrisonin, **8**, 321
 C₂₆H₃₂O₁₁
 dehydrodiconiferyl alcohol 4-*O*-β-D-glucoside, **3**, 677
 dehydrodiconiferyl alcohol 4-*O*-glucoside, **1**, 696
 dehydrodiconiferyl alcohol 9-*O*-β-D-glucoside, **3**, 677
 C₂₆H₃₂O₁₂
 nortracheloside, **1**, 647
 wikstromol, **1**, 647, 701
 C₂₆H₃₃N₃O₄P, phosphoramidite, **7**, 154
 C₂₆H₃₃O₉, renillafulin B, **8**, 437
 C₂₆H₃₄N₂O₆, strychnosilidine, **4**, 50
 C₂₆H₃₄O₈
 nigakilactone G, **8**, 322

- picrasin A, **8**, 322
 C₂₆H₃₄O₁₀, dihydrodehydrodiconiferyl alcohol 9-*O*- β -D-glucoside, **3**, 625
 C₂₆H₃₄O₁₁
 dihydrodehydrodiconiferyl alcohol glucoside, **1**, 647, 680
 isobruceine A, **8**, 322
 lariciresinol 9-*O*- β -D-glucoside, **1**, 694, **3**, 625
 lariciresinol glucoside, **1**, 647
 C₂₆H₃₅N₂O₆P, psoralen phosphoramidite, **7**, 184
 C₂₆H₃₆N₂O₅, ypaamide, **8**, 608
 C₂₆H₃₆N₂O₉, blastmycin, **3**, 322
 C₂₆H₃₆O₈, jodrellin B, **8**, 315
 C₂₆H₃₆O₉, caryoptin, **8**, 314
 C₂₆H₃₆O₁₂, lignan, **3**, 677
 C₂₆H₃₇ClN₃O₃P, acridinyl phosphoramidite, **7**, 181
 C₂₆H₃₈F₃N₅O₃P, 5'-aminated deoxyribonucleoside phosphoramidite, **7**, 234
 C₂₆H₃₈N₂, keramaphidin, **1**, 381
 C₂₆H₄₀N₂O, ingenamine, **1**, 381
 C₂₆H₃₈N₂O₂
 ircinal A, **8**, 554
 ircinol A, **8**, 554
 C₂₆H₃₈O₄, 5-alkylresorcinol, **7**, 535
 C₂₆H₃₈O₁₀, clerodin hemiacetal, **8**, 314
 C₂₆H₃₉N₃O₂, lyngbyatoxin, **8**, 603
 C₂₆H₄₀N₂, keramaphidin B, **8**, 554, 555
 C₂₆H₄₀N₂O
 ingenamine, **8**, 560
 xestocyclamine A, **8**, 560
 C₂₆H₄₀N₂O₂
 ircinal alcohol, **8**, 556
 ircinal B, **8**, 554
 C₂₆H₄₀O₆, erythromycin analogue, **1**, 517
 C₂₆H₄₀O₇, trichoharzin, **1**, 370
 C₂₆H₄₁NO₁₀, theopederin D, **8**, 581
 C₂₆H₄₂ClNO₅, malyngamide I, **8**, 607
 C₂₆H₄₂N₂, halicyclamine B, **8**, 566
 C₂₆H₄₂N₂O₂
 ircinal B reduction product, **8**, 557
 ircinol B, **8**, 554
 C₂₆H₄₂N₇O₁₈P₃S, 3-propionyl-CoA, **2**, 22
 C₂₆H₄₃N₅O₂S, caldeonin, **8**, 538
 C₂₆H₄₄NNaO₇S, sodium taurocholate, **3**, 116, 121
 C₂₆H₄₄N₃O₂, ircinol B, **1**, 381
 C₂₆H₄₄N₄O₁₄, allosamidin derivative, **1**, 149
 C₂₆H₄₄N₇O₁₇P₃S
 isovaleryl-CoA, **1**, 147, 761
 valeryl-CoA, **1**, 356, **4**, 65, 262
 C₂₆H₄₅NO₂₁, Man₃GlcNAc, **3**, 28
 C₂₆H₄₆N₂O₂, dihydroxykeramaphidin, **8**, 555
 C₂₆H₅₀O₁₁, tetradecyl- β -D-maltoside, **3**, 481
 C₂₇H₂₂O₁₈, corilagin, **7**, 596
 C₂₇H₂₃Cl₂N₃O₅, dichloronucleosides, **7**, 262
 C₂₇H₂₃N₃O₂, aequorin derivative, **8**, 449
 C₂₇H₂₃N₅O₄, pranlukast, **1**, 197
 C₂₇H₂₄N₂O₉, vincoside, **4**, 129
 C₂₇H₂₄N₃O₅, azatoxin, **7**, 610
 C₂₇H₂₄O₉
 kapuramycin A3, **7**, 510
 kapurimycin A3, **7**, 510, 514
 C₂₇H₂₄O₁₈
 trigalloylglucose, **3**, 807
 1,2,6-trigalloylglucose, **3**, 806, 809
 1,2,6-tri-*O*-galloyl- β -D-glucose, **3**, 822,
 1,3,6-trigalloylglucose, **3**, 809, 810
 C₂₇H₂₅Br₄NO₆, theoneberine, **8**, 581
 C₂₇H₂₆O₉, gilvocarcin V, **7**, 544, 545
 C₂₇H₂₈BrN₇O₅, halocycamine A, **8**, 472
 C₂₇H₂₈N₆O, Hoechst 33342, **7**, 595
 C₂₇H₂₈O₅, 2,3-*O*-isopropylidene-5-*O*-trityl-D-ribofuranose, **7**, 262
 C₂₇H₂₈O₉, steganangin, **1**, 701
 C₂₇H₂₈O₁₁, tremulacin, **8**, 139
 C₂₇H₂₉NO₉, 11-deoxydaunomycin, **7**, 530
 C₂₇H₂₉NO₁₀
 daunomycin, **1**, 475, 487, **4**, 200, **7**, 438, 529, 544
 daunorubicin, **1**, 481, **3**, 324, 349, 353, **7**, 433, 527, 605
 C₂₇H₂₉NO₁₁
 adriamycin, **4**, 200, **7**, 433, 438, 527, 528, 529, 530, 536, 568, 603
 doxorubicin, **1**, 481, 487, **3**, 324, 349, **4**, 200, **7**, 605
 epirubicin, **7**, 605
 C₂₇H₃₀N₂O₁₀, 5-iminodaunomycin, **7**, 605
 C₂₇H₃₀O₇, isorhamnetin 3-sophoroside, **8**, 163
 C₂₇H₃₀O₁₅, vicenin-2, **8**, 155
 C₂₇H₃₀O₁₆, rutin, **1**, 786
 C₂₇H₃₀O₁₆
 quercetin 3-rutinoside, **8**, 156
 rutin, **8**, 139, 155
 C₂₇H₃₁ClO₁₆, cyanine-3, **6**, 76
 C₂₇H₃₁ClO₁₇, delphin, **8**, 159
 C₂₇H₃₁NO₅, NB-598, **2**, 270
 C₂₇H₃₁NO₄, ilicicolin H, **1**, 370
 C₂₇H₃₁N₃O₂, di-*t*-butylaequorin, **8**, 451
 C₂₇H₃₁N₂O₄, aequorin butyl peroxide, **8**, 451
 C₂₇H₃₂ClNO₂, tripanarol, **2**, 25
 C₂₇H₃₂NO₃PS, mercaptoalkylated phosphoramidite, **7**, 167
 C₂₇H₃₂N₂O₆, A-factor diphenylcarbanilate, **8**, 380
 C₂₇H₃₂N₂O₈, raucaffricine, **1**, 130
 C₂₇H₃₂O₁₃, narirutin, **8**, 155
 C₂₇H₃₃N₂O₆, discodermide, **8**, 588
 C₂₇H₃₃N₃O₅, andrimid, **8**, 594
 C₂₇H₃₃N₃O₆, moiramide C, **8**, 594
 C₂₇H₃₃N₉O₁₅P₂, FAD, **2**, 268, 272, 341
 C₂₇H₃₄BrN₄, propidium bromide, **7**, 441
 C₂₇H₃₄F₃N₆O₃P, 5'-aminated deoxyribonucleoside phosphoramidite, **7**, 234
 C₂₇H₃₄N₂O₉
 strictosidine, **4**, 46, 48, 109
 vincoside, **4**, 113, 116, 117, 127
 C₂₇H₃₄N₂O₁₀, 9-hydroxystictosidine, **4**, 121
 C₂₇H₃₄O₅
 gedunin, **8**, 321
 scopaducic acid B, **2**, 239
 scopaducic acid, **2**, 239
 C₂₇H₃₄O₇, LTB₄analogue, **1**, 192
 C₂₇H₃₄O₁₁
 arctiin, **1**, 662, 695
 phyllirin, **1**, 662
 C₂₇H₃₅N₉O₁₅P₂
 dihydroflavin, **5**, 383
 FADH, **5**, 375
 reduced flavin, **5**, 379
 C₂₇H₃₅O₉, renillafulin C, **8**, 437
 C₂₇H₃₆N₃O₄P, phosphoramidite, **7**, 183
 C₂₇H₃₆O₅, scopadulin, **2**, 239
 C₂₇H₃₆O₁₁, teuflavoside, **8**, 319
 C₂₇H₃₇NO₈, nargenicin A₁, **1**, 370, 384
 C₂₇H₃₈O₃, δ -tocotrienol epoxide, **8**, 432, 442
 C₂₇H₃₈O₆, pseudopterosin C, **8**, 521
 C₂₇H₃₈O₁₀, trilobalide, **8**, 308
 C₂₇H₄₀N₆O₁₇P₃S, biotinylated deoxyuridine triphosphate, **7**, 206
 C₂₇H₄₀N₇O₁₇P₃S₂, 3-thiopheneacetyl-CoA, **4**, 266
 C₂₇H₄₀N₇O₁₈P₃S, 3-furoylacetyl-CoA, **4**, 266
 C₂₇H₄₀O₃, δ -tocotrienol epoxide, **8**, 432, 442
 C₂₇H₄₀O₄, sclaradial, **8**, 467
 C₂₇H₄₀O₅, amphidinolide K, **8**, 622
 C₂₇H₄₀O₆
 lintonolide A, **8**, 467
 lintonolide B, **8**, 467
 C₂₇H₄₂FeN₄O₁₂, ferrichrome, **4**, 199
 C₂₇H₄₂N₂O, ingenamine B, **8**, 560
 C₂₇H₄₂N₅O₄PS, phosphoramidite, **7**, 171

- C₂₇H₄₂N₇O₁₈P₃S, 3-oxo-4-hexenoyl-CoA, **1**, 544
 C₂₇H₄₂O₅, pinnasterol, **8**, 280
 C₂₇H₄₂O₆, 3-dehydroecdysone, **8**, 279, 286
 C₂₇H₄₂O₇, kaladasterone, **8**, 285
 C₂₇H₄₃NO₄, malyngamideH, **8**, 606
 C₂₇H₄₃NO₁₀, theopederinC, **8**, 581
 C₂₇H₄₃N₆O₁₆P₃, deoxycytidine triphosphate, **7**, 220
 C₂₇H₄₄F₂, TNS-difluoromethylidene, **2**, 275
 C₂₇H₄₄N₇O₁₇P₃S, 3-hexenoyl-CoA, **4**, 262
 C₂₇H₄₄N₇O₁₈P₃S, 3-oxohexanoyl-CoA, **8**, 394, **1**, 544
 C₂₇H₄₄N₇O₁₉P₃S, mevaldyl-CoA, **2**, 32
 C₂₇H₄₄N₇O₂₀P₃S
 HMG-CoA, **2**, 22, 24, 25, 28, 32
 3-hydroxy-3-methylglutaryl-CoA, **2**, 3
 hydroxymethylglutarylCoA, **2**, 46, 51
 C₂₇H₄₄O
 5 β -cholestan-3,24-dione, **8**, 230
 7-dehydrocholesterol, **2**, 258, **8**, 291
 TNS aldehyde, **2**, 275
 C₂₇H₄₄O₂
 7-dehydro-25-hydroxycholesterol, **8**, 291
 24,25-epoxycholesterol, **2**, 270, 293
 C₂₇H₄₄O₄, 2,25-deoxyecdysone, **8**, 288
 C₂₇H₄₄O₅
 3-dehydroecdysone, **8**, 291
 2-deoxyecdysone, **8**, 288, 291, 293
 C₂₇H₄₄O₆
 cheilanthone B, **8**, 285, 293
 2-deoxy-20-hydroxyecdysone, **8**, 293
 2-deoxy-3-*epi*-20-hydroxyecdysone, **8**, 288
 22-deoxy-20-hydroxyecdysone, **8**, 288, 293
 ecdysone, **8**, 279, 282
 β -ecdysone, **8**, 282
 2 β ,3 β ,14 α ,22,25-pentahydroxy-5 β -cholest-7-en-6-one,
 8, 283
 ponasterone A, **8**, 279, 283, 288, 291, 293
 C₂₇H₄₄O₇
 cheilanthone A, **8**, 285, 293
 crustecdysone, **8**, 283
 ecdysterone, **8**, 282
 20-hydroxyecdysone, **8**, 279, 282, 283, 291, 293
 22-*epi*-20-hydroxyecdysone, **8**, 293
 C₂₇H₄₄O₈
 20,26-dihydroxyecdysone, **8**, 293
 polypodine B, **8**, 281, 291, 293
 C₂₇H₄₄O₉, glycolipid, **8**, 618
 C₂₇H₄₅NO₁₀, theopederin A, **8**, 581
 C₂₇H₄₅O₉P, ecdysone 22-phosphate, **8**, 283
 C₂₇H₄₆NO₃P₂, FPP analogue, **2**, 253
 C₂₇H₄₆N₂O₁₇P₃S, hexanoyl-CoA, **1**, 356
 C₂₇H₄₆N₄O₁₄, *N*-monoethyl allosamidin, **1**, 150
 C₂₇H₄₆N₇O₁₇P₃S, hexanoyl-CoA, **4**, 262
 C₂₇H₄₆O
 5 β -cholestan-3-one, **8**, 230
 cholesterol, **1**, 53, **2**, 1, 11, 24, 27, 37, 74, 82, 246, 257,
 259, 263, 267, **3**, 98, 297, **7**, 116, **8**, 47, 230
 C₂₇H₄₆O₂
 cholesterol 5,6-oxide, **5**, 54
 25-hydroxycholesterol, **2**, 259
 trinsorsqualene alcohol, **2**, 273
 C₂₇H₄₇NaO₉S, polyhydroxysteroid, **8**, 471
 C₂₇H₄₇O₈S, polyhydroxysteroid, **8**, 471
 C₂₇H₄₇O₉S, polyhydroxysteroid, **8**, 471
 C₂₇H₄₈O₅, polyhydroxysteroid, **8**, 471
 C₂₇H₄₉N₅O₆, fellutamide B, **8**, 599
 C₂₇H₄₉N₅O₇, fellutamide A, **8**, 599
 C₂₇H₅₀O₁₆,
 Manz1-6(6-*O*-methylMan α 1-3) Man β 1-octyl, **3**, 50
 C₂₇H₅₂
 7,11-heptacosadiene, **8**, 219
 7,13-heptacosadiene, **8**, 219
 C₂₇H₅₄
 9-heptacosene, **8**, 219
 13-heptacosene, **8**, 219
 C₂₈H₂₀F₃N₅O₂, trifluoromethyldiaziriny coelenterazine,
 8, 453
 C₂₈H₂₃N₃O₃, *e*-aequorin, **8**, 447
 C₂₈H₂₄O₁₂, proanthocyanidin A-2, **3**, 749
 C₂₈H₂₅N₃O₂, aequorin derivative, **8**, 449
 C₂₈H₂₆ClN₃O₆, β -chloro-2'-deoxynucleoside, **7**, 262
 C₂₈H₂₆O₁₂, diphyllin acetyl apioside, **1**, 705
 C₂₈H₂₈O₁₁, pillaromycin A, **3**, 322
 C₂₈H₃₀N₄O₈, saframycin A, **7**, 497, 529
 C₂₈H₃₀O₈, epistaganangin, **1**, 701
 C₂₈H₃₁NO₁₀, menogaril, **7**, 606, 529
 C₂₈H₃₁N₅O₉, dipyrimidine, **5**, 382
 C₂₈H₃₂N₄O₂, communesin A, **8**, 601
 C₂₈H₃₂O₁₀, lignan, **3**, 677
 C₂₈H₃₂O₁₇, gossypetin 3'-methyl ether 3-rutinoside, **8**, 159
 C₂₈H₃₃N₃O₉, saframycinC, **7**, 529
 C₂₈H₃₄N₂O₁₁
 5-carboxystrictosidine, **4**, 118, 123
 5-carboxyvincoside, **4**, 118
 C₂₈H₃₄N₄O₉P, bipyridinyl phosphotriester, **7**, 185
 C₂₈H₃₄N₈O₁₅P₂, 5-deazaFAD, **1**, 600
 C₂₈H₃₄O₈, desacetylnimbin, **8**, 329, 330
 C₂₈H₃₄O₉
 gomisinE, **1**, 703
 nomilin, **8**, 321
 C₂₈H₃₄O₁₀
 Cryptomeria japonica metabolite, **1**, 681
 gomisin D, **1**, 703
 C₂₈H₃₆N₂O₄, psychotrine, **4**, 40
 C₂₈H₃₆N₂O₉, *N*-methylstrictosidine, **4**, 122
 C₂₈H₃₆O₉, 10-desacetylbaecatin III, **2**, 220, 222
 C₂₈H₃₈ClN₄O₃P, acridinyl phosphoramidite, **7**, 181
 C₂₈H₃₈KO₈P, bis(pivaloyloxy)methyl esters, **2**, 258
 C₂₈H₃₈NO₈, nargenicin A, **1**, 374, 528
 C₂₈H₃₈N₄O₈, pactamycin, **1**, 152
 C₂₈H₃₈O₉, halimadatetraacetate, **8**, 462
 C₂₈H₃₈O₁₄,
 feruloylarabinofuranosylxylopyranosylxylopyranose,
 3, 697
 C₂₈H₃₉BrN₇O₁₇P₃S, 4-bromobenzoylCoA, **5**, 413
 C₂₈H₃₉ClN₇O₁₇P₃S, 4-chlorobenzoylCoA, **5**, 411, 413
 C₂₈H₃₉FN₇O₁₇P₃S, 4-fluorobenzoylCoA, **5**, 413
 C₂₈H₄₀N₂O₃P, phosphoramidite, **7**, 154
 C₂₈H₄₀N₂O₄, cephaeline, **4**, 40
 C₂₈H₄₀N₇O₁₇P₃S, benzoyl-CoA, **1**, 760, **3**, 649, **4**, 264
 C₂₈H₄₀N₇O₁₈P₃S
 2-hydroxybenzoyl-CoA, **1**, 760
 3-hydroxybenzoyl-CoA, **1**, 760
 4-hydroxybenzoyl-CoA, **1**, 760
 C₂₈H₄₀N₇O₁₉P₃S, benzoyl-CoA, **1**, 755
 C₂₈H₄₀N₇O₂₀P₃S, galloyl-CoA, **3**, 805
 C₂₈H₄₀O₄, 5-alkylresorcinol, **7**, 535
 C₂₈H₄₀O₈, taxuyunnaninC, **2**, 222
 C₂₈H₄₁NO, U-106305, **1**, 63
 C₂₈H₄₂N₂O, ingenamine D, **8**, 560
 C₂₈H₄₂N₇O₁₇P₃S, penicillinV, **4**, 264
 C₂₈H₄₃NO₆, hapalosin, **8**, 610
 C₂₈H₄₃N₇O₇, nazumamide A, **8**, 576
 C₂₈H₄₄ClNO₆
 malyngamide I acetate, **8**, 607
 stylocheilamide, **8**, 608
 C₂₈H₄₄N₂O, xestocyclamine B, **8**, 560
 C₂₈H₄₄N₇O₁₇P₃S, 2-cyclohexenylcarbonyl-CoA, **1**, 74
 C₂₈H₄₄O, vitamin D, **1**, 368
 C₂₈H₄₄O₃, ergosterol peroxide, **1**, 534
 C₂₈H₄₄O₈, cyasterone, **8**, 282, 293
 C₂₈H₄₆N₇O₁₈P₃S, 2-methyl-3-oxohexanoyl-CoA, **1**, 545
 C₂₈H₄₆N₇O₁₉P₃S, pimeloylCoA, **1**, 826
 C₂₈H₄₆O
 29,30-bisnoramyrin, **2**, 305
 1,1'-bisnor-2,3-oxidosqualene, **2**, 287
 10,15-didesmethyl-2,3-oxidosqualene, **2**, 286

- C₂₈H₄₆O₂, 24,30-bisnor-2,3-oxidosqualene, **2**, 305
 C₂₈H₄₆O₃
 cervisterol, **1**, 534
 3-dehydro-6-deoxoteasterone, **8**, 105
 C₂₈H₄₆O₄, 3-dehydroteasterone, **8**, 105
 C₂₈H₄₆O₅, 3-dehydro-24-epicastasterone, **8**, 107
 C₂₈H₄₆O₇, makisterone A, **8**, 279, 293
 C₂₈H₄₇NaO₈S, polyhydroxysteroid, **8**, 471
 C₂₈H₄₇NO, trisnorsqualene *N*-methyloxaziridine, **2**, 290
 C₂₈H₄₇NO₁₁, theopederin B, **8**, 581
 C₂₈H₄₈N₂O₁₇P₃S, heptanoyl-CoA, **1**, 356
 C₂₈H₄₈N₄O₁₄, *N*-monopropyl allosamidin, **1**, 150
 C₂₈H₄₈N₇O₁₇P₃S, heptanoyl-CoA, **4**, 262
 C₂₈H₄₈O, campesterol, **2**, 303
 C₂₈H₄₈O₂
 bisnorsqualene alcohol, **2**, 273
 geranylgeranyl octanoate, **8**, 229
 6-oxocampestanol, **8**, 105
 C₂₈H₄₈O₃
 cathasterone, **8**, 105
 6-deoxoteasterone, **8**, 105
 6-deoxotyphasterol, **8**, 105
 C₂₈H₄₈O₄
 6-deoxocastasterone, **8**, 107
 teasterone, **8**, 105
 typhasterol, **8**, 105
 C₂₈H₄₈O₅
 castasterone, **8**, 99, 105
 3,24-diepicastasterone, **8**, 107
 C₂₈H₄₈O₆
 brassinolide, **8**, 21, 99
 3,24-diepi-brassinolide, **8**, 107
 3,24-diepi-25-hydroxycastasterone, **8**, 107
 24-epibrassinolide, **8**, 102
 20-hydroxy-3,24-diepicastasterone, **8**, 107
 C₂₈H₄₈O₇
 3,24-diepi-25-hydroxybrassinolide, **8**, 107
 20-hydroxy-3,24-diepi-brassinolide, **8**, 107
 C₂₈H₄₈O₉, erythromycin analogue, **1**, 504
 C₂₈H₄₉N, TNS-methylamine, **2**, 273
 C₂₈H₄₉NaO₉S, polyhydroxysteroid, **8**, 471
 C₂₈H₅₀N₂O₂
 araguspungine B, **8**, 560
 araguspungine D, **8**, 560
 araguspungine E, **8**, 560
 xestospingon A, **8**, 560
 xestospingon C, **8**, 560
 C₂₈H₅₀N₂O₃
 demethylxestospingon B, **8**, 562
 xestospingon D, **8**, 560
 C₂₈H₅₀N₂O₄, araguspungine C, **8**, 560
 C₂₈H₅₀O, campestanol, **8**, 105
 C₂₈H₅₀O₂, 6 α -hydroxycampestanol, **8**, 105
 C₂₈H₅₁NO₁₅, GlcNAc β 1-2(6-deoxy)Man α 1-6Glc β 1-octyl, **3**, 54
 C₂₈H₅₁NO₁₆, GlcNAc β 1-2Man α 1-3Man β 1-octyl, **3**, 52
 C₂₈H₅₆O₃, 27-hydroxyoctacosanoic acid, **3**, 196, 222
 C₂₉H₂₃NO₉, dynemicin M, **1**, 562
 C₂₉H₂₄O₁₁, clecarmycin, **7**, 510
 C₂₉H₂₅N₃O₄, dehydrocoelenterazine acetone adduct, **8**, 455
 C₂₉H₂₆O₁₁, clecarmycin, **7**, 510
 C₂₉H₂₈O₈, interiotherin A, **1**, 704
 C₂₉H₃₀N₂O₃, PGE₂agonist, **1**, 192
 C₂₉H₃₂BrN₂O₆, halocycamine B, **8**, 472
 C₂₉H₃₂O₁₃, etoposide, **1**, 671, 701, 7, 597, 603, 609, 610
 C₂₉H₃₃O₁₆P, etoposide phosphate, **1**, 701
 C₂₉H₃₅N₂O₂P, pyrenyl phosphoramidite, **7**, 178
 C₂₉H₃₅O, 4-decyloxytrityl, **7**, 127
 C₂₉H₃₆N₂O₄, emetamine, **4**, 40
 C₂₉H₃₆O₉, nonadride, **2**, 257
 C₂₉H₃₇NO₅, cytochalasin, **1**, 422
 C₂₉H₃₇N₃O₆, A23187, **1**, 168, 289
 C₂₉H₃₈NNaO₅, stawamycin, **1**, 374
 C₂₉H₃₈NO₂PS, mercaptoalkylated phosphoramidite, **7**, 167
 C₂₉H₃₈N₂O₄
 ikarugamycin, **1**, 374, **8**, 588
 O-methylpsychotrine, **4**, 40
 C₂₉H₃₈N₂O₆
 alteramide A, **8**, 588
 bicyclo[3.3.0]octane hexacyclic compound, **8**, 588
 C₂₉H₃₈O₈, roridin E, **2**, 202
 C₂₉H₃₈O₁₁, toosendanin, **8**, 330
 C₂₉H₃₈O₁₆, triphyllin B, **3**, 756
 C₂₉H₄₀N₂O₄, emetine, **4**, 40
 C₂₉H₄₀O₈, ajugalactone, **8**, 282
 C₂₉H₄₀O₉, calotropin, **8**, 152
 C₂₉H₄₀O₁₀, archangelolide, **8**, 308
 C₂₉H₄₁N₂O₆P, psoralen phosphoramidite, **7**, 184
 C₂₉H₄₂N₇O₁₇P₃S, PhAc-CoA, **4**, 244, 262
 C₂₉H₄₂N₇O₁₇P₃S₂, thiophenoxyacetyl-CoA, **4**, 264
 C₂₉H₄₂N₇O₁₈P₃S
 4-methoxybenzoylCoA, **5**, 414
 phenoxyacetyl-CoA, **4**, 264
 C₂₉H₄₂O₁₀
 ajugapitin, **8**, 315
 clerodendron D, **8**, 152
 C₂₉H₄₃N₈O₁₇P₃S, *N*-methylanthraniloyl-CoA, **1**, 759
 C₂₉H₄₄N₂O₂, ingenamine C, **8**, 560
 C₂₉H₄₄N₃O₅PS, phosphoramidite, **7**, 172
 C₂₉H₄₄N₆O₇S₂, dansyl-*NH*-Cys-Val-Ile-Ala, **5**, 332
 C₂₉H₄₄O₄, limatulone, **8**, 49
 C₂₉H₄₄O₆
 2-acetylpinasterol, **8**, 280
 polyporusterone E, **8**, 280
 C₂₉H₄₄O₇
 2-acetyl-14 α -hydroxypinasterol, **8**, 280
 3-acetyl-14 α -hydroxypinasterol, **8**, 280
 polyporusterone C, **8**, 280
 C₂₉H₄₄O₁₀, 4,15-dihydroajugapitin, **8**, 315
 C₂₉H₄₅NO₈, 3-acetylzygadenine, **8**, 152
 C₂₉H₄₆N₂O₃, TNSA-DZA, **2**, 279
 C₂₉H₄₆O, 15-desmethyl-18,19-dihydro-2,3-oxidosqualene, **2**, 286
 C₂₉H₄₆O₂, conicasterone, **1**, 379
 C₂₉H₄₆O₃, perovscone, **1**, 377
 C₂₉H₄₆O₅, polyporusterone D, **8**, 280
 C₂₉H₄₆O₈, 3-acetyl-26-hydroxyecdysone, **8**, 292
 C₂₉H₄₇NaO₄S, hymenosulfate, **8**, 618
 C₂₉H₄₇N₃O₄, antillatoxin, **8**, 608
 C₂₉H₄₈N₇O₁₇P₃S, 3-octenoyl-CoA, **4**, 262
 C₂₉H₄₈O
 15-desmethyl-2,3-oxidosqualene, **2**, 286
 26-hydroxy-2,3-oxidosqualene, **2**, 286
 3 β -hydroxyprotosta-17(20)[16,21-*cis*]-24-diene, **2**, 281
 6-normethyl-2,3-oxidosqualene, **2**, 7
 1'-nor-2,3-oxidosqualene, **2**, 287
 4-nor-2,3-oxidosqualene, **2**, 287
 stigmasterol, **2**, 303
 C₂₉H₄₈O₂, 20-oxa-2,3-oxidosqualene, **2**, 280, 281, 284, 291
 C₂₉H₄₈O₃, messagenin, **8**, 169
 C₂₉H₄₈O₅, polyporusterone F, **8**, 280
 C₂₉H₄₈O₆, polyporusterone A, **8**, 280
 C₂₉H₄₈O₇
 makisterone C, **8**, 293
 podecdysone B, **8**, 293
 C₂₉H₄₉N, trisnorsqualene cyclopropylamine, **2**, 273
 C₂₉H₄₉NO, TNS methyl hydroxylamine, **2**, 274
 C₂₉H₅₀N₂O₂₁, GlcNAc β 1-6[GlcNAc β 1-2]Man α 1-6Man β 1-methyl, **3**, 55
 C₂₉H₅₀N₇O₁₇P₃S, octanoyl-CoA, **1**, 544, **4**, 262, 266
 C₂₉H₅₀O
 phytosterol, **1**, 626
 β -sitosterol, **5**, 316

- C₂₉H₅₀O₂
 20-oxa-22,23-dihydro-2,3-oxidosqualene, **2**, 291
 α -tocopherol, **1**, 95
 vitaminE, **7**, 116
 C₂₉H₅₀O₆
 28-homobrassinolide, **8**, 102
 25-methylbrassinolide, **8**, 104
 C₂₉H₅₁ClN₂O₂, 1-phenyl-2-hexadecanoylamino-3-morpholino-1-propanol.HCl, **3**, 114
 C₂₉H₅₁N
 2-aza-2,3-dihydrosqualene, **2**, 304
 2,3-dihydro-2-azasqualene, **2**, 311
 C₂₉H₅₁NaO₈S, polyhydroxysteroid, **8**, 471
 C₂₉H₅₁NO
 2-aza-2,3-dihydrosqualene, **2**, 290
 2-aza-2,3-dihydrosqualeneN-oxide, **2**, 304
 19-aza-2,3-oxidosqualene, **2**, 290
 C₂₉H₅₁NS₂, cholesterol derivative, **7**, 188
 C₂₉H₅₂N₂O₂
 aragupetrosine A, **8**, 560
 araguspongine F, **8**, 560
 araguspongine G, **8**, 560
 C₂₉H₅₂N₂O₃, xestospongine B, **8**, 560
 C₂₉H₅₃NO, 10-aza-10,11-dihydro-2,3-oxidosqualene, **2**, 290
 C₂₉H₅₆, 9,19-nonacosadiene, **8**, 219
 C₂₉H₅₇O₆P, dimyristoylphosphatidylmethanol, **5**, 108, 109
 C₂₉H₅₈
 13-nonacosene, **8**, 219
 14-nonacosene, **8**, 219
 C₂₉H₅₈O
 3,11-dimethylheptacosan-2-one, **8**, 240
 3,7-dimethylheptacosan-2-one, **8**, 247
 C₂₉H₆₃NO₄P, didodecanoyl-PC, **5**, 128
 C₃₀H₁₆O₈, hypericin, **8**, 152
 C₃₀H₁₇NO₉, dynemycin, **1**, 14
 C₃₀H₁₈O₈
 kudzuiflavone A, **1**, 806
 kudzuiflavone B, **1**, 806
 C₃₀H₁₈O₁₃, ascoquinone A, **1**, 417
 C₃₀H₁₉, 4-(17-tetrabenzo[a,c,g,i]fluorenylmethyl, **7**, 127
 C₃₀H₁₉NO₈, deoxydynemicin, **7**, 574
 C₃₀H₁₉NO₉
 dynemicin, **7**, 98
 dynemicin A, **1**, 557, 559, **7**, 554, 574
 C₃₀H₂₁NO₉, dynemicin A, **3**, 327
 C₃₀H₂₂O₈, rugulosin, **1**, 431
 C₃₀H₂₃NO₁₀, dynemicinH, **7**, 575
 C₃₀H₂₃N₃O₂, coelenterazine analogue, **8**, 449
 C₃₀H₂₄N₂O₉, β -ribonucleoside, **7**, 261
 C₃₀H₂₄O, flavoskyrin, **1**, 374, 431
 C₃₀H₂₆O₂, procyanidin B-1, **3**, 760
 C₃₀H₂₆O₁₁
 fisetinidol-(4 α →8)-catechin, **3**, 758
 fisetinidol-(4 β →8)-catechin, **3**, 758
 C₃₀H₂₆O₁₂
 procyanidin, **3**, 758
 procyanidin B-3, **3**, 756
 procyanidin B-4, **3**, 756
 procyanidin B-7, **3**, 748
 procyanidin dimer B-1, **3**, 758
 procyanidin dimer B-4, **3**, 758
 C₃₀H₂₆O₁₃
 epicatechin-(4 α →8)-catechin, **3**, 749
 prodelpinidin, **3**, 748
 C₃₀H₂₆O₁₄, ergochrome, **1**, 458
 C₃₀H₂₇BrN₂S₂, Stains-All, **7**, 85
 C₃₀H₂₇NO₁₀
 lamararin A, **8**, 539
 polycitrin B, **8**, 539
 C₃₀H₂₇N₃O₁₅
 enterobactin, **1**, 610, **4**, 199, 203, 209, 226, 235
 C₃₀H₂₈O₅, thamnoin, **1**, 380
 C₃₀H₂₈O₆
 isothamnoin A, **1**, 380
 isothamnoin B, **1**, 380
 phebalin, **1**, 380
 C₃₀H₂₉N₃O₅S₂, dehydrocoelenterazine dithiothreitol adduct, **8**, 455
 C₃₀H₃₀N₄O₄, deuteroporphyrin IX, **6**, 137
 C₃₀H₃₀O₆, gossypol, **2**, 186, 188
 C₃₀H₃₀O₈, gossypol, **8**, 312
 C₃₀H₃₀O₉, schisantherin D, **1**, 704
 C₃₀H₃₀O₁₂
 averantin, **1**, 452
 procyanidin dimers, **3**, 758
 C₃₀H₃₁N₃O₂, adamantylmethylcoelenterazine, **8**, 449
 C₃₀H₃₁N₃O₃, adamantylmethylcoelenterazine, **8**, 449
 C₃₀H₃₂O₉
 dibenzodioxocin, **3**, 725
 lappaol, **1**, 688
 C₃₀H₃₄BrN₃O₁₅, neosurugatoxin, **8**, 515
 C₃₀H₃₄O₇, ornativolide A, **1**, 375
 C₃₀H₃₄O₉, oligolignol, **3**, 724
 C₃₀H₃₄O₁₁, 7'-hydroxylappaolE, **1**, 688
 C₃₀H₃₆O₇, dibenzodioxocin, **3**, 725
 C₃₀H₃₆O₉, nimbin, **8**, 329, 330
 C₃₀H₃₇NO₂, proxiphomin, **1**, 393
 C₃₀H₃₈NO₃PS, mercaptoalkylated phosphoramidite, **7**, 167
 C₃₀H₃₈NO₉, jacpaniculine, **1**, 685
 C₃₀H₃₈N₄O₂S, virenamide B, **8**, 538
 C₃₀H₃₈O₆, absinthin, **1**, 375
 C₃₀H₃₈O₁₁, dihydrobuddlenol B, **1**, 688
 C₃₀H₃₉N₃O₄Si, coelenterazine *t*-butyldimethylsilyl peroxide, **8**, 452
 C₃₀H₄₀O₁₅, erubin B, **3**, 756
 C₃₀H₄₀O₁₆, triphyllin A, **3**, 756
 C₃₀H₄₁N₃O₃P, phosphoramidite, **7**, 154
 C₃₀H₄₁N₃O₄P, phosphoramidite, **7**, 154
 C₃₀H₄₁N₉O₇, cycloghdonamide analogue, **8**, 569
 C₃₀H₄₂N₂O₁₅S₂, sinalbin, **8**, 145
 C₃₀H₄₂N₇O₁₇P₃S, cinnamoyl-CoA, **1**, 752
 C₃₀H₄₂N₇O₁₈P₃S, *p*-coumaroyl-CoA, **1**, 716, 732, 752, 757, 758, 784, 789, **3**, 625, 641, 649, 653
 C₃₀H₄₂N₇O₁₉P₃S, caffeoyl-CoA, **1**, 716, 732, 752, **3**, 625, 649
 C₃₀H₄₂N₇O₂₀P₃S, 3,4,5-trihydroxycinnamoyl-CoA, **1**, 721, **3**, 641
 C₃₀H₄₂O₂, plagiospirolide E, **1**, 375
 C₃₀H₄₂O₇
 bienninC, **1**, 375
 cucurbitacin I, **8**, 181
 C₃₀H₄₃NO₅, halichomycin, **8**, 603
 C₃₀H₄₃N₂O₆P, psoralen phosphoramidite, **7**, 184
 C₃₀H₄₄N₂
 ingamine B, **8**, 560
 ingenamine F, **8**, 560
 C₃₀H₄₄N₂O
 ingamine A, **8**, 560
 ingenamineE, **8**, 560
 C₃₀H₄₄N₇O₁₇P₃S
 dihydrocinnamoyl-CoA, **1**, 757, 758
 methylphenylacetyl-CoA, **4**, 264
 phenylpropionyl-CoA, **4**, 264
 C₃₀H₄₄N₇O₁₈P₃S
 dihydro-3-coumaroyl-CoA, **1**, 753
 methoxyphenylacetyl-CoA, **4**, 264
 C₃₀H₄₄O₆
 amphidinolideE, **8**, 621, 620
 cucurbitacin D, **8**, 152
 C₃₀H₄₄O₁₀
 debromoaplysiatoxin, **8**, 603
 macrolactinC, **8**, 590
 C₃₀H₄₆N₂O₉S, LTC₄, **1**, 176

- $C_{30}H_{46}N_3O_9S$
 leukotriene C_4 , **1**, 168
 LTC₄, **1**, 184, 185
 $C_{30}H_{47}N_3O_8S$
 5-hydroxy-6-glutathionyl-7,9,11,14-eicosatetraenoic acid, **1**, 168
 SRS-A, **1**, 168
 $C_{30}H_{47}N_3O_9S$
 leukotriene C_4 , **1**, 280
 LTC₄, **1**, 268
 $C_{30}H_{48}$
 dehydrosqualene, **5**, 338
 hop-22(29)-ene, **2**, 308, 310
 $C_{30}H_{48}N_2O$
 isosarain **2**, **8**, 562
 sarain **2**, **8**, 562
 $C_{30}H_{48}N_6O_6$, Phe-Pro-Val-Orn-Leu, **4**, 345
 $C_{30}H_{48}O$, 20,21-dehydro-2,3-oxidosqualene, **2**, 281
 $C_{30}H_{48}O_2$, theonellasterone, **1**, 379
 $C_{30}H_{48}O_3$, ursolic acid, **8**, 169, 173
 $C_{30}H_{48}O_4$, polyporusterone **G**, **8**, 280
 $C_{30}H_{48}O_5$
 arjunolic acid, **8**, 191
 polyporusterone **B**, **8**, 280
 $C_{30}H_{49}$, tertiary carbocation FPP analogue, **2**, 254
 $C_{30}H_{49}ClO$, 6-chloromethyl-2,3-oxidosqualene, **2**, 7
 $C_{30}H_{49}NO$, 24,25-iminolanosterol, **2**, 290
 $C_{30}H_{50}$
 diploptene, **2**, 46, 47
 eupha-7,24-diene, **2**, 311, 312
 hopene, **2**, 5, 305, 307
 squalene, **2**, 5, 9, 38, 46, 47, 70, 108, 196, 246, 253, 268, 275, 300, 340, **5**, 319, 336, **8**, 161
 $C_{30}H_{50}MgO_7P_2$, presqualene diphosphate, **2**, 246, 253
 $C_{30}H_{50}N_2O_2$
 petrosin, **8**, 560
 petrosin **A**, **8**, 560
 petrosin **B**, **8**, 560
 $C_{30}H_{50}N_7O_{18}P_3S$, 3-oxo-7-methyloctanoyl-CoA, **8**, 385
 $C_{30}H_{50}O$
 achilleol **A**, **2**, 301
 α -amyrin, **2**, 305
 β -amyrin, **2**, 305
 bacchara-12,21-dienol, **2**, 301
 cycloartenol, **2**, 299, **5**, 316
 cyclopropylcarbinol, **2**, 254
 dammara-20,24-dienol, **2**, 301
 diplopterol, **2**, 307, 308, 310
 dipolypoda-8(26),13,17,21-tetraen-3-ol, **2**, 301
 euphol, **2**, 301
 fernenol, **2**, 301
 gorgosterol, **1**, 63
 hopan-3-ol, **2**, 308
 26-hydroxysqualene, **2**, 275
 lanosterol, **2**, 6, 38, 263, 279, 281, 303, **8**, 48
 3-*epi*-lanosterol, **2**, 287
 lupeol, **2**, 307
 malabarica-14(26),17,21-trien-3-ol, **2**, 301
 oxidosqualene, **2**, 282, 300
 2,3-oxidosqualene, **2**, 6, 268, 270, 275, 279, 280, 284, 312
 6,7-oxidosqualene, **2**, 291
 10,11-oxidosqualene, **2**, 291
 rillingol, **2**, 254
 sitosterol, **2**, 64, 368, 377, 386
 squalene epoxide, **2**, 47, 275
 squalene oxide, **2**, 196
 squalenol, **5**, 338
 $C_{30}H_{50}O_2$
 2,3:18,19-dioxidosqualene, **2**, 291
 2,3:22,23-dioxidosqualene, **2**, 270, 284
 dioxidosqualene, **2**, 275, 301
 24,25-epoxy lanosterol, **2**, 293
 21-hydroxy lanosterol, **2**, 287
 1-hydroxy-2,3-oxidosqualene, **2**, 287
 29-hydroxy-2,3-oxidosqualene, **2**, 285, 287
 a-onocerin, **2**, 301
 2,3-oxidosqualene, **2**, 305
 $C_{30}H_{50}O_3$, sayasapogenol **A**, **8**, 175
 $C_{30}H_{50}O_5$, meliantriol, **8**, 325
 $C_{30}H_{51}$, gammaceryl cation, **2**, 312
 $C_{30}H_{51}N$
 2,3-dihydro-2,3-iminosqualene, **2**, 304, 311
 2,3-iminosqualene, **2**, 290, 312
 TNS *N*-methylcyclopropylamine, **2**, 273
 $C_{30}H_{51}O$
 baccharanyl cation, **2**, 305
 cucurbita-5,24-dienol, **2**, 302
 cycloartenol, **2**, 302, 303
 dammarenyl cation, **2**, 303
 isoarborinol, **2**, 302
 lanosterol, **2**, 302
 lupenyl cation, **2**, 305
 oleanyl cation, **2**, 305
 parkeol, **2**, 302
 protosteryl cation, **2**, 302, 303
 $C_{30}H_{52}$
 dammar-12-ene, **2**, 310
 dammar-13(17)-ene, **2**, 310
 2,3-dihydrosqualene, **2**, 310, 312
 euph-7-ene, **2**, 312
 hopane, **2**, 47
 lupane, **4**, 34
 $C_{30}H_{52}N$, ammonium ion compound, **2**, 253
 $C_{30}H_{52}N_7O_{17}P_3S$, nonaoyl-CoA, **4**, 262
 $C_{30}H_{52}O$
 ambrein, **2**, 301
 10,11-dihydro-2,3-oxidosqualene, **2**, 286
 14,15-dihydro-2,3-oxidosqualene, **2**, 286
 18,19-dihydro-2,3-oxidosqualene, **2**, 286
 22,23-dihydro-2,3-oxidosqualene, **2**, 284
 diplopterol, **2**, 47, 312
 tetrahymanol, **2**, 305, 307, 312
 $C_{30}H_{52}O_7P_2$, presqualene diphosphate, **2**, 10
 $C_{30}H_{54}N_2O_2$
 araguspongine **H**, **8**, 560
 araguspongine **J**, **8**, 560
 $C_{30}H_{56}O_9$, exophilin **A**, **8**, 601
 $C_{30}H_{56}O_{11}$, halymecin **E**, **8**, 601
 $C_{30}H_{60}O$, 3,7,15-trimethylheptacosan-2-one, **8**, 247
 $C_{31}H_{22}O_5$, dracorubin, **3**, 752
 $C_{31}H_{23}O_3$, 1,1-bis(4-methoxyphenyl)-1-pyrenylmethyl, **7**, 127
 $C_{31}H_{28}F_2O$, 29-difluoromethylidene-2,3-oxidosqualene, **2**, 287
 $C_{31}H_{30}Br_6N_4O_{11}$, isofistularin-3, **8**, 468
 $C_{31}H_{31}NO_6$, toddacoumalone, **1**, 380
 $C_{31}H_{31}N_3O_5$, isopropylideneC-nucleoside, **7**, 263
 $C_{31}H_{32}O_4$, butenolide trityl derivative, **1**, 145
 $C_{31}H_{33}NO_9$, ravidomycin, **7**, 545
 $C_{31}H_{33}N_3O_6S$, zafirlukast, **1**, 197
 $C_{31}H_{33}N_3O_{11}$
 azinomycin **B**, **7**, 513
 carzinophilin, **7**, 513
 $C_{31}H_{34}O_5$, trityl butanolide derivative, **1**, 145
 $C_{31}H_{34}O_6$
 isopropylidene trityl derivative, **7**, 262
 ribose derivative, **7**, 263
 shizukaol **A**, **1**, 377
 $C_{31}H_{35}ClO_{13}$, cyanidin 3-succinylglucoside-5-glucoside, **8**, 159
 $C_{31}H_{36}N_2O_{11}$, novobiocin, **1**, 623, 625, **3**, 321, **7**, 596
 $C_{31}H_{36}O_{11}$, hedyotol **C**, **1**, 688
 $C_{31}H_{38}N_4O_5$, irenotecan, **7**, 599
 $C_{31}H_{38}O_8S$, tetronothiodin, **1**, 370
 $C_{31}H_{38}O_9$, toonacilin, **8**, 321

- C₃₁H₃₉NO₄, phomopsichalasin, **1**, 374
 C₃₁H₃₉N₂O₂PS, mercaptoalkylated phosphoramidite, **7**, 167
 C₃₁H₃₉N₃O₅, ergocornine C, **1**, 534
 C₃₁H₄₀O₂, menaquinone, **1**, 17
 C₃₁H₄₀O₈, calbistrin A, **1**, 370
 C₃₁H₄₁NO₁₀, digoxigenin ester with *N*-(β-carboxypropionylsuccinimide), **7**, 160
 C₃₁H₄₂O₇, aestivalin, **1**, 375
 C₃₁H₄₂O₁₂, clerodendrin A, **8**, 314, 317, 319
 C₃₁H₄₃NO₄, indanomycin, **1**, 374
 C₃₁H₄₄N₇O₁₉P₃S, feruloyl-CoA, **1**, 18, 761, **3**, 625, 646, 653
 C₃₁H₄₄N₇O₂₀P₃S, 5-hydroxyferuloyl-CoA, **3**, 642, 650
 C₃₁H₄₄O₄S₂, methyl 6,10-bis(thiophenyl)-7,11-dihydroxyfarnesoate, **8**, 269
 C₃₁H₄₅Cl₃N₆O₁₃, victorinC, **8**, 180
 C₃₁H₄₅N₁₁O₁₈P₃, deoxycytidine triphosphate, **7**, 207
 C₃₁H₄₆N₄O₂S, virenamide A, **8**, 538
 C₃₁H₄₆N₇O₁₇P₃S, phenylbutyryl-CoA, **4**, 264
 C₃₁H₄₆O₂, vitamin K₁, **4**, **4**, **8**, 162, 436
 C₃₁H₄₆O₇, amphidinolide A, **8**, 620
 C₃₁H₄₆O₉, macrolactin B, **8**, 590
 C₃₁H₄₇NO₂, squalene maleimide, **2**, 289
 C₃₁H₄₈N₆O₇S, dansyl-NH-Cys-Val-Ile-Met-CO₂H, **5**, 332
 C₃₁H₄₈O₆, fusidic acid, **2**, 281
 C₃₁H₄₉N₉O₁₅P₃S, d(ATP) analogue, **7**, 206
 C₃₁H₄₉N₉O₁₅P₃S₃, biotinylated deoxyuridine triphosphate, **7**, 206
 C₃₁H₅₀N₂O
 isosarain **1**, **8**, 562
 sarain **1**, **8**, 562
 C₃₁H₅₀N₃, madangamine A, **8**, 566
 C₃₁H₅₀O
 24-methylenecycloartenol, **2**, 304
 21-methylidene lanosterol, **2**, 287
 1-methylidene-2,3-oxidosqualene, **2**, 287
 26-methylidene-2,3-oxidosqualene, **2**, 286
 27-methylidene-2,3-oxidosqualene, **2**, 286
 29-methylidene-2,3-oxidosqualene, **2**, 282, 285, 287
 C₃₁H₅₀O₂, 29-methylene-2,3-oxidosqualene, **2**, 315
 C₃₁H₅₁N₇O₁₆P₃S, biotinylated deoxyuridine triphosphate, **7**, 206
 C₃₁H₅₂N₂, haliclamine B, **8**, 560
 C₃₁H₅₂N₂O₁₁S₂, hypoxilin, **1**, 170
 C₃₁H₅₂O
 22,23-dihydro-22-methylene-2,3-oxidosqualene, **2**, 284, 304
 homooxidosqualene, **2**, 287
 C₃₁H₅₂O₃, tocopheryl acetate, **8**, 230
 C₃₁H₅₃NO₈, mybutosine, **6**, 77
 C₃₁H₅₃N₃O₁₉P₂, UDP-3-*O*-(3-hydroxymyristoyl)-GlcNAc, **3**, 219
 C₃₁H₅₄N₂, haliclamine A, **8**, 560
 C₃₁H₅₄N₂O₃, pyridooxazole derivative, **8**, 551
 C₃₁H₅₅N, *N,N*-diethyl-2,3-dihydro-2-azasqualene, **2**, 311
 C₃₁H₅₅NO₉, o-mycaminosyl-tylactone, **3**, 352
 C₃₁H₅₈O₄, tetrahydrofuran fatty acid, **1**, 217
 C₃₁H₅₉NO₇, 1-[4,7-anhydro-4-*C*-(hydroxymethyl)-β-D-glucopyranosyloxy]-2-(dodecanoylamino)-4-dodecen-3-ol, **3**, 95
 C₃₁H₆₀, 9,19-hentriacontadiene, **8**, 219
 C₃₁H₆₂
 11-hentriacontene, **8**, 219
 9-hentriacontene, **8**, 219
 C₃₁H₆₂O
 3,11-dimethylnonacosan-2-one, **8**, 240
 pheromone of *Blattella germanica*, **8**, 49
 C₃₁H₆₂O₂, 3,11-dimethyl-29-hydroxynonacosan-2-one, **8**, 240, 247
 C₃₂H₁₉N₆Na₅O₁₅S₅, trypan red, **7**, 428
 C₃₂H₂₆O₁₄, actinorhodin, **1**, 10, 337, 476, 484, 491, **4**, 179
 C₃₂H₃₀N₆O₆S₄, leptosin C, **8**, 603
 C₃₂H₃₀N₆O₆S₆, leptosin A, **8**, 603
 C₃₂H₃₀O₈, vestitol-(4→5)-vestitol, **1**, 775
 C₃₂H₃₂O₈, toddasin, **1**, 380
 C₃₂H₃₂O₁₃S, teniposide, **1**, 671, 701, **7**, 603, 609
 C₃₂H₃₃NaO₇, guanidine salt, **7**, 263
 C₃₂H₃₄O₈, cassumunarin A, **1**, 386
 C₃₂H₃₅NO₂, PDA-II, **2**, 279
 C₃₂H₃₆N₂O₅, chaetoglobosin A, **1**, 388, 391
 C₃₂H₃₆N₄O₂, communesin B, **8**, 601
 C₃₂H₃₇NO₆, cytochalasin K, **1**, 374
 C₃₂H₃₈N₂O₂, prochaetoglobosin I derivative, **1**, 393
 C₃₂H₃₈O₂₆, quercetin 3-(2-*G*-xylosylrutinoside), **8**, 156, 157
 C₃₂H₄₀N₄
 borreverine, **1**, 369
 isoborreverine, **1**, 369
 C₃₂H₄₀N₄O₇P, deoxyribonucleoside phosphoramidite, **7**, 233
 C₃₂H₄₀O₈, handelin, **1**, 375
 C₃₂H₄₀O₁₄
 azadirachtin I, **8**, 327
 celangulin, **8**, 312
 C₃₂H₄₁NO₃, oteromycin, **1**, 370
 C₃₂H₄₁N₂O₆P, phosphoramidite, **7**, 173
 C₃₂H₄₂N₃O₃P, phosphoramidite, **7**, 154
 C₃₂H₄₂O₈, desacetylsalannin, **8**, 329, 330
 C₃₂H₄₂O₁₃, azadirachtin I, **8**, 325
 C₃₂H₄₂O₁₇, hydroxypinoresinol 4',4''-di-*O*-β-D-glucopyranoside, **1**, 705
 C₃₂H₄₄MgN₂O₈, magnesidin A, **8**, 598
 C₃₂H₄₄N₈O₆S₅, sulfosuccinimidyl 3-[2-[6-(biotinamido)-2-(*p*-azidobenzamide)hexanamido]ethyl]dithio]propionate, **7**, 159
 C₃₂H₄₅NO₄, gymnodimine, **8**, 515
 C₃₂H₄₆N₇O₂₀P₃S, sinapoyl-CoA, **3**, 625, 646, 649
 C₃₂H₄₆O₈, cucurbitacin B, **8**, 320
 C₃₂H₄₆O₉, cucurbitacin A, **8**, 320
 C₃₂H₄₆O₁₆, secoisolariciresinol diglucoside, **1**, 668, 698
 C₃₂H₄₈N₂O₂, culantramine, **1**, 369
 C₃₂H₄₈N₂O₃, saraine A, **8**, 562
 C₃₂H₄₈O₅, lagunapyrone A, **8**, 596
 C₃₂H₅₀N₂, halicyclamine A, **8**, 566
 C₃₂H₅₀N₂O₃, culantraminol, **1**, 369
 C₃₂H₅₀O₃, hemibrevetoxin B, **8**, 511
 C₃₂H₅₀O₈
 amphidinolide B, **8**, 621
 amphidinolide B₂, **8**, 629
 amphidinolide B₃, **8**, 629
 amphidinolide D, **8**, 622
 amphidinolide G, **8**, 620, 622
 amphidinolide H, **8**, 620, 622
 amphidinolide L, **8**, 622
 C₃₂H₅₂N₂O
 isosarain **3**, **8**, 562
 sarain **3**, **8**, 562
 C₃₂H₅₂N₈O₁₇P₃S, deoxycytidine triphosphate, **7**, 207
 C₃₂H₅₂O₃, 30-acetyl-2,3-oxidosqualene, **2**, 284
 C₃₂H₅₄O, bishomofarnesyl ether, **2**, 310
 C₃₂H₅₆N₂
 haliclonyclamine A, **8**, 566
 haliclonyclamine B, **8**, 566
 C₃₂H₅₇N₃O₅, faAVIA, **5**, 333
 C₃₂H₅₈O₁₀, halymecine C, **8**, 601
 C₃₂H₆₀N₂O₃₁P₂, ethanolaminephosphate6Manz1-2Manz1-4GI cN1-6phosphatidylinositol, **3**, 296
 C₃₂H₆₀N₄O₆S, squalamine mimic, **8**, 475
 C₃₂H₆₂O₂, phytyl dodecanoate, **8**, 230
 C₃₂H₆₆, 17,21-dimethyltriacontane, **8**, 249
 C₃₃H₂₁N₇ORu, oxoruthenium complex, **7**, 374
 C₃₃H₂₂N₁₀ORu, oxoruthenium complex, **7**, 374
 C₃₃H₂₅NO₉, d-*O*-methyl dynemicin A methyl ester, **7**, 574
 C₃₃H₂₆O₁₁, santarubin, **1**, 777
 C₃₃H₂₇NO₁₁S, dynemicin S, **7**, 575
 C₃₃H₂₇N₃O₉, tri-*O*-(indole-3-acetyl)-*myo*-inositol, **8**, 26

- C₃₃H₃₄N₄O₆, biliverdin, **4**, 99
 C₃₃H₃₄O₁₄, haedoxan A, **1**, 687, 693, 696
 C₃₃H₃₅ClO₁₉, dimalonilydelphin, **8**, 159
 C₃₃H₃₅NO₁₂, elsamycin, **7**, 529
 C₃₃H₃₅N₃O₆, alkynyl nucleoside, **7**, 194
 C₃₃H₃₆N₄Na₂O₆, luciferin air-oxidation product, **8**, 457
 C₃₃H₃₆N₄O₆, bilirubin, **1**, 283
 C₃₃H₃₇N₃O₃
 penochalasin A, **8**, 603
 penochalasin B, **8**, 603
 penochalasin C, **8**, 603
 C₃₃H₃₈N₂O₄, chaetoglobosin J, **1**, 393
 C₃₃H₃₈N₄Na₂O₆, dinoflagellate luciferin, **8**, 457
 C₃₃H₃₈N₄Na₂O₈, Krill fluorescent substance F, **8**, 457
 C₃₃H₃₈N₄Na₂O₉, oxy Krill fluorescent substance F, **8**, 457
 C₃₃H₃₉NO₁₃, barminomycin I, **7**, 500
 C₃₃H₄₀N₂O₉, reserpine, **4**, 46, 110
 C₃₃H₄₀O₁₁, 6-acetyltoonacilin, **8**, 321
 C₃₃H₄₂N₄O₆, phycoerythrobilin, **8**, 433
 C₃₃H₄₂O₁₅
 azadirachtinH, **8**, 325
 3-tigloylazadirachtol, **8**, 325
 C₃₃H₄₃N₂O₅P, phosphoramidite, **7**, 173
 C₃₃H₄₄O₉, volkensin, **8**, 330
 C₃₃H₄₆N₂O₉, viridifungin, **2**, 257
 C₃₃H₄₇N₂O₄P, phosphoramidite, **7**, 154
 C₃₃H₄₇N₉O₈, cyclotheonamide D, **8**, 568
 C₃₃H₅₂O₁₁, caribenolide I, **8**, 627
 C₃₃H₅₄O
 26-cyclopropyl-2,3-oxidosqualene, **2**, 286, 287
 29-cyclopropyl-2,3-oxidosqualene, **2**, 286, 287
 C₃₃H₅₄O₁₂, amphidinolideN, **8**, 622
 C₃₃H₅₇N₃O₉
 enniatin, **4**, 235
 enniatin B, **4**, 226, 230
 C₃₃H₅₈N₇O₁₇P₃S, dodecanoyl-CoA, **3**, 393, **8**, 204
 C₃₃H₅₈OSi
 26-trimethylsilyl-2,3-oxidosqualene, **2**, 286
 29-trimethylsilyl-2,3-oxidosqualene, **2**, 285
 C₃₃H₆₀NO₆P₂, FPP analogue, **2**, 253
 C₃₃H₆₂O₇, PM-toxin, **1**, 424
 C₃₃H₆₄
 5,27-tritriacontadiene, **8**, 219
 9,19-tritriacontadiene, **8**, 219
 C₃₃H₆₆
 9-tritriacontene, **8**, 219
 11-tritriacontene, **8**, 219
 13-tritriacontene, **8**, 219
 C₃₄H₂₄O₂₂, pedunculagin, **3**, 817
 C₃₄H₂₆O₂₂, tellimagrandin I, **3**, 817, 818
 C₃₄H₂₇NO₉, tri-*O*-methylodynemicin A methyl ester, **7**, 574
 C₃₄H₂₈O₂₂
 1,2,3,6-tetragalloylglucose, **3**, 808
 1,2,4,6-tetragalloylglucose, **3**, 810
 1,2,3,6-tetra-*O*-galloyl- β -D-glucose, **3**, 822
 3-*O*-trigalloyl-1,2,4,6-tetra-*O*-galloyl- β -D-glucose, **3**, 816
 C₃₄H₃₂FeN₄O₄, heme, **2**, 27, 74, 326, **4**, 62, 141
 C₃₄H₃₂FeN₄O₄S, LPO haem, **1**, 307
 C₃₄H₃₂N₂O₈, cannabisin B, **1**, 674, 695
 C₃₄H₃₃O₉, trislevulinyloxytrityl, **7**, 126
 C₃₄H₃₄N₄O₄, protoporphyrin IX, **2**, 326, 333, 346, **4**, 65, **6**, 137
 C₃₄H₃₄N₆O₆S₄, leptosin K, **8**, 603
 C₃₄H₃₅N₃O₁₀, alkynyl nucleoside, **7**, 194
 C₃₄H₃₈N₂O₈, vepridimerine A, **1**, 383
 C₃₄H₃₈N₄O₂S, virenamide C, **8**, 538
 C₃₄H₃₈N₄O₄, mesoporphyrin IX, **6**, 137
 C₃₄H₄₀N₂O₇, fluoresceinyl phosphoramidite, **7**, 177
 C₃₄H₄₀N₄O₄
 protoporphyrinogen IX, **4**, 90, 94, 96, 98
 protoporphyrinogen XIII, **4**, 95, 98
 C₃₄H₄₀O₁₆, azadirachtin K, **8**, 325
 C₃₄H₄₂N₂O₈, arenastatin A, **8**, 613
 C₃₄H₄₂N₇O₅S₂, cyclodidemnamide, **8**, 537
 C₃₄H₄₂O₁₉, raphanusol A, **8**, 29
 C₃₄H₄₃ClO₂₁, peonidin 3-sophoroside-5-glucoside, **8**, 159
 C₃₄H₄₄N₃O₃P, phosphoramidite, **7**, 154
 C₃₄H₄₄N₄O₁₁
 shimofuridin A, **8**, 532
 shimofuridin B, **8**, 532
 shimofuridin C, **8**, 532
 shimofuridin D, **8**, 532
 shimofuridin E, **8**, 532
 C₃₄H₄₄O₉, salannin, **8**, 329, 330
 C₃₄H₄₄O₁₄, azadirachtin D, **8**, 325
 C₃₄H₄₅N₂O₂PS, mercaptoalkylated phosphoramidite, **7**, 167
 C₃₄H₄₅N₂O₃P, phosphoramidite, **7**, 155, 173
 C₃₄H₄₆N₃O₈P, anthraquinone phosphoramidite, **7**, 183
 C₃₄H₄₆O₁₃
 angulatin A, **8**, 312
 trichilin A, **8**, 321
 C₃₄H₄₆O₁₈
 syringaresinol di-*O*- β -D-glucopyranoside, **1**, 705
 syringaresinol di-*O*- β -D-glucoside, **1**, 705
 C₃₄H₄₉NO₄S₂, 3-carboxy-4-nitrophenyldithio-1,1'-2-trisnorsqualene, **2**, 289
 C₃₄H₅₀N₂O₃, saraine B, **8**, 562
 C₃₄H₅₀N₇O₂₅P₃S, 4-*O*- β -D-glucosidogalloyl-CoA, **3**, 805
 C₃₄H₅₀O₂, plagiospirolide A, **1**, 375
 C₃₄H₅₂N₂O₃, saraine C, **8**, 562
 C₃₄H₅₂O₅, lagunapyrone B, **8**, 596
 C₃₄H₅₈N₂O₂₆
 Man₃GlcNAc₂, **3**, 15
 Man₃GlcNAc₂₆, **3**, 24
 C₃₄H₅₉NO₁₅, fumonisin B1, **3**, 101
 C₃₄H₆₁NO₂₁, Man α 1-6(GlcNAc β 1-2Man α 1-3) Man β 1-octyl, **3**, 50, 52
 C₃₄H₆₆NO₆S, flavocristamide A, **8**, 598
 C₃₄H₆₇N₃O₅S, squalamine, **8**, 474
 C₃₄H₆₈NO₆S, flavocristamide B, **8**, 598
 C₃₄H₇₀, 15-methyltritiacontane, **8**, 249
 C₃₅H₃₀O₁₂, hydnowightin, **1**, 685
 C₃₅H₃₂F₃N₃O₈, alkynyl nucleoside, **7**, 194
 C₃₅H₃₂O₁₃, pseudotsuganol, **1**, 685
 C₃₅H₃₃NO₁₂
 neocarzinostatin, **1**, 557, 567, **7**, 98, 373, 380, 385, 394, 395, 418, 421
 neocarzinostatin chromophore, **7**, 482, 554, 558
 C₃₅H₃₃N₃O₈, guanosine nucleoside derivative, **7**, 118
 C₃₅H₃₄N₂O₈
 aryldihydronaphthalene lignanamide, **1**, 673
 demethylgrossamide, **1**, 674
 C₃₅H₃₉FeN₇O₈, methidiumpropyl-ethylenediamine tetraacetate, **7**, 86
 C₃₅H₄₂N₂O₉, rescinamine, **4**, 46
 C₃₅H₄₃ClN₂O₇, cryptophycin-3, **8**, 612
 C₃₅H₄₃ClN₂O₈, cryptophycin-1, **8**, 612
 C₃₅H₄₀N₄O₄, *N*-methylmesoporphyrin IX, **6**, 137
 C₃₅H₄₃N₄O₃P, (pyrenylmethyl)thymidine phosphordiamidite, **7**, 234
 C₃₅H₄₃N₃O₉, green fluorescent protein, **8**, 453
 C₃₅H₄₄N₄O, manzamine A, **1**, 380
 C₃₅H₄₄O₁₅, desepoxyazadirachtin, **8**, 325
 C₃₅H₄₄O₁₆
 1-acetylazadirachtinH, **8**, 330
 azadirachtin, **8**, 143, 324
 marrangin, **8**, 330
 1-tigloyl-3-acetylazadirachtinin, **8**, 325
 C₃₅H₄₅N₂O₆P, phosphoramidite, **7**, 173
 C₃₅H₄₆Br₂N₂O₄, pseudodistomin 1-acetyl-4,5-bis(*p*-bromobenzoyl) derivative, **8**, 548
 C₃₅H₄₆N₄O, manzamine B, **1**, 380
 C₃₅H₄₇O, 4-hexadecyloxytrityl, **7**, 127
 C₃₅H₄₈ClNO₁₀, callipeltoside A, **8**, 587

- C₃₅H₄₈N₂O₈, ansatrienin A, **1**, 527
 C₃₅H₄₈N₃O₃P, phosphoramidite, **7**, 154
 C₃₅H₄₉Cl₂N₂O₁₅, auranoside B, **8**, 580
 C₃₅H₅₀N₂O₇, superstolide A, **1**, 371
 C₃₅H₅₀O₁₂, macrolactin D, **8**, 590
 C₃₅H₅₁Br₄N₃O₇, ceratinamide B, **8**, 440
 C₃₅H₅₂O₉, amphidinolide F, **8**, 622, 620
 C₃₅H₅₄O₅, lagunapyroneC, **8**, 596
 C₃₅H₅₆O₆, papyriferic acid, **8**, 142
 C₃₅H₅₆O₁₄, chalcomycin, **3**, 321
 C₃₅H₅₈O₁₂, fungichromin, **1**, 451
 C₃₅H₅₉ClO₇, blattellastanoside A, **8**, 230
 C₃₅H₆₁ClO₇, blattellastanoside B, **8**, 230
 C₃₅H₆₁NO₁₂, oleandomycin, **3**, 313, **4**, 198
 C₃₅H₆₂N₇O₁₇P₃S, myristoyl-CoA, **3**, 305, **4**, 20
 C₃₅H₆₂O₄, bacteriohopanetriol, **2**, 47
 C₃₅H₆₃NO₅, aminobacteriohopanetriol, **2**, 47
 C₃₅H₆₆N₄O₃, lipogrammistin-A, **8**, 475
 C₃₅H₆₈, 9,19-pentatriacontadiene, **8**, 219
 C₃₅H₇₂, 15,19-dimethyltritiacontane, **8**, 249
 C₃₆H₂₄N₂Ru, tris(1,10-phenanthroline)ruthenium, **7**, 88
 C₃₆H₂₄N₂Zn, tris(1,10-phenanthroline)zinc, **7**, 88
 C₃₆H₃₅N₅O₁₀S, guanosine nucleoside *O*-6-sulfonated derivative, **7**, 118
 C₃₆H₃₆N₂O₈
 cannabisin D, **1**, 674, 695
 demethylgrossamide, **1**, 695
 grossamide, **1**, 674
 C₃₆H₃₆N₆O₉S, dehydrocoelenterazine glutathione adduct, **8**, 455
 C₃₆H₃₈N₂O₉, grossamide, **1**, 695
 C₃₆H₄₀ClNO₂S, montelukast, **1**, 197
 C₃₆H₄₀N₂O₆, berbaminine, **1**, 676
 C₃₆H₄₂N₄O₈, dehydroisocoproporphyrinogen, **4**, 95
 C₃₆H₄₃N₉O₈, cyclotheonamideC, **8**, 568
 C₃₆H₄₄N₄O
 3,4-dihydromanzamine A, **8**, 557
 manzamine A, **8**, 553
 C₃₆H₄₄N₄O₂
 6-deoxymanzamine X, **8**, 558
 6-hydroxymanzamine A, **8**, 557
 8-hydroxymanzamine A, **8**, 557
 manzamineE, **8**, 558
 manzamine oxide, **8**, 558
 manzamineY, **8**, 558
 C₃₆H₄₄N₄O₃
 keramamine F, **8**, 554
 manzamine F, **8**, 557, 558
 manzamine X, **8**, 558
 C₃₆H₄₄N₄O₈
 coproporphyrinogen I, **4**, 90
 coproporphyrinogen III, **4**, 65, 90
 C₃₆H₄₅N₃O₆PS, biotinylated phosphoramidite, **7**, 171
 C₃₆H₄₅N₉O₈, cyclotheonamide A, **8**, 568
 C₃₆H₄₆Cl₂N₂O₁₅, auranoside A, **8**, 580
 C₃₆H₄₆N₄O
 manzamine B, **8**, 553
 manzamine J, **8**, 555
 C₃₆H₄₆N₄O₂, manzamine oxide, **8**, 558
 C₃₆H₄₇N₉O₈, cycloghdonamide analogue, **8**, 569
 C₃₆H₄₈N₂O₈, ansatrienin A, **1**, 71
 C₃₆H₄₈N₂O₁₂, rhodomycin, **3**, 313, 351, **4**, 200
 C₃₆H₄₈N₃O₆P, benzophenanthridine phosphoramidite, **7**, 183
 C₃₆H₄₈N₃O₇P, benzophenanthridine phosphoramidite, **7**, 183
 C₃₆H₄₈N₄O, manzamine D, **8**, 553
 C₃₆H₄₈N₄O₂, 1,2,3,4-tetrahydro-8-hydroxymanzamine A, **8**, 558
 C₃₆H₄₈O₁₂
 heterotropatrione, **1**, 379
 isoheterotropatrione, **1**, 379
 C₃₆H₄₈O₁₇
 22,23-dihydro-23-methoxyazadirachtin, **8**, 327
 isovepaol, **8**, 327
 vepaol, **8**, 327
 C₃₆H₅₀N₃O₄P, phosphoramidite, **7**, 154
 C₃₆H₅₀N₃O₆P
 benzophenanthridine phosphoramidite, **7**, 183
 phosphoramidite, **7**, 182
 C₃₆H₅₀N₄O
 manzamineH, **8**, 555
 manzamine L, **8**, 557
 C₃₆H₅₀O₈, 20-hydroxyecdysterone 2-cinnamate, **8**, 285
 C₃₆H₅₂N₇O₂₃P₃S, *p*-coumaroyl-D-glucose, **3**, 641
 C₃₆H₅₄N₁₁O₁₉, alterobactin B, **8**, 592
 C₃₆H₅₆O₆, cylindrocyclophane A, **8**, 611
 C₃₆H₅₆O₈, tetradecanoylphorbol acetate, **5**, 227
 C₃₆H₅₆O₁₁, fusicoccin, **2**, 222, **8**, 178, 179
 C₃₆H₅₆O₁₄, digitalin, **8**, 323
 C₃₆H₅₈O₁₀, hederagenin 3-glucoside, **8**, 183
 C₃₆H₅₉N₇O₉, cAM373, **8**, 408
 C₃₆H₆₀O₃₀, α-cyclodextrin, **5**, 306
 C₃₆H₆₂O₁₁, monensin, **3**, 88, 96, **4**, 200
 C₃₆H₆₂O₃₁, maltohexaose, **5**, 305
 C₃₆H₆₃NO₁₂, erythromycin analogue, **1**, 504
 C₃₆H₆₃N₃O₉
 enniatiin, **4**, 213, 335, **8**, 177
 enniatiin A, **1**, 539, **4**, 321
 C₃₆H₆₄N₂O₂₁, GlcNAcβ1-2Manz1-6(GlcNAc β1-2Manz1-3)Manβ1-octyl, **3**, 52
 C₃₆H₆₅NO₁₂
 12-desmethylerythromycin, **1**, 509
 erythromycin D, **1**, 498
 C₃₆H₆₅NO₁₃, erythromycin C, **1**, 498
 C₃₆H₇₁NO₃, ceramide, **3**, 88, 90, 99, 101, 102
 C₃₆H₇₁NO₄, symbioramide, **8**, 617
 C₃₆H₇₃NO₃, dihydroceramide, **3**, 89, 90
 C₃₆H₇₄, 21-methyl-8-pentatriacontene, **8**, 249
 C₃₇H₃₃N₇O₈, CC-1065, **7**, 98, 492, 504
 C₃₇H₄₄N₂O₁₄
 3α-pentaacetylstrictosidine, **4**, 116
 pentaacetylvincoiside, **4**, 116
 C₃₇H₄₅IN₃O₈P, 5-iododeoxyuridine phosphoramidite, **7**, 220
 C₃₇H₄₆N₄O₆, aminoalkylated 4-thiodeoxyribonucleoside, **7**, 205
 C₃₇H₄₇N₉O₈, cyclotheonamide B, **8**, 568
 C₃₇H₄₈N₄O₁₁, shimofuridin F, **8**, 532
 C₃₇H₄₉O₂, 9-(4-octadecyloxyphenyl)xanthen-9-yl, **7**, 127
 C₃₇H₅₀N₄O₂, 1,2,3,4-tetrahydro-8-hydroxy-2-*N*-methylmanzamine A, **8**, 558
 C₃₇H₅₀N₄O₁₁, shimofuridin G, **8**, 532
 C₃₇H₅₄N₁₀O₁₈, alterobactin A, **8**, 592
 C₃₇H₆₆N₇O₁₇P₃S
 hexadecanoyl-CoA, **8**, 204
 palmitoyl-CoA, **4**, 15, 20
 C₃₇H₆₆O₇
 asimicin, **8**, 305
 squamosin, **8**, 305
 C₃₇H₆₇NO₁₂
 10-desmethylerythromycin B, **1**, 509
 erythromycin B, **1**, 498
 C₃₇H₆₇NO₁₃
 10-desmethylerythromycin A, **1**, 509
 erythromycin, **1**, 348, **3**, 351, 353, **4**, 1, 14, 200, 227
 erythromycin A, **1**, 495, **3**, 312
 C₃₇H₇₂, 9,19-heptatriacontadiene, **8**, 219
 C₃₇H₇₆
 15,23-dimethylpentatriacontane, **8**, 249
 pheromone of *Glossina pallidipes*, **8**, 42
 C₃₈H₂₁Br₈NO₇, polycytone A, **8**, 539
 C₃₈H₂₆N₆Rh, bis(phenanthroline)(9,10-phenanthrenequinone diimine)rhodium, **7**, 89
 C₃₈H₃₇ClN₂O₁₁, maduropeptin chromophore, **7**, 580

- C₃₈H₄₀N₂O₁₀, arylldihydronaphthalene lignanamide, **1**, 673
- C₃₈H₄₀N₂P₁₀, lignan, **3**, 677
- C₃₈H₄₁N₃O₁₁S, ecteinascidin 729, **8**, 531
- C₃₈H₄₃N₃O₁₁S, ecteinascidin 743, **7**, 501
- C₃₈H₄₄N₁₂O₂₃P₂, dinucleotide, **7**, 175
- C₃₈H₄₅F₃N₃O₈P, trifluorothymidine phosphoramidite, **7**, 221
- C₃₈H₄₅N₄O₅P, 5'-mercapto-2',5'-dideoxyribonucleoside-3'-O-phosphoramidite, **7**, 234
- C₃₈H₄₇N₄O₉P, ribonucleoside phosphoramidite, **7**, 234
- C₃₈H₄₈N₂O₉, kidamycin, **7**, 471
- C₃₈H₄₈N₈O₁₂S, mureidomycin A, **3**, 280, 288
- C₃₈H₅₄, 4,4'-diaponeurosporene, **2**, 341
- C₃₈H₅₄F₆N₂O₄, cyclostelletamine A, **8**, 560
- C₃₈H₅₇N₅O₆, motuporin, **8**, 576
- C₃₈H₅₈, 4,4'-diaponeurosporene, **2**, 337, 323
- C₃₈H₆₀, 4,4'-diapophytoene, **2**, 323, 324, 337, 341
- C₃₈H₆₀O₁₈, stevioside, **8**, 166
- C₃₈H₆₃NO₁₃, niddamycin, **1**, 525
- C₃₈H₆₅NO₃₁, Man₂GlcNAc, **3**, 22
- C₃₈H₆₆N₂O₂₃, GlcNAcβ1-6[GlcNAcβ1-2]Manα1-6Manβ1-methoxycarbonyloctyl, **3**, 55
- C₃₈H₆₇N₂O₃P, tocopherol phosphoramidite, **7**, 189
- C₃₈H₆₉NO₁₃, clarithromycin, **1**, 497
- C₃₈H₇₂N₂O₁₂, azithromycin, **1**, 497
- C₃₉H₃₄O₄, coenzyme Q₆, **2**, 88
- C₃₉H₃₇ClO₁₆, delphinidin 3-(*p*-coumarylglucoside)-5-malonylglucoside, **8**, 159
- C₃₉H₃₈N₅O₉P, phosphoramidite, **7**, 175
- C₃₉H₄₁ClN₂O₁₂, maduropeptin, **1**, 557
- C₃₉H₄₂N₄O₁₄
harderoporphyrinogen, **4**, 95, 98
isoharderoporphyrinogen, **4**, 95, 98
- C₃₉H₄₃N₃O₁₁S, ecteinascidin 743, **8**, 531
- C₃₉H₄₃N₃O₁₂S, ecteinascidin 743 N(12)-oxide, **8**, 531
- C₃₉H₄₆O₁₂, torreyanic acid, **1**, 378
- C₃₉H₄₇N₄O₈, nitroxide-labeled nucleoside, **7**, 219
- C₃₉H₄₈N₄O₆P, deoxyribonucleoside phosphoramidite, **7**, 233
- C₃₉H₄₉NO₁₄, rifamycin B, **1**, 527
- C₃₉H₄₉NO₁₆, nogalamycin, **1**, 482, **3**, 321, 349, 351, **7**, 351, 433, 437
- C₃₉H₅₄N₁₀O₁₄S, α-amanitin, **6**, 178
- C₃₉H₅₆F₆N₂O₄, cyclostelletamine B, **8**, 560
- C₃₉H₅₆O₄, cyclodione, **1**, 377
- C₃₉H₆₀O₂S₂, caldariellaquinone, **1**, 856
- C₃₉H₆₁N₅O₁₂, onnamide A, **8**, 581
- C₃₉H₆₄O₁₀, helminthosporoside A, **8**, 179
- C₃₉H₆₆O₁₀, 23-macrolide, **8**, 579
- C₃₉H₆₆O₁₁
21-macrolide, **8**, 579
swinholid derivative, **8**, 579
- C₃₉H₇₂N₈O₁₁, iPD1, **8**, 408
- C₃₉H₈₀
11,23-dimethylheptatriacontane, **8**, 249
13,25-dimethylheptatriacontane, **8**, 249
- C₄₀H₂₇O₆, trisbenzoyloxytrityl, **7**, 123, 126
- C₄₀H₃₆O₁₁, artonin, **1**, 385
- C₄₀H₃₈N₄O₁₆, uroporphyrin III, **4**, 65
- C₄₀H₃₈O₁₀, kuwanon J, **1**, 385
- C₄₀H₄₂N₂O₈, cyclobutylidicarboxylic acid, **2**, 258
- C₄₀H₄₃N₃O₁₂S, ecteinascidin 729 21-O-methyl-N(12)-formyl derivative, **8**, 531
- C₄₀H₄₄N₄O₈, uroporphyrinogen III, **4**, 62, 72
- C₄₀H₄₄N₄O₁₀, tolporphyrin, **8**, 611
- C₄₀H₄₄N₄O₁₆
uroporphyrinogen, **4**, 143
uroporphyrinogen I, **4**, 73, 86, 88, 90
uroporphyrinogen II, **4**, 86, 91
uroporphyrinogen III, **4**, 86
uroporphyrinogen IV, **4**, 86, 91
- C₄₀H₄₄N₁₂O₁₀S₂, CI40622, **3**, 584
- C₄₀H₄₄O₁₂, oligolignol, **3**, 724
- C₄₀H₄₆ClN₆O₆P, halogenated deoxyribonucleoside phosphoramidite, **7**, 225
- C₄₀H₄₆FN₆O₇P, halogenated deoxyribonucleoside phosphoramidite, **7**, 225
- C₄₀H₄₆N₄O₁₆, precorrin 1, **4**, 143
- C₄₀H₄₆N₄O₁₇
hydroxymethylbilane, **4**, 143
preuroporphyrinogen, **4**, 73, 80
- C₄₀H₄₆N₅O₈PS, 5-thiocyanato-2'-deoxyuridine phosphoramidite, **7**, 202
- C₄₀H₄₆O₁₄, cerberalignan, **1**, 688
- C₄₀H₄₈F₃N₄O₈P, phosphoramidite, **7**, 156
- C₄₀H₄₈N₆O₁₀, bouvardin, **4**, 202
- C₄₀H₅₀N₂O₁₀, neopluramycin, **7**, 508
- C₄₀H₅₀O₂, rhodoxanthin, **2**, 347, 323
- C₄₀H₅₀O₁₄, zaragozic acid C, **2**, 251, 254, 255, 256, 257
- C₄₀H₅₂O₂, canthaxanthin, **2**, 323, 337, 344, 347
- C₄₀H₅₂O₃, phoenicoxanthin, **2**, 323
- C₄₀H₅₂O₄, astaxanthin, **2**, 323, 335, 344, 347
- C₄₀H₅₄O, echinenone, **2**, 323, 337, 344
- C₄₀H₅₄O₂
3-hydroxyechinenone, **2**, 323
3'-hydroxyechinenone, **2**, 323
- C₄₀H₅₄O₃, adonixanthin, **2**, 323, 335
- C₄₀H₅₆
α-carotene, **2**, 323, 342
β-carotene, **2**, 5, 58, 60, 61, 323, 337, 342, 343, 344, 347, **8**, 164
γ-carotene, **2**, 323
β-isorenieratene, **2**, 323, 336
isorenieratene, **2**, 323, 336, 337
lycopene, **2**, 5, **8**, 164
- C₄₀H₅₆O
β-cryptoxanthin, **2**, 344, 323
cryptoxanthin, **2**, 333
- C₄₀H₅₆O₂
demethylspheroidenone, **2**, 323, 330
lutein, **2**, 61, 323, 342, 347, **8**, 87
zeaxanthin, **2**, 323, 325, 332, 333, 344, 347, **8**, 87, 469
- C₄₀H₅₆O₄
neoxanthin, **8**, 87
violaxanthin, **8**, 72, 84, 87
- C₄₀H₅₇N₂O₃PS₂, mercaptoalkylated phosphoramidite, **7**, 167
- C₄₀H₅₈
dihydro-β-carotene, **2**, 323, 343, 344
neurosporene, **2**, 323, 324, 330, 334, 341, 343
β-zeacarotene, **2**, 323, 341, 344
- C₄₀H₅₈F₆N₂O₄
cyclostelletamine C, **8**, 560
cyclostelletamine D, **8**, 560
- C₄₀H₅₈O
demethylspheroidene, **2**, 323, 330
hydroxyneurosporene, **2**, 323, 330
- C₄₀H₆₀
ζ-carotene, **2**, 323, 324, 331, 338, 341, 343
7,8,11,12-tetrahydrolycopene, **2**, 323, 324, 331
- C₄₀H₆₀O₂, zeaxanthin, **2**, 337
- C₄₀H₆₀O₄, maytenone, **1**, 377
- C₄₀H₆₁BrN₈O₉, konbamide, **8**, 573
- C₄₀H₆₂, phytofluene, **2**, 323
- C₄₀H₆₃N₅O₃, adenosylhopane, **2**, 47
- C₄₀H₆₄
15,15'-phytoene, **2**, 341
phytoene, **2**, 10, 108, 323, 324, 331, 334, 338, 340
- C₄₀H₆₄O₁₂, nonactin, **1**, 451
- C₄₀H₆₅NO₉, A83543A, **1**, 374
- C₄₀H₆₆N₈O₁₀, cAD1, **8**, 408
- C₄₀H₆₇N₇O₉, cCF10, **8**, 408
- C₄₀H₇₄O₁₅, halymecin D, **8**, 601
- C₄₀H₈₀NO₈P
dipalmitoylphosphatidylcholine, **3**, 198

- lysopalmitoylphosphatidylcholine, **3**, 198
 C₄₀H₈₉N₁₀O₁₃P₃, aminoalkylated adenosine triphosphate, **7**, 197
 C₄₀H₈₉N₁₀O₁₄P₃, (6-aminohexyl)isoguanosine triphosphate, **7**, 199
 C₄₁H₂₈O₂₄, casuarictin, **3**, 800, 802, 817
 C₄₁H₂₈O₂₆, casuarinin, **3**, 783
 C₄₁H₃₀O₂₅, tellimagrandin II, **3**, 800, 817, 818
 C₄₁H₃₂O₂₆ 1,2,3,4,6-penta-*O*-galloyl- β -D-glucopyranose, **3**, 800
 penta-*O*-galloyl- β -D-glucopyranose, **3**, 10
 1,2,3,4,6-pentagalloylglucose, **3**, 809, 822
 1,2,3,4,6-pentagalloyl- β -D-glucose, **3**, 808
 1,2,3,4,6-penta-*O*-galloyl- β -D-glucose, **3**, 822
 pentagalloylglucose, **3**, 802, 806, 817, 820
 C₄₁H₃₂O₂₈, chebulagic acid, **3**, 817, **7**, 596
 C₄₁H₄₂N₄O₁₆, methylchlorin, **4**, 153
 C₄₁H₄₆N₄O₁₆, dihydrosirohydrochlorin, **4**, 90
 C₄₁H₄₇F₃N₃O₉P, ribonucleoside phosphoramidite, **7**, 230
 C₄₁H₄₈N₄O₁₆, precorrin **2**, **4**, 143
 C₄₁H₄₈N₅O₇P, 3,*N*(4)-ethenodeoxyribocytidine phosphoramidite, **7**, 208
 C₄₁H₄₈N₇O₇P, triazole phosphoramidite, **7**, 193
 C₄₁H₄₉N₄O₁₀P, deoxyuridine phosphoramidite, **7**, 198
 C₄₁H₅₀N₂O₁₁, rubiflavin A, **7**, 510
 C₄₁H₅₆B₉N₄O₈P, 5-(*o*-carboran-1-yl)-2'-deoxyuridine phosphoramidite, **7**, 221
 C₄₁H₅₈O₂, spheroidenone, **2**, 323, 327, 345
 C₄₁H₆₀F₆N₂O₄, cyclostelletamine E, **8**, 560
 C₄₁H₆₀O
 methoxyneurosporene, **2**, 323, 330
 spheroidene, **2**, 323, 327, 345
 C₄₁H₆₀O₂, hydroxyspheroidene, **2**, 323
 C₄₁H₆₁NO₉, pinnatoxin A, **1**, 384, **8**, 520
 C₄₁H₆₂O₁₀, amphidinolide C, **8**, 621
 C₄₁H₆₄N₂O₁₃S₃, nemenamicin, **8**, 544
 C₄₁H₆₅N₉O₂₈P₂, UDPMurNAc-Ala-Glu-*m*-DAP-Ala-Ala, **3**, 258, 261
 C₄₁H₆₆O₁₂, α -hederin, **8**, 323
 C₄₁H₆₆O₁₂, α -hederin, **8**, 183
 C₄₁H₆₆O₁₃, β -hederin, **8**, 183
 C₄₁H₆₈O₁₃, T-toxin, **1**, 424
 C₄₁H₆₉BrO₁₁, oscillariolide, **8**, 610
 C₄₁H₇₃NO₈, bacteriohopane, **1**, 152
 C₄₁H₈₄, 13,17-dimethylnonatriacontane, **8**, 249
 C₄₁H₈₄N₂O₆P, sphingomyelin, **3**, 90, 97, 101
 C₄₁H₈₆N₂O₆P, dihydrosphingomyelin, **3**, 90
 C₄₂H₄₀F₃N₃O₉P, deoxyribonucleoside phosphoramidite, **7**, 233
 C₄₂H₄₂F₃N₄O₉P, phosphoramidite, **7**, 197
 C₄₂H₄₃N₉O₁₇P₂, BZDC-FAD, **2**, 279
 C₄₂H₄₄FeN₄O₁₆, siroheme, **4**, 62, 90
 C₄₂H₄₄N₄O₁₆, dimethylisobacteriochlorin, **4**, 153
 C₄₂H₄₄N₅O₉P, phosphoramidite, **7**, 175
 C₄₂H₄₄N₅O₁₀P, phosphoramidite, **7**, 175
 C₄₂H₄₄O₅, longithorone, **1**, 378
 C₄₂H₄₆O₅, longithorone A, **8**, 532
 C₄₂H₄₈N₄O₂, Flexi-Di, **7**, 446
 C₄₂H₄₈N₇O₆P, 1,*N*(6)-ethenodeoxyriboadenosine phosphoramidite, **7**, 208
 C₄₂H₅₀N₃O₉P, non-nucleosidic phosphoramidite, **7**, 239
 C₄₂H₅₀N₄O₁₆, precorrin **3**, **4**, 143
 C₄₂H₅₀N₅O₇PS, 4-thioated 2'-deoxyuridine phosphoramidite, **7**, 202
 C₄₂H₅₀N₅O₁₁P, phosphoramidite, **7**, 229
 C₄₂H₅₁NiN₆O₁₃, factor F₄₃₀, **4**, 62, 90
 C₄₂H₅₁NO₁₅
 aclacinomycin B1, **3**, 321
 aclacinomycin B2, **3**, 321
 C₄₂H₅₂N₂O₁₀
 hedamycin, **7**, 509
 pluramycin, **7**, 508
 pluramycin A, **7**, 508, 510
 C₄₂H₅₃F₃N₅O₈P, aminoalkylated deoxyribonucleoside phosphoramidite, **7**, 191
 C₄₂H₅₃NO₁₅
 aclacinomycin, **3**, 313, 351
 aclacinomycin A, **3**, 325, **4**, 200
 C₄₂H₅₅NO₇, **8**, 177
 C₄₂H₅₆F₃N₄O₇P, phosphoramidite, **7**, 155
 C₄₂H₅₈N₆O₉P, deoxyribonucleoside phosphoramidite, **7**, 166
 C₄₂H₅₈O₁₁, enterocin derivative, **8**, 543
 C₄₂H₅₉NO₁₄S₄, namenamicin, **7**, 554, 581
 C₄₂H₆₂F₆N₂O₄, cyclostelletamine F, **8**, 560
 C₄₂H₆₂O₆, glycyrrhizin, **8**, 166
 C₄₂H₆₃NO₇, spiroside B, **8**, 520
 C₄₂H₆₃NO₁₀, pinnatoxin B, **8**, 520
 C₄₂H₆₇N₅O₂₁S, liposidomycin B, **3**, 280
 C₄₂H₆₇O₁₂PS₄, 1,2-bis[12-(lipoyloxy)-dodecanoyl]-glycero-3-phosphoglycerol, **5**, 110
 C₄₂H₆₇O₁₃, maduralide, **8**, 592
 C₄₂H₆₈O₁₄, polycavernoside B2, **8**, 516
 C₄₂H₆₉NO₁₅, josamycin, **4**, 198
 C₄₂H₇₀N₈O₁₀, iAD1, **8**, 408
 C₄₂H₇₀O₃₅, β -cyclodextrin, **5**, 299, 306, **7**, 482
 C₄₂H₇₁N₇O₈, niaraamide A, **8**, 536
 C₄₂H₇₂O₁₆, lankamycin, **3**, 321, 322
 C₄₂H₇₂O₃₆, maltoheptaose, **5**, 302
 C₄₂H₇₆O₂, geranylgeranyl docosanoate, **8**, 229
 C₄₂H₇₆O₁₄, halymecin A, **8**, 601
 C₄₂H₈₁NO₈
 GalCer, **3**, 91, 92, 102
 GlcCer, **3**, 91, 94, 101, 102
 C₄₂H₈₁NO₁₁S, sulphatide, **3**, 102
 C₄₂H₈₂O₂, octadecyl 9-tetracosenoate, **8**, 219
 C₄₃H₁₈Cl₆N₃O₆, tris(4,5-dichlorophthalimido)trityl, **7**, 126
 C₄₃H₄₄CoN₄O₁₆, cobalt-precorrin **3**, **4**, 156
 C₄₃H₄₆N₄O₁₆, trimethylisobacteriochlorin, **4**, 153
 C₄₃H₄₉N₇O₁₀, virginiamycin, **1**, 140, **8**, 384
 C₄₃H₄₉N₇O₂₀S, deoxycytidine triphosphate, **7**, 207
 C₄₃H₅₀N₄O₁₇, precorrin 3 hydroxylactone, **4**, 143
 C₄₃H₅₀N₇O₇P, deoxyluminarosine phosphoramidite, **7**, 208
 C₄₃H₅₁N₉O₈, cycloghdonamide analogue, **8**, 569
 C₄₃H₅₂F₃N₃O₉P, 4'-C-(aminomethyl)thymidine phosphoramidite, **7**, 232
 C₄₃H₅₂N₅O₇PS, phosphoramidite, **7**, 202
 C₄₃H₅₂N₅O₂₁P₃S₂, phosphoramidite, **7**, 209
 C₄₃H₅₆N₁₀O₁₁S
 keramide F, **8**, 572
 keramide G, **8**, 572
 C₄₃H₅₇BrN₁₀O₁₁S, keramide H, **8**, 572
 C₄₃H₅₈N₅O₆PS, biotinylated phosphoramidite, **7**, 171
 C₄₃H₅₈N₁₀O₉, cyclotheonamide E, **8**, 568
 C₄₃H₅₈N₁₀O₁₁S, keramide J, **8**, 572
 C₄₃H₅₉NO₁₄S₄, C-1027 chromophore, **7**, 578
 C₄₃H₆₀O₁₂, goniodomin A, **8**, 614
 C₄₃H₆₄O₁₁, gambierol, **8**, 503
 C₄₃H₆₅NO₇, spiroside D, **8**, 520
 C₄₃H₆₆O₉, amphidinolide M, **8**, 622
 C₄₃H₆₈O₁₄, polycavernoside A2, **8**, 516
 C₄₃H₆₈O₁₅, polycavernoside A, **8**, 515
 C₄₃H₆₉NO₁₂
 ascomycin, **1**, 75
 FK520, **1**, 518
 C₄₃H₇₃N₇O₈, nairaamide B, **8**, 536
 C₄₃H₇₄N₂O₄, spiramycin, **4**, 200
 C₄₃H₇₄N₂O₁₄, spiramycin I, **1**, 525
 C₄₃H₇₄O₈, 20-hydroxyecdysone 22-palmitate, **8**, 283
 C₄₃H₇₆N₃O₄P, cholesteryl phosphoramidite, **7**, 187
 C₄₄H₃₆MnN₈, tetrakis(*N*-methyl-4-pyridiniumyl)porphine manganese complex, **7**, 89
 C₄₄H₄₃F₃N₅O₉P, phosphoramidite, **7**, 197
 C₄₄H₄₄ClN₃O₁₂, C-1027, **1**, 557

- C₄₄H₄₇F₃N₅O₁₀P, aminoalkylated deoxyribonucleoside phosphoramidite, **7**, 197
 C₄₄H₄₉CoN₄O₁₆, factor **4**, **4**, 154
 C₄₄H₄₉F₃N₅O₉P, phosphoramidite, **7**, 194
 C₄₄H₅₁CoN₄O₁₆, cobalt precorrin **4**, **4**, 156
 C₄₄H₅₂CoN₄O₁₆, cobalt precorrin **6**, **4**, 156
 C₄₄H₅₂N₄O₁₇, precorrin **4**, **4**, 144
 C₄₄H₅₂N₁₄O₂, biluciferyl, **8**, 445
 C₄₄H₅₃F₃N₅O₉P, deoxyribonucleoside phosphoramidite, **7**, 195
 C₄₄H₅₄N₄O₁₆, precorrin **6**, **4**, 145
 C₄₄H₅₆N₄O₁₆, dihydroprecorrin **6**, **4**, 145
 C₄₄H₅₇N₄O₈PS₂, mercaptoalkylated deoxyribonucleoside phosphoramidite, **7**, 203
 C₄₄H₆₀N₄O₈Si, 2-thiouridine phosphoramidite, **6**, 93
 C₄₄H₆₂N₈O₁₁, viridogrisein, **1**, 546
 C₄₄H₆₂O₁₁, enterocin derivative, **8**, 543
 C₄₄H₆₅BrN₁₀O₁₄, perthamide B, **8**, 577
 C₄₄H₆₈O₁₃
 dinophysistoxin **2**, **8**, 490
 okadaic acid, **8**, 490
 okadaic acid 24-epimer, **8**, 492
 C₄₄H₆₈O₁₃S, acanthifolicin, **8**, 491
 C₄₄H₆₉NO₁₂, FK506, **1**, 75, 518, **4**, 2, 200, 541
 C₄₄H₇₀O₁₅, polycavernoside B, **8**, 515
 C₄₄H₇₄O₇, manzamenone A, **1**, 384
 C₄₄H₇₅NO₁₁, scytophyacin C, **8**, 579
 C₄₄H₈₉N₂O₄P, polyalkyl phosphoramidite, **7**, 187
 C₄₅H₃₅N₇O₃Rh, rhodium phenanthrenequinone diimine 5-glutaric acid monoamide **1**, 10-phenanthroline, **7**, 165
 C₄₅H₃₈O₁₆, angular triflavanoid, **3**, 758
 C₄₅H₄₉N₆O₁₂PS, 5-[S-(2,4-dinitrophenyl)thio]-2'-deoxyuridine phosphoramidite, **7**, 203
 C₄₅H₅₂Cl₄N₃O₁₀P, phosphoramidite, **7**, 178
 C₄₅H₅₂N₄O₁₁P, deoxyribonucleoside phosphoramidite, **7**, 227
 C₄₅H₅₂N₅O₁₂P, phosphoramidite, **7**, 166
 C₄₅H₅₃CoN₄O₁₆, cobalt-precorrin **5**, **4**, 156
 C₄₅H₅₄Cl₄N₃O₁₀P, phosphoramidite, **7**, 178
 C₄₅H₅₄N₄O₁₇, precorrin **5**, **4**, 144
 C₄₅H₅₆N₈O₉, pristinamycin I, **4**, 235
 C₄₅H₅₇N₄O₉PS, phosphoramidite, **7**, 202
 C₄₅H₅₇N₄O₁₁P, phosphoramidite, **7**, 194
 C₄₅H₅₉CoN₄O₁₄, cobyirinic acid, **4**, 148, 154
 C₄₅H₆₀N₄O₁₄
 hydrogenobyirinic acid, **4**, 141, 146, 153
 precorrin **8**, **4**, 146
 C₄₅H₆₂N₅O₆PS, phosphoramidite, **7**, 172
 C₄₅H₆₂N₆O₁₂, hydrogenobyirinic acid diamide, **4**, 146
 C₄₅H₆₄N₄O₂₂P₃, digoxigenin-labeled deoxyuridine triphosphate, **7**, 209
 C₄₅H₆₆NO₁₀, pinnatoxin D, **8**, 520
 C₄₅H₆₈N₈O₁₀S, cPD1, **8**, 408
 C₄₅H₇₀O₁₀, glycolipid, **8**, 618
 C₄₅H₇₀O₁₃, dinophysistoxin **1**, **8**, 490, 492
 C₄₅H₇₂O₁₄, polycavernoside A3, **8**, 516
 C₄₅H₇₈O₂, cholesteryl oleate, **8**, 230, **5**, 134
 C₄₆H₅₂N₄O₂, ditercalinium, **7**, 444
 C₄₆H₅₃NO₁₂, cephalomannine, **2**, 220, 222
 C₄₆H₅₃N₄O₇PS, phosphoramidite, **7**, 202
 C₄₆H₅₄N₅O₉PS, deoxycytidine phosphoramidite, **7**, 193
 C₄₆H₅₆N₄O₁₀, vincristine, **4**, 46, 110
 C₄₆H₅₇N₄O₇PS, dansyl phosphoramidite, **7**, 178
 C₄₆H₅₇N₆O₆PS, phosphoramidite, **7**, 202
 C₄₆H₅₈F₃N₅O₈P, phosphoramidite, **7**, 191
 C₄₆H₅₈N₃O₈P, phosphoramidite, **7**, 156
 C₄₆H₅₈N₃O₁₀P, phosphoramidite, **7**, 178
 C₄₆H₅₈N₄O₉
 vinblastine, **4**, 46
 vincalucoblastine, **4**, 110
 C₄₆H₆₀N₅O₉PSSi, uridine phosphoramidite, **7**, 202
 C₄₆H₆₂BrN₉O₁₀, orbiculamide A, **8**, 570
 C₄₆H₆₄N₅O₆PS, phosphoramidite, **7**, 172
 C₄₆H₆₄N₅O₈PS, biotinyl phosphoramidite, **7**, 172
 C₄₆H₆₄O₇, myxobactone, **2**, 323, 333, 346
 C₄₆H₆₆O₆
 β-cryptoxanthin monoglucoside, **2**, 332
 myxobactin, **2**, 323, 334, 346
 C₄₆H₆₆O₇
 β-cryptoxanthin monoglucoside, **2**, 323
 myxoxanthophyll, **2**, 323, 337
 zeaxanthin glucoside, **2**, 333
 zeaxanthin monoglucoside, **2**, 323, 332
 C₄₆H₆₉N₂O₅P, polyalkyl phosphoramidite, **7**, 187
 C₄₆H₇₁NO₁₅, glycookadaic acid, **8**, 491
 C₄₆H₇₃N₃O₃, *N*-tryptophanyl aminobacteriohopanetriol, **2**, 47
 C₄₆H₇₄N₁₄O₃₄P₆S₂
 methylmalonyl-CoA, **5**, 271, **8**, 240
 succinyl-CoA, **5**, 271
 C₄₆H₇₅NO₁₃, tolytoxin, **8**, 610
 C₄₆H₇₇NO₁₇, tylosine, **1**, 496, 500, 525, **3**, 352, **4**, 196
 C₄₆H₇₈N₂O₈₆, Man₅GlcNAc₂, **3**, 24
 C₄₆H₈₃N₂O₄P, tocopherol phosphoramidite, **7**, 189
 C₄₇H₃₉N₇O₂Ru, *N*-hydroxysuccinimide ester of rhodium phenanthrenequinone diimine 4-butyric acid 4'-methylbipyridine, **7**, 165
 C₄₇H₅₁NO₁₄, taxol, **2**, 213, 220, 222
 C₄₇H₅₃N₂O₄P, phosphoramidite, **7**, 161
 C₄₇H₅₄N₃O₈P, phosphoramidite, **7**, 199
 C₄₇H₅₉F₃N₅O₉P, carbocyclic phosphoramidite, **7**, 235
 C₄₇H₅₉NO₁₇
 altromycin B, **7**, 508, 509
 pluramycin, **7**, 508
 C₄₇H₅₉NO₁₈, altromycin B, **7**, 471
 C₄₇H₆₀F₃N₅O₈P, aminoalkylated deoxyribonucleoside phosphoramidite, **7**, 191
 C₄₇H₆₃N₅O₈P, ribocytidine phosphoramidite, **7**, 208
 C₄₇H₆₄N₅O₈Si, 4-*S*-cyanoethyl-4-thiouridine phosphoramidite, **6**, 93
 C₄₇H₆₅N₄O₇PSi, phosphoramidite, **7**, 231
 C₄₇H₆₅N₄O₉PSi, 4'-*C*-(hydroxymethyl)thymidine phosphoramidite, **7**, 232
 C₄₇H₆₆N₅O₇PS, biotin phosphoramidite, **7**, 172
 C₄₇H₆₈O₁₅, PTX3, **8**, 498
 C₄₇H₆₈O₁₇, bryostatin **1**, **8**, 521
 C₄₇H₇₀O₁₄
 avermectin B1, **1**, 523
 avermectin B1b, **1**, 496, 500
 PTX2, **8**, 498
 C₄₇H₇₀O₁₅, PTZ1, **8**, 498
 C₄₇H₇₄NO₄, lydicamycin, **1**, 370
 C₄₇H₇₄N₁₂O₁₄, callipeltin B, **8**, 586
 C₄₇H₇₆IN₃O₂₁S₄, calicheamicin γII, **7**, 568
 C₄₇H₇₈N₈O₈, Ala-MeLeu-MeLeu-MeVal-MeBmt-Abu-MeGly-MeLeu, **1**, 548
 C₄₈H₃₆O₃₀ 3-*O*-digalloyl-1,2,4,6-tetra-*O*-galloyl-β-D-glucose, **3**, 816
 1,2,3,6-tetra-*O*-galloyl-4-*O*-digalloyl-β-D-glucose, **3**, 813
 1,2,4,6-tetra-*O*-galloyl-3-*O*-digalloyl-β-D-glucose, **3**, 813
 1,3,4,6-tetra-*O*-galloyl-2-*O*-digalloyl-β-D-glucose, **3**, 813
 C₄₈H₃₈N₈, TMPyP, **7**, 441
 C₄₈H₄₈N₆Ru, tris(3,4,7,8-tetramethylphenanthroline)ruthenium, **7**, 88
 C₄₈H₅₂N₃O₆P, phosphoramidite, **7**, 156
 C₄₈H₅₂N₇O₁₂P, 2,4-dinitrophenyl deoxyribonucleoside phosphoramidite, **7**, 210
 C₄₈H₅₃N₃O₇P, phosphoramidite, **7**, 155
 C₄₈H₅₅N₄O₁₀P, deoxyribonucleoside phosphoramidite, **7**, 194
 C₄₈H₅₅N₈O₁₃P, phosphoramidite, **7**, 175
 C₄₈H₅₆N₃O₆P, phosphoramidite, **7**, 175

- C₄₈H₅₇N₄O₈P, deoxyribonucleoside phosphoramidite, 7, 192
- C₄₈H₆₂N₃O₉P, phosphoramidite, 7, 176
- C₄₈H₆₂N₇O₇PSe, riboadenosine phosphoramidite, 7, 208
- C₄₈H₆₃N₆O₁₁P, phosphoramidite, 7, 175
- C₄₈H₆₄F₃N₆O₉P, deoxyribonucleoside phosphoramidite, 7, 192
- C₄₈H₆₄N₅O₁₂P, phosphoramidite, 7, 175
- C₄₈H₆₄N₆O₈P, nucleoside phosphoramidite, 7, 219
- C₄₈H₆₄O₂₁, chromocyclomycin, 3, 313
- C₄₈H₆₅N₆O₉PS, biotin phosphoramidite, 7, 173
- C₄₈H₇₃N₂O₅P, polyalkyl phosphoramidite, 7, 187
- C₄₈H₇₄O₁₄, Ivermectin, 1, 523
- C₄₈H₇₆N₆O₁₂, epididemin A₁, 8, 529
- C₄₈H₈₀O₄₀, γ -cyclodextrin, 5, 306
- C₄₈H₈₅N₅O₇
- C6-NBD-Cer, 3, 98
- C6-NBD-ceramide, 3, 100
- C₄₈H₈₆O₁₉, halymecin B, 8, 601
- C₄₈H₈₇N₅O₇, ((*N*-6-(7-nitro-2,1,3-benzoxadiazol-4-yl)aminohexanoyl)di hydroceramide, 3, 90
- C₄₈H₉₁NO₁₃
- digalactosylceramide, 3, 102
- LacCer, 3, 94, 101, 102
- C₄₉H₅₃F₃N₃O₉P, C-4'-amylkylated thymidine phosphoramidite, 7, 232
- C₄₉H₅₃N₄O₆, kapakahine B, 8, 583
- C₄₉H₅₆N₃O₃P, phosphoramidite, 7, 161
- C₄₉H₅₈N₆S₂, TOTO, 7, 448
- C₄₉H₅₉N₅O₉P, deoxyribonucleoside phosphoramidite, 7, 219
- C₄₉H₆₁F₃N₆O₈P, phosphoramidite, 7, 191
- C₄₉H₆₃ClN₈O₈, keramamide A, 8, 573
- C₄₉H₆₃F₃N₇O₁₀P, amilkylated phosphoramidite, 7, 193
- C₄₉H₆₃N₆O₂₂P₃S₂, phosphoramidite, 7, 209
- C₄₉H₆₄N₃O₈P, deoxyribonucleoside phosphoramidite, 7, 239
- C₄₉H₆₆N₆O₃P, nucleoside phosphoramidite, 7, 219
- C₄₉H₆₇N₄O₁₀P, levulinylated phosphoramidite, 7, 204
- C₄₉H₇₀O₁₃, brevetoxin A, 8, 511
- C₄₉H₇₀O₁₄, amphidinolideC tetraacetate, 8, 621
- C₄₉H₇₄N₁₀O₁₂, microcystin LR, 8, 610
- C₄₉H₇₄O₄
- ubiquinone, 2, 51, 52
- ubiquinone-8, 8, 436
- C₄₉H₇₄O₁₄, avermectin, 4, 200
- C₄₉H₈₀N₆O₁₃, acylclodidemnin A, 8, 529
- C₄₉H₈₇N₅O₇, 1-*O*-methyl-C6-NBD-ceramide, 3, 100
- C₅₀H₅₄O₁₅, herpentinol, 1, 690
- C₅₀H₅₆N₅O₁₀P, deoxyribonucleoside phosphoramidite, 7, 195
- C₅₀H₅₆O₁₆, oligolignol, 3, 724
- C₅₀H₅₈N₄O₅, Phe-Phe-Pro-Phe, 4, 325
- C₅₀H₆₀N₅O₉P, deoxyribonucleoside phosphoramidite, 7, 205
- C₅₀H₆₂N₁₂O₁₂S₂, triostin A, 7, 352, 436, 444, 446, 488
- C₅₀H₆₃ClO₁₆, chlorothricin, 1, 370, 374, 3, 355
- C₅₀H₆₃N₁₀O₇P, deoxyribonucleoside phosphoramidite, 7, 217
- C₅₀H₆₅N₄O₇PS, phosphoramidite, 7, 175
- C₅₀H₆₉N₅O₁₀P, nucleoside phosphoramidite, 7, 230
- C₅₀H₇₀O₁₄, brevetoxin B, 8, 511
- C₅₀H₇₂O₂, okadaxanthin, 8, 590
- C₅₀H₇₂O₁₄, brevetoxin-3, 8, 515
- C₅₀H₇₄O₁₄, doramectin, 1, 524
- C₅₁H₁₄N₁₂O₁₂S₂, echinomycin, 7, 444
- C₅₁H₃₁N₁₅O₁₅S, berninamycin, 1, 853
- C₅₁H₄₃N₁₃O₁₂S₆, nosiheptide, 1, 852
- C₅₁H₅₀N₄O₂₁, rubradirin, 3, 322
- C₅₁H₅₆F₃N₈O₈PS, aminoalkylated deoxyribonucleoside phosphoramidite, 7, 196
- C₅₁H₅₈N₄O₈P, phosphoramidite, 7, 157
- C₅₁H₅₉N₅O₉P, deoxyribonucleoside phosphoramidite, 7, 219
- C₅₁H₅₉N₆O₁₀PS, dansylated deoxyribonucleoside phosphoramidite, 7, 209
- C₅₁H₆₀ClN₄O₆P, acridinyl phosphoramidite, 7, 181
- C₅₁H₆₂N₅O₁₀P, deoxyribonucleoside phosphoramidite, 7, 205
- C₅₁H₆₃N₃O₃P, phosphoramidite, 7, 161
- C₅₁H₆₄N₁₂O₁₂S₂, echinomycin, 7, 436, 446, 488
- C₅₁H₆₇N₇O₁₅, salinamide A, 8, 593
- C₅₁H₆₈N₅O₁₁P, phosphoramidite, 7, 194
- C₅₁H₇₀ClN₇O₁₅, salinamide B, 8, 593
- C₅₁H₇₂O₂, ubiquinone, 2, 56
- C₅₁H₇₄O₂
- dihydromenaquinone, 2, 56
- menaquinone, 2, 56
- C₅₁H₇₈O₁₄, okadaic acid diol ester, 8, 490
- C₅₁H₇₈O₁₅, okadaic acid diol ester, 8, 490
- C₅₁H₇₉NO₁₃, rapamycin, 1, 1, 75, 497, 518, 534, 541, 4, 232
- C₅₁H₈₀O₁₅, glycolipid, 8, 618
- C₅₁H₈₂O₂₃
- avenacoside A, 8, 183
- avenacoside B, 8, 183
- C₅₁H₉₈O, 25,26-epoxyhenpentacontadiene, 8, 219
- C₅₁J₇₉NO₁₃, rapamycin, 1, 2
- C₅₂H₄₀N₁₀O₆Ru, ruthenium 5'-glutaric acid monoamide 1,10-phenanthroline dipyrro[3,2:*a*-2',3':*c*]phenazine, 7, 165
- C₅₂H₅₇ClN₅O₇P, acridinyl phosphoramidite, 7, 181
- C₅₂H₆₁N₃O₇P, phosphoramidite, 7, 159
- C₅₂H₆₅N₈O₁₁P, phosphoramidite, 7, 205
- C₅₂H₇₃BrN₁₀O₁₂, keramamide D, 8, 572
- C₅₂H₇₄BrN₁₅O₁₂, *N*-bromoacetylbradykinin, 6, 138
- C₅₂H₇₄NNaO₁₇S, brevetoxin B₁, 8, 514
- C₅₂H₇₆O₁₂, zeaxanthin diglucoside, 2, 323, 332, 344
- C₅₂H₇₆O₂₄, mithramycin, 1, 480, 3, 313, 322, 323
- C₅₂H₇₈N₁₀O₂₆P₂S, UDPMurNAc-Ala-Glu-Lys(*N*-dansyl)-Ala-Ala, 3, 263
- C₅₂H₈₀O₁₅, okadaic acid diol ester, 8, 490
- C₅₂H₈₈N₂O₉₁, Man₆GlcNAc₂, 3, 24
- C₅₂H₁₀₀O₂, meromycolic acid, 1, 66
- C₅₃H₅₂N₇O₆P, anthracenyl deoxyguanosine phosphoramidite, 7, 222
- C₅₃H₅₆N₃O₆P, pyrenyl phosphoramidite, 7, 178
- C₅₃H₅₇N₄O₁₀P, anthraquinonylmethyl deoxyribonucleoside phosphoramidite, 7, 228
- C₅₃H₅₈N₂O₆P, pyrenyl phosphoramidite, 7, 178
- C₅₃H₅₉N₁₂O₁₂P, deoxyribonucleoside phosphoramidite, 7, 211
- C₅₃H₆₀ClN₃O₁₅
- kedarcidin, 1, 557
- kedarcidin chromophore, 7, 575
- C₅₃H₆₀N₇O₉PS, bipyridine deoxyribonucleoside phosphoramidite, 7, 214
- C₅₃H₆₅N₃O₃P, phosphoramidite, 7, 161
- C₅₃H₇₁BrN₂O₁₃
- phorbaxazole A, 8, 583
- phorbaxazole B, 8, 583
- C₅₃H₇₅BrN₁₀O₁₂
- keramamideC, 8, 572
- keramamideE, 8, 572
- C₅₃H₇₈N₃O₈P, deoxyribonucleoside phosphoramidite, 7, 239
- C₅₃H₈₀O₂, plastoquinone, 2, 61
- C₅₃H₈₀O₁₅, okadaic acid diol ester, 8, 490
- C₅₃H₉₃N₇O₁₃, surfactin, 4, 198, 199, 202, 208, 283
- C₅₃H₉₄N₈O₁₂, halobacillin, 8, 594
- C₅₃H₉₆N₆O₁₀P
- C6-NBD-SM, 3, 98
- C6-NBD-sphingomyelin, 3, 100
- NBD-sphingomyelin, 3, 100
- C₅₄H₅₅N₇O₇P, phosphoramidite, 7, 223
- C₅₄H₅₇N₃O₇P, phosphoramidite, 7, 158
- C₅₄H₅₇N₄O₉P, 2'-*O*-(2-anthracenemethyl)uridine phosphoramidite, 7, 229

- $C_{34}H_{60}N_4O_{10}P$, deoxyribonucleoside phosphoramidite, **7**, 236
 $C_{34}H_{63}N_8O_{13}P$, 2,4-dinitrophenyl deoxyribonucleoside phosphoramidite, **7**, 210
 $C_{34}H_{72}N_7O_9PS$, biotin phosphoramidite, **7**, 174
 $C_{34}H_{74}N_2O_9$, ritterazine, **8**, 533
 $C_{34}H_{74}N_2O_{10}$, cephalostatin, **8**, 533
 $C_{34}H_{74}N_7O_{16}P$, EDTA deoxyribonucleoside phosphoramidite, **7**, 215
 $C_{34}H_{76}N_2O_8$, ritterazine, **8**, 533
 $C_{34}H_{76}N_2O_9$, ritterazine, **8**, 533
 $C_{34}H_{76}N_2O_{10}$, ritterazine, **8**, 533
 ritterazine A, **8**, 532
 $C_{34}H_{76}N_2O_{11}$, ritterazine, **8**, 533
 $C_{34}H_{77}BrN_{10}O_{12}$, keramamide B, **8**, 572
 $C_{34}H_{78}N_2I_7$, ritterazine, **8**, 533
 $C_{34}H_{78}N_2O_9$, ritterazine, **8**, 533
 $C_{34}H_{80}N_2O_6$, ritterazine, **8**, 533
 $C_{34}H_{82}O_4$, ubiquinone-9, **8**, 436
 $C_{34}H_{90}N_6O_{18}$, valinomycin, **4**, 197
 $C_{34}H_{91}N_3O_{41}$, GlcNAcMan₅GlcNAc₂, **3**, 25, 26
 $C_{34}H_{93}NO_{46}$, Man₅GlcNAc, **3**, 22, 29
 $C_{35}H_{40}O_{34}$ 1,2,4,6-tetra-*O*-galloyl-3-*O*-trigalloyl- β -D-glucose, **3**, 813
 1,4,6-tri-*O*-galloyl-2,3-di-*O*-digalloyl- β -D-glucose, **3**, 813
 1,3,6-tri-*O*-galloyl-2,4-di-*O*-digalloyl- β -D-glucose, **3**, 813
 1,2,6-tri-*O*-galloyl-3,4-di-*O*-digalloyl- β -D-glucose, **3**, 813
 $C_{35}H_{59}N_4O_8P$, 2'-*O*-(1-pyrenylmethyl)uridine phosphodiamidite, **7**, 228
 $C_{35}H_{59}N_5O_{10}P$, deoxyribonucleoside phosphoramidite, **7**, 195
 $C_{35}H_{60}N_9O_8P$, deoxyguanosine phosphoramidite, **7**, 215
 $C_{35}H_{68}CoN_9O_{16}$, adenosyl cobyric acid, **4**, 148
 $C_{35}H_{68}N_4O_6P$, phosphoramidite, **7**, 161
 $C_{35}H_{68}O_7$, xuxuarine Az, **1**, 378
 $C_{35}H_{70}CoN_{11}O_{14}$, adenosyl cobyric acid diamide, **4**, 148
 $C_{35}H_{72}MgN_4O_5$, chlorophyll, **4**, 141
 chlorophyll a, **4**, 62
 $C_{35}H_{73}IN_4O_{21}S_4$, calicheamicin γ II, **3**, 326
 $C_{35}H_{74}IN_3O_{21}S_4$, calicheamicin, **1**, 557
 $C_{35}H_{74}N_2O_8$, ritterazine, **8**, 533
 $C_{35}H_{74}N_7O_{23}P_3S_2$, phosphoramidite, **7**, 209
 $C_{35}H_{76}N_2O_9$, ritterazine, **8**, 533
 $C_{35}H_{80}Na_2O_{21}$, yessotoxin, **8**, 499
 $C_{35}H_{80}Na_2O_{22}$, 45-hydroxy YTX, **8**, 500
 $C_{35}H_{83}NO_{21}$, avenacin A, **8**, 183
 avenacin B, **8**, 183
 $C_{35}H_{84}N_{17}O_{21}S_3$, bleomycin, **7**, 385, 387, 394, 397, 420, 544
 bleomycin A₂₅, **7**, 536
 $C_{35}H_{86}O_{25}$, camellidin I, **8**, 183
 camellidin II, **8**, 183
 $C_{35}H_{91}O_4P$, undecaprenyl monophosphate, **3**, 214
 $C_{35}H_{102}O_6$, 1,2-dioleoyl-3-palmitylglycerol, **8**, 218
 $C_{36}H_{62}N_7O_8P$, phosphoramidite, **7**, 223
 $C_{36}H_{62}N_7O_9P$, phosphoramidite, **7**, 223
 $C_{36}H_{65}ClN_5O_9P$, acridine deoxyribonucleoside phosphoramidite, **7**, 236
 $C_{36}H_{73}N_4O_8P$, phosphoramidite, **7**, 175
 $C_{36}H_{77}N_8O_{10}PS$, phosphoramidite, **7**, 205
 $C_{36}H_{80}N_2O_{10}$, ritterazine, **8**, 533
 $C_{36}H_{83}NO_{13}$, prorocontrolide, **8**, 496
 $C_{36}H_{95}N_5O_{12}$, C6-NBD-GlcCer, **3**, 95, 100
 $C_{36}H_{98}N_{16}O_{13}$, polymyxin, **4**, 199, 200
 polymyxin B, **3**, 224
 $C_{37}H_{58}N_7O_6P$, pyrenyl phosphoramidite, **7**, 224
 $C_{37}H_{58}N_7O_7P$, pyrenyl phosphoramidite, **7**, 224
 $C_{37}H_{63}ClN_7O_9P$, acridine derivative, **7**, 211
 $C_{37}H_{65}ClO_{30}$, delphinidin 3-rutinoside-7-di(*p*-coumarylglucoside), **8**, 159
 $C_{37}H_{67}N_2O_8P$, phosphoramidite, **7**, 156
 $C_{37}H_{75}N_3O_{23}S_4$, esperamicin A_{1c}, **1**, 565
 $C_{37}H_{82}O_{16}$, CTX3C, **8**, 503
 $C_{37}H_{82}O_{26}$, chromomycin, **4**, 198
 chromomycin A₃, **3**, 313, 323
 $C_{37}H_{84}O_{18}$, CRX2A1, **8**, 503
 $C_{37}H_{89}N_7O_{15}$, didemnin B, **8**, 521
 $C_{37}H_{94}N_{10}O_{17}P_3$, alkynyl dideoxynucleotide triphosphate, **7**, 211
 $C_{37}H_{94}O_{27}$, cyclamin, **8**, 183
 $C_{37}H_{97}N_9O_{17}P_3$, alkynyl dideoxynucleotide triphosphate, **7**, 211
 $C_{37}H_{104}O_6$, triolein, **5**, 134
 $C_{38}H_{63}F_3N_9O_9P$, deoxyguanosine phosphoramidite, **7**, 200
 $C_{38}H_{64}N_7O_{10}P$, phosphoramidite, **7**, 223
 $C_{38}H_{67}N_{10}O_{10}P$, deoxyribonucleoside phosphoramidite, **7**, 214
 $C_{38}H_{69}N_2O_8P$, non-nucleosidic phosphoramidite, **7**, 204
 $C_{38}H_{70}N_4O_4P$, phosphoramidite, **7**, 178
 $C_{38}H_{72}N_{10}O_9$, kapakahine A, **8**, 583
 $C_{38}H_{72}N_{10}O_{10}$, kapakahine C, **8**, 583
 kapakahine D, **8**, 583
 $C_{38}H_{77}N_3O_{23}S_4$, esperamicin A_{1b}, **1**, 565
 $C_{38}H_{79}N_8O_{16}P$, phosphoramidite, **7**, 215
 $C_{38}H_{80}N_4O_{22}S_2$, esperamicinZ, **7**, 572
 $C_{38}H_{82}N_2O_{11}$, ritterazine, **8**, 533
 $C_{38}H_{83}CoN_{10}O_{12}$, adenosyl cobinamide, **4**, 148
 $C_{38}H_{84}CoN_{10}O_{15}P$, adenosyl cobinamide phosphate, **4**, 149
 $C_{38}H_{84}O_{26}$, olivomycin A, **3**, 313, 322, 323
 $C_{38}H_{91}N_{13}O_{20}$, amphomycin, **3**, 281, 301
 $C_{38}H_{98}O_{12}Si_2$, okadaic acid 3-*O*-methylthiomethyl-1,24-olide, **8**, 492
 $C_{39}H_{66}N_6O_{11}P$, deoxyribonucleoside phosphoramidite, **7**, 196
 $C_{39}H_{66}N_9O_{10}PS$, phosphoramidite, **7**, 228
 $C_{39}H_{78}N_2O_7$, ritterazine, **8**, 533
 $C_{39}H_{79}N_3O_{23}S_4$, esperamicin, **1**, 557, 14
 esperamicin A₁, **1**, 562, 3, 326, 7, 554, 571
 $C_{39}H_{83}CoN_{14}O_{14}P$, 7-azabenzimidazolylcobamide, **4**, 150
 $C_{39}H_{84}Cl_3O_{32}$, curamycin, **3**, 313
 $C_{39}H_{84}N_2O_{18}$, candicidin, **1**, 612, **4**, 200
 $C_{39}H_{88}N_2O_{17}$, perimycin, **1**, 612
 $C_{39}H_{90}O_4$, ubiquinone, **2**, 26, 27, 376, **4**, 4
 ubiquinone-10, **8**, 436
 $C_{39}H_{92}O_{16}$, gambieric acid A, **8**, 509
 $C_{39}H_{94}O_{21}$, hederasaponin B, **8**, 183
 $C_{39}H_{94}O_{22}$, hederasaponin C, **8**, 183
 $C_{39}H_{95}N_{11}O_{14}$, hormothamnin A, **8**, 609
 $C_{39}H_{96}N_{10}O_{16}P_3$, alkynyl dideoxynucleotide triphosphate, **7**, 211
 $C_{39}H_{100}N_8O_{18}P_3$, alkynyl dideoxynucleotide triphosphate, **7**, 211
 $C_{39}H_{101}N_3O_{14}$, aplyronine A, **8**, 521
 $C_{39}H_{108}N_2O_{21}$, GM3, **3**, 94, 101, 102
 $C_{60}H_{62}N_7O_6P$, anthracenyl deoxyadenosine phosphoramidite, **7**, 223
 $C_{60}H_{63}N_{12}O_{14}P$, deoxyguanosine phosphoramidite, **7**, 211
 $C_{60}H_{65}N_4O_9PS$, nucleoside phosphoramidite, **7**, 231
 $C_{60}H_{65}N_6O_{12}P$, 2'-deoxyuridine phosphoramidite, **7**, 226
 $C_{60}H_{65}N_8O_{10}P$, ribonucleoside phosphoramidite, **7**, 231
 $C_{60}H_{67}N_8O_9PS$, terpyridine deoxyribonucleoside phosphoramidite, **7**, 215
 $C_{60}H_{72}N_4O_4P$, phosphoramidite, **7**, 178

- C₆₀H₇₂N₇O₁₆, pyrimidine phosphoramidite, **7**, 211
 C₆₀H₇₄N₁₄O₂₂, luzopeptinC, **7**, 488
 C₆₀H₈₀N₉O₁₄P, deoxyribonucleoside phosphoramidite, **7**, 211
 C₆₀H₈₄CoN₁₃O₁₅P, 5-hydroxybenzimidazolylcobamide, **4**, 150
 C₆₀H₈₄N₂O₁₁, ritterazine, **8**, 533
 C₆₀H₈₄O₁₆
 CTX4A, **8**, 503
 CTX4B, **8**, 501
 C₆₀H₈₅CoN₁₁O₁₅P, *p*-cresolylcobamide, **4**, 150
 C₆₀H₈₆O₁₉, ciguatoxin, **8**, 501
 C₆₀H₉₂N₁₂O₁₀
 gramicidin, **4**, 283
 gramicidinS, **1**, 840, **4**, 196, 199, 202, 209, 213, 320, 321, 323, 344, 546
 C₆₀H₉₂N₁₂O₁₈, gramicidin S, **4**, 208
 C₆₀H₉₄O₁₆, gambieric acid B, **8**, 509
 C₆₀H₉₈O₂₇, sakurasosaponin, **8**, 183
 C₆₁H₈₆CoN₁₃O₁₅P, 5-methoxybenzimidazolylcobamide, **4**, 150
 C₆₁H₈₆N₁₄O₂₁, aciculitin A, **8**, 584
 C₆₁H₈₇CoN₁₄O₁₄P, 5,6-dimethyl-7-azabenzimidazolylcobamide, **4**, 150
 C₆₁H₈₈Cl₂O₃₂, avilamycin, **1**, 414, **3**, 313
 C₆₁H₁₀₀O₁₄, 7-*O*-palmitoyl DTX-1, **8**, 490
 C₆₁H₁₁₁N₁₁O₁₂, 6 allylglycinecyclosporin A, **1**, 538
 C₆₁H₁₁₁N₁₁O₁₃, cyclosporinO, **1**, 543
 C₆₂H₆₀N₇O₁₀P, anthraquinonylmethyl deoxyribonucleoside phosphoramidite, **7**, 228
 C₆₂H₆₈N₉O₈P
 2'-*O*-(bipyridinylalkyl)adenosine phosphoramidite, **7**, 229
 phosphoramidite, **7**, 198
 C₆₂H₇₁N₆O₉PS, phosphoramidite, **7**, 205
 C₆₂H₈₆N₇O₉P, phosphoramidite, **7**, 216
 C₆₂H₈₆N₁₂O₁₆, actinomycin D, **7**, 432, 433, 436, 529, 607
 C₆₂H₈₈CoN₁₃O₁₄P, cob(II)alamin, **5**, 171, 172, 176, 208, 266
 C₆₂H₈₈CoN₁₃O₁₅P, 5-methoxy-6-methylbenzimidazolylcobamide, **4**, 150
 C₆₂H₈₈N₁₄O₂₁, aciculitin B, **8**, 584
 C₆₂H₈₉CoN₁₃O₁₄P
 cob(I)alamin, **5**, 266
 cob(III)alamin, **5**, 266
 C₆₂H₈₉CoN₁₃O₁₅P, hydroxocobalamin, **5**, 265
 C₆₂H₁₀₅NO₅₁, Man₉GlcNAc, **3**, 22
 C₆₂H₁₁₁N₁₁O₁₁, 5*N*-methylcyclohexylalaninecyclosporin A, **1**, 538
 C₆₂H₁₁₁N₁₁O₁₂
 cyclosporin, **4**, 199, 213, 217
 cyclosporin A, **1**, 16, **4**, 198, 226, 230, 234, 235, 321, 335, 534
 C₆₂H₁₁₁N₁₁O₁₃, cyclosporineC, **1**, 534
 C₆₃H₇₈N₆O₁₀PSi, ribonucleoside phosphoramidite, **7**, 201
 C₆₃H₈₈CoN₁₄O₁₄P
 cobalamin, **4**, 140, 146, **5**, 263
 cyanocobalamin, **5**, 173, **7**, 638
 vitamin B₁₂, **4**, 62, 90, 140, **5**, 206
 C₆₃H₈₈N₁₂O₁₆, actinomycin, **4**, 200, 232, 235
 C₆₃H₉₀N₁₄O₂₁, aciculitin C, **8**, 584
 C₆₃H₉₁CoN₁₃O₁₄P, methylcobalamin, **1**, 871, 876, **5**, 263, 265
 C₆₃H₁₀₅NO₁₄, N-acetylglucosamine-pyrophosphate undecaprenol, **3**, 214
 C₆₃H₁₁₃N₁₁O₁₂
 4 Melle-cyclosporin A, **1**, 550
 cyclosporin D, **1**, 537
 cyclosporin G, **1**, 538, 549
 cyclosporin M, **1**, 538
 cyclosporinV, **1**, 550,
 N-methyl-4-isoleucylcyclosporin, **1**, 538
 C₆₄H₆₇N₇O₁₂P, PAH phosphoramidite, **7**, 225
 C₆₄H₈₄N₁₂O₁₄, lolaitin B, **8**, 595
 C₆₄H₈₉N₆O₉PS, biotin phosphoramidite, **7**, 172
 C₆₄H₈₉N₈O₁₃P, cholesteryl nucleoside phosphoramidite, **7**, 189
 C₆₄H₉₂N₃O₈P, cholesteryl phosphoramidite, **7**, 188
 C₆₄H₉₆O₁₇, BTXB₃, **8**, 514
 C₆₄H₁₀₈N₂O₅₁, Man₈GlcNAc₂, **3**, 17, 20
 C₆₅H₇₂N₆O₁₂PSi, uridine phosphoramidite, **7**, 200
 C₆₅H₈₅N₁₃O₃₀, mycobacillin, **4**, 208, 216
 C₆₅H₉₈N₂O₂₄, kijanimicin, **1**, 370
 C₆₅H₁₀₀O₁₉, gambieric acidC, **8**, 509
 C₆₅H₁₀₁NO₂₈S₂, DTX-5a, **8**, 491
 C₆₅H₁₁₆N₁₂O₁₃, 8-β-Ala-cyclosporin A, **1**, 550
 C₆₆H₇₅Cl₂N₉O₂₄, vancomycin, **3**, 6, 261, 272, 281, 322, 327, **4**, 197, 217
 C₆₆H₈₇N₁₃O₁₃, tyrocidine, **4**, 196, 202, 208, 213, 235, 320, 322, 323, 546
 C₆₆H₉₂N₁₂O₁₀
 gramicidin B, **4**, 226
 gramicidinS, **4**, 235
 C₆₆H₉₅N₄O₉P, cholesteryl phosphoramidite, **7**, 188
 C₆₆H₉₇ClO₃₆, delphinidin 3-malonylglucoside-3',5'-di(*p*-coumarylglucosyl)glucoside, **8**, 159
 C₆₆H₁₀₂O₁₉, gambieric acid D, **8**, 509
 C₆₆H₁₀₃NO₂₈S₂, DTX-5b, **8**, 491
 C₆₆H₁₀₃N₁₇O₁₆S
 bacitracin, **4**, 196, 197, 199, 200, 202, 208, 217
 bacitracin A, **3**, 280
 C₆₆H₁₀₄O₃₁S₃, DTX-4, **8**, 491, 493
 C₆₆H₁₂₁N₁₈O₂₀, callipeltin A, **8**, 585
 C₆₇H₇₅N₇O₁₇P, phosphoramidite, **7**, 236
 C₆₇H₇₇N₈O₁₆, pyrimidine phosphoramidite, **7**, 211
 C₆₇H₇₉N₇O₁₁PS, phosphoramidite, **7**, 216
 C₆₇H₈₀N₃O₁₀P, deoxyribonucleoside phosphoramidite, **7**, 204
 C₆₇H₉₉CoN₁₃O₁₄P, neopentylcobalamin, **5**, 173
 C₆₇H₁₂₁N₃O₂₆, GM2, **3**, 100
 C₆₈H₇₉N₄O₁₂PS, phosphoramidite, **7**, 178
 C₆₈H₉₁N₈O₁₂PS, biotinylated deoxyribonucleoside phosphoramidite, **7**, 205
 C₆₈H₉₆CoN₂₁O₂₁P₂, adenoxyl glucose diphosphate cobinamide, **4**, 149
 C₆₈H₁₀₆N₅O₃₄P, moenomycin A, **3**, 281
 C₆₈H₁₁₀N₂₂O₂₇S₂, tallysomycin A, **7**, 539
 C₆₈H₁₁₆N₅O₃₄P, decahydromoenomycin, **3**, 281
 C₆₈H₁₁₈N₁₈O₂₁, callipeltinC, **8**, 586
 C₆₈H₁₂₃N₁₃O₁₄
 theonellapeptolide Ia, **8**, 573
 theonellapeptolide Ib, **8**, 573
 theonellapeptolide Ic, **8**, 573
 theonellapeptolide IId, **8**, 575
 C₆₉H₇₃ClO₁₇, delphinidin 3-malonylglucoside-7-di(caffeoylglucoside)-3'-caffeoylglucoside, **8**, 159
 C₆₉H₈₀N₃O₁₂P, 5-carboxyfluoresceinyl phosphoramidite, **7**, 178
 C₆₉H₈₇BrN₁₆O₂₃
 theonellamide E, **8**, 575
 theonellamide F, **8**, 575
 C₆₉H₁₂₅N₁₃O₁₄, theonellapeptolide Id, **8**, 573
 C₇₀H₆₇N₈O₁₀P, phosphoramidite, **7**, 223
 C₇₀H₆₉BrN₁₆O₂₃, theonellamide D, **8**, 575
 C₇₀H₉₄O₁₇, YTX, **8**, 500
 C₇₀H₁₀₆N₃O₁₁P, cholesteryl phosphoramidite, **7**, 188
 C₇₀H₁₁₈N₂O₃₆, Man₉GlcNAc₂, **3**, 23, 24
 C₇₀H₁₂₇N₁₃O₁₄, theonellapeptolide Ie, **8**, 573
 C₇₁H₇₇N₆O₁₁P, phosphoramidite, **7**, 157
 C₇₁H₁₀₁CoN₁₈O₁₇P, adenoxyl cobalamin, **4**, 149
 C₇₁H₁₀₂N₄O₁₀P, deoxyribonucleoside phosphoramidite, **7**, 239
 C₇₁H₁₂₂O₂₅, amphidinol 2, **8**, 617
 C₇₁H₁₂₅N₃O₂₉, GD3, **3**, 101
 C₇₂H₄₈N₆Co, Co(DIP)₃, **7**, 88
 C₇₂H₄₈N₆Rh, Rh(DIP)₃, **7**, 88

- $C_{72}H_{48}N_6Ru$, tris(4,7-diphenylphenanthroline)ruthenium, **7**, 88
 $C_{72}H_{60}P_4Pd$, tetrakis(triphenylphosphino)palladium, **7**, 135
 $C_{72}H_{85}N_{19}O_{18}S_5$, thiostrepton, **1**, 852, **6**, 195
 $C_{72}H_{100}CoN_{18}O_{17}P$
 adenosylcobalamin, **4**, 140, **5**, 165, 170, 176, 206, 207, 218, 263
 adenosylcob(III)alamin, **5**, 266
 coenzyme B₁₂, **5**, 266,
 5'-deoxyadenosylcobinamide, **5**, 266
 $C_{73}H_{83}Cl_2N_{10}O_{26}$, LY264826, **3**, 327
 $C_{73}H_{99}CoN_{19}O_{17}P$, adenosylcobalamin, **3**, 330
 $C_{73}H_{112}N_2O_{37}$, arugomycin, **3**, 313, 322, 324
 $C_{73}H_{125}NaO_{27}S$, amphidinol, **8**, 615
 $C_{73}H_{131}N_3O_{31}$, GM1, **3**, 100, 101
 $C_{74}H_{59}N_8O_2PRu$, β -cyanoethyl-*N,N*-diisopropylphosphoramidite ruthenium complex, **7**, 185
 $C_{74}H_{92}Br_2O_{26}$, theonellamide B, **8**, 575
 $C_{74}H_{98}N_6O_3$, kauluamine, **8**, 560
 $C_{74}H_{112}O_2$, botryoxanthin A, **8**, 618
 $C_{75}H_{94}Br_2O_2$, theonellamideC, **8**, 575
 $C_{75}H_{98}BrN_{16}O_{23}$, theonegramide, **8**, 576
 $C_{76}H_{97}BrN_{16}O_{27}$, theonellamide A, **8**, 575
 $C_{76}H_{106}CoN_{20}O_{17}P$, adenosylcobalamin-*N*-methylimidazole, **5**, 269
 $C_{77}H_{67}NO_{13}$, erythromycin A, **3**, 322
 $C_{77}H_{105}CoN_{19}O_{17}P$, adenosylcobalamin-pyridine, **5**, 269
 $C_{78}H_{48}AlF_3O_3$, aluminum naphthoxide, **5**, 350
 $C_{78}H_{130}O_{20}$, swinholide A, **8**, 579
 $C_{78}H_{138}N_4O_{22}S_2$, theonezolid B, **8**, 581
 $C_{78}H_{152}O_3$, mycolic acid, **1**, 66
 $C_{79}H_{110}N_2O_{37}$, arugomycin, **7**, 351
 $C_{79}H_{140}N_4O_{22}S_2$, theonezolid A, **8**, 581
 $C_{80}H_{80}Cl_3NO_2$, *N*-methylanilinium trichloroacetate, **7**, 138
 $C_{80}H_{93}Cl_3N_{10}O_{26}$, LY191145, **3**, 283
 $C_{80}H_{124}N_{20}O_{22}S_5$, actagardine, **4**, 276, 280, 282
 $C_{80}H_{142}N_4O_{22}S_2$, theonezolidC, **8**, 581
 $C_{84}H_{148}N_4O_{39}$, GD1a, **3**, 100
 $C_{85}H_{119}N_{23}O_{25}S_3$, ancovenin, **4**, 280
 $C_{85}H_{128}N_{22}O_{23}S_5$, mersacidin, **3**, 281, **4**, 276, 280, 282, 289, 295
 $C_{85}H_{145}N_7O_{29}$, C6-NBD-GM1, **3**, 100
 $C_{88}H_{95}Cl_2N_9O_{33}$, teicoplanin, **3**, 281
 $C_{88}H_{148}N_2O_{71}$
 Glc₃Man₉GlcNAc₂, **3**, 15, 18
 Glc₃Man₉GlcNAc₂, **3**, 41
 $C_{89}H_{125}N_{25}O_{25}S_3$
 cinnamycin, **4**, 280, 282, 295
 duramycin, **4**, 280, 282
 $C_{95}H_{57}ClO_{28}$, delphinidin 3-rutinoside 7-tetra(4-hydroxybenzoylglucosyl)glucoside, **8**, 159
 $C_{95}H_{110}N_8O_{44}$, ristocetin A, **3**, 283
 $C_{96}H_{136}Cl_3NO_{35}$, prymnesin-2, **8**, 518
 $C_{98}H_{141}N_{25}O_{23}S_3$, epidermin, **4**, 279, 281, 286, 289, 290, 296, 298
 $C_{99}H_{140}N_{20}O_{17}$
 gramicidin D, **4**, 323
 linear gramicidin, **4**, 320, 322
 $C_{100}H_{100}N_{15}O_{26}P$, deoxyguanosine phosphoramidite, **7**, 208
 $C_{100}H_{146}N_{24}O_{22}S_3$
 gallidermin, **4**, 279, 281, 283, 286, 300
 staphylococcin 1580, **4**, 279
 $C_{119}H_{154}ClN_{22}O_{39}$, ramoplanin, **3**, 280
 $C_{121}H_{203}N_{41}O_{38}S_6$, geographutoxin I, **8**, 476
 $C_{122}H_{208}N_{42}O_{36}S_7$, geographutoxin II, **8**, 476
 $C_{127}H_{220}N_3O_{53}$, ostereocin D, **8**, 510
 $C_{129}H_{223}N_3O_{54}$, palytoxin, **8**, 509
 $C_{131}H_{189}N_{37}O_{34}S_4$, streptococcin A-FF22, **4**, 279, 282, 292, 293
 $C_{132}H_{184}N_{38}O_{37}S_5$
 lactacin 481, **4**, 279, 282, 292, 293
 lactococcin DR, **4**, 279
 $C_{136}H_{227}N_{37}O_{34}S_3$, epilancin K7, **4**, 279, 284, 287
 $C_{138}H_{228}NNaO_{56}S$, zooxanthellatoxin-B, **8**, 614
 $C_{140}H_{232}NNaO_{57}S$, zooxanthellatoxin-A, **8**, 614
 $C_{142}H_{249}N_{36}O_{46}$, pardaxinP-3, **8**, 473
 $C_{143}H_{230}N_{42}O_{37}S_7$
 nisin, **4**, 199, 202, 276, 278, 281, 283, 291, 296, 299
 nisin A, **4**, 298
 $C_{143}H_{251}N_{36}O_{46}$
 pardaxinP-1, **8**, 473
 pardaxinP-2-, **8**, 473
 $C_{144}H_{231}N_{43}O_{38}S_7$, nisin Z, **4**, 279, 285
 $C_{153}H_{235}N_{41}O_{46}S_6$, subtilin, **4**, 279, 281, 283, 286, 295, 296, 299
 $C_{153}H_{256}N_{48}O_{38}S_3$, Pep5, **4**, 279, 281, 283, 286, 296, 299
 $C_{163}H_{256}O_{68}S_{21}Na_2$, maitotoxin, **8**, 504
 $C_{178}H_{274}N_{44}O_{43}S_4$, lactocinS, **4**, 279, 284, 294
 $C_{218}H_{383}N_{62}O_{71}$, polytheonamide B, **8**, 577
 $Cl_2Cu,CuCl_2$, **1**, 131
 Cl_2Mg , magnesium chloride, **4**, 15
 Cl_2NOP , dichlorophosphoramidite, **7**, 132
 Cl_4Ti , titanium chloride, **7**, 126
 HCl_2O_2P , phosphorodichloridous acid, **6**, 82
 $HNaO_3S$, sodium bisulfite, **7**, 95
 HNO_3 , peroxyntrous acid, **5**, 236, 239
 HN_3 , hydrazoic acid, **5**, 197
 HO , hydroxyl radical, **7**, 253
 H_3MgO_2 , magnesium hydroxide, **6**, 157
 H_2O , water, **5**, 79
 H_2O_2 , hydrogen peroxide, **3**, 720, **7**, 540
 H_2O_2Pb , lead hydroxide, **6**, 135, **6**, 157
 H_2O_2Zn , zinc hydroxide, **5**, 79
 H_3N , ammonia, **3**, 405, **5**, 80, 273
 H_3NO , hydroxylamine, **2**, 33, **4**, 14, **5**, 406, 412, **7**, 93
 H_3O_3PSe , selenophosphate, **4**, 355
 H_3O_4P , *o*-phosphoric acid, **7**, 70
 H_4BN , sodium borohydride, **4**, 14
 H_4ClN , ammonium chloride, **5**, 350
 H_4NO_3P , phosphoramidic acid, **6**, 82
 $H_{15}ClCoN_5$, cobalt chloro pentaamine, **6**, 251
 H_8CoN_6 , cobalt hexaamine, **6**, 251
 $H_{18}N_6Os$, osmium hexaamine, **6**, 57
 I_2 , iodine, **6**, 73
 KI , potassium iodide, **6**, 65
 $KMnO_4$
 potassium manganate, **7**, 253
 potassium permanganate, **7**, 92
 K_2O_3Te , potassium tellurate, **2**, 276
 NO , nitric oxide, **3**, 183, 298, **5**, 239
 OsO_4 , osmium tetroxide, **7**, 92, 253
 $TiCl_3$, titanium chloride, **6**, 65